

Startdocument for Contribution application

Startdocument of **Monique Sabong**. Student number **5000742**.

Problem Description

When determining the annual contribution for a sports association, we have the following rules: Senior members pay €150, junior members €75. You're a senior member if you're 18 years or older. Playing members have to pay €45 bond contribution extra. For members who have been a member for more than 7 years will get a 5% discount.

You need to develop a program for each member by name, date of birth and date of entry into membership (format dd-mm-yyyy) also if the member is a playing or non-playing member. For each member, the contributions should be calculated and displayed. Furthermore, cumulatively, the total membership fee should be displayed, the average number of years of membership and displaying the youngest member gives.

Input & Output

In this section the in- and output of the application will be described.

Input

In the table below all the input (that the user has to input in order to make the application work) are described.

Case	Type	Conditions
Name of Sportclub	<code>String</code>	not empty
Name Of Member	<code>String</code>	not empty
DOB of Member	<code>DateTime</code>	dd-mm-yyyy
Member since date	<code>dd:mm:yyyy</code>	not empty
PlayingMember	<code>boolean</code>	not empty
Member ID	<code>int</code>	not empty

Output

Case	Type
The cumulative total contribution price	<code>float</code>
Youngest member at the sportclub	<code>String</code>
The average number of membership years	<code>int</code>
Contribution price for a member	<code>float</code>

Calculations

Case	Calculation
Total contribution of 1 member	The sum of all the contribution prices of 1 member
Total contribution of all the members in the sportclub	The sum of all the contribution prices of all the members
The 5% discount if a member has a membership longer than 7 years	$0.05 \times$ the total contribution price from a member

Remarks

- Input will be validated.
- Only the Main class will contain `System.out.println`
- Unit Tests will be provided.

Lay-out of GUI

Sportclub page

Sportclub page

Sportclub Member About

Name of sportclub: Ice skating Club

Youngest Member: Marco

Total Profit: 253

Average Membership years: 6

Member page

Member page

Sportclub Member Setting

Name member: Monique Sabong

Date of birth: 22-10-2002

Member since: 04-10-2014

Playing member: yes

Contribution price: 220

Add member

Add member

Add member

Sportclub Member Setting

Name member:

Date of birth:

Member since:

Playing member:

Settings page

Sportclub


Member

Setting

- X

Choose sportclub

Class Diagram



Testplan

In this section the testcases will be described to test the application.

Test Data

In the following table you'll find all the data that is needed for testing.

Member

ID	Input	Code
Monique1	name: Monique1 date of birth: 22-09-2006 member since: 05-11-2020 playing member: TRUE	<pre>new Member("Monique1", "22-09-2006", "05-11-2020", TRUE)</pre>

ID	Input	Code
Monique2	name: Monique2 date of birth: 22-10-2006 member since: 05-11-2020 playing member: TRUE	<code>new Member("Monique2", "22-10-2006", "05-11-2020", FALSE)</code>
Monique3	name: Monique3 date of birth: 22-10-2006 member since: 05-11-2014 playing member: TRUE	<code>new Member("Monique3", "22-10-2006", "05-11-2014", FALSE)</code>
Henry1	name: Henry1 date of birth: 23-05-2002 member since: 11-06-2020 playing member: TRUE	<code>new Member("Henry1", "23-05-2002", "11-06-2020", TRUE)</code>
Henry2	name: Henry2 date of birth: 23-05-2002 member since: 11-06-2020 playing member: TRUE	<code>new Member("Henry2", "23-05-2002", "11-06-2020", FALSE)</code>
Henry3	name: Henry3 date of birth: 23-05-2002 member since: 11-06-2014 playing member: TRUE	<code>new Member("Henry3", "23-05-2002", "11-06-2014", FALSE)</code>

Sportclub

ID	Input	Code
Ice skating club	name: Ice skating club	<code>new Sportclub("Ice skating club")</code>

Test Cases

In this section the testcases will be described. Every test case should be executed with the test data as starting point.

#1 Checking if the member is a senior or not

Testing the method to check if a member is 18 years or older.

Step	Input	Action	Expected output
1	Monique1	isSenior()	FALSE
2	Henry1	isSenior()	TRUE

#2 Getting the contribution price for one member

Testing the method to calculate the total contribution price of a member.

Step	Input	Action	Expected output
1	Monique1	calculateContribution(Monique1)	120
2	Monique2	calculateContribution(Monique2))	75
3	Monique3	calculateContribution(Monique3)	114
4	Henry1	calculateContribution(Henry1)	195
5	Henry2	calculateContribution(Henry2)	150
6	Henry3	calculateContribution(Henry3)	142,50

#3 Getting the total contribution price of a sportclub

Testing the method to calculate the total contribution price of all the members in a club.

Step	Input	Action	Expected output
1	Ice skating club	CalcTotalContribution(Ice skating club)	753,75

#4 Getting the youngest member of the sportclub

Testing the method to show the youngest member of the sportclub

Step	Input	Action	Expected output
1	Members	showYoungestMember(Arraylist<Member>)	Monique1

#5 Getting the average amount of membership years

Testing the method of calculating the average amount of membership years

Step	Input	Action	Expected output
1	Members	calAverageMembershipYears(ArrayList<Member>)	6 years