

Nocturne redesign — handoff

Full visual redesign of client/ against the existing server API. Dark is primary; light shown for Today, Activity and Add. Every figure is drawn from data the endpoints already return; anything that isn't is listed in "What the API can't serve yet".

CONTENTS

- 01 Foundations — navigation map, color / type / spacing / elevation tokens (paste-ready TS), component spec, backend gaps
- 02 Today & capture — Today (H), Add (A), Receipt flow (R), Smart Add (S), Quick Add + widget (Q, W)
- 03 Review & manage — Activity (M), Insights (I), Budgets (B), Requests (RQ), Settings (ST), Auth (AU)

READING THE MOCKUPS AS REACT NATIVE

Mockup colors map to theme keys: ground → background, card → surface, muted → surface2, tint → accentDim, ink / ink2 / ink3 → text / textSecondary / textMuted, edge → border, hair → divider, pos / neg / warn → income / expense / warning, c1–c5 → chartPalette.

UI icons are Ionicons (@expo/vector-icons) by the names in the notes; category icons are MaterialCommunityIcons (the value stored in category.icon).

Faded rules → 1px expo-linear-gradient. Glow card → elevation.glow (accent border + accent shadow, no spread). Charts → react-native-gifted-charts; the HTML bars are references only. Sheets → react-native-paper Portal + Modal anchored bottom.

Phone labels (H1, A4, RQ2...) are stable IDs; each screen's build notes give the endpoint, field → element mapping and deliberate divergences from the current app.

Foundations, components, gaps

Tokens to paste into client/theme, the shared-component spec, the navigation map, and what the API can't serve yet. Built from server/src (routes, transaction.service.ts, budget/category/request services, schema.prisma) and client/app + components/main.

STRUCTURE

Navigation map

 Today (tabs)/index Net today, spend split, entries. Header: avatar → Settings, inbox → Requests (badge = pending count).	 Activity (tabs)/monthlyTransactions Month / Week segmented, month stepper, daily strip, day-grouped list.	+ Add (tabs)/addTransaction Centre outline tab. Keypad entry; Smart Add button → (tabs)/smart-add.
 Insights (tabs)/history Year / Trend segmented. Year stepper; months picker 3-6-12-24.	 Budgets (tabs)/budgets Promoted from Settings. Summary + per-category progress; create/edit sheet.	

Hidden routes (href: null) stay hidden: smart-add (from Add), transaction-requests + settings (from Today's header), quick-add (deep link). Budgets becomes visible; history stays the route file for Insights; Trend moves out of MonthlyTransaction's TrendTab into Insights.

TOKENS · CLIENT/THEME/COLORS.TS

Color

Existing ColorScheme keys are kept (so every component compiles on day one) and re-pointed at the Nocturne values; new keys are marked NEW. Chart ramp is for categories only — income/expense never borrow it, and Uncategorized always gets its own swatch.

KEY	DARK		LIGHT							
background page ground		#161826		#eef0f9						
surface cards, sheets		#232532		#f7f8fe						
surface2 tracks, segmented bg, chips		#1f2130		#e4e7f5						
accentDim accent-tinted surface		#2b2741		#e7e5fe						
skeleton NEW skeleton blocks on cards		#2c2e3c		#e1e4f1						
accent lines, marks, outline buttons		#9184d9		#5d5294						
accentText text on accentDim		#d2cefd		#423a6a						
accentBorder glow ring, soft outlines		rgba(145,132,217,0.55)		rgba(93,82,148,0.5)						
onAccent NEW label on emphasis fill		#161826		#eef0f9						
text primary ink		#e9e9ed		#1f2130						
textSecondary meta, labels		#9397ab		#595d6c						
textMuted placeholders, ticks		#75798c		#75798c						
border edge — card/input outline		#3f424d		#dcdfee						
divider hairline — faded rules		rgba(233,233,237,0.14)		rgba(31,33,48,0.12)						
income success		#7cbf8e		#3b7650						
incomeBg income tint		rgba(124,191,142,0.13)		rgba(59,118,80,0.10)						
expense danger		#e0786e		#b4453d						
expenseBg expense tint		rgba(224,120,110,0.13)		rgba(180,69,61,0.09)						
warning NEW near-limit, offline		#d8a657		#8f6219						
warningBg NEW warning tint		rgba(216,166,87,0.13)		rgba(143,98,25,0.10)						
uncategorized NEW category'd null swatch		#4a4d5a		#c3c7d9						
scrim NEW behind sheets/dialogs		rgba(10,11,18,0.72)		rgba(31,33,48,0.45)						
chartPalette categories by rank, both themes		#968ae0		#d2cefd		#75798c		#5d5294		#b2b6ca

```

const dark: ColorScheme = {
  background: '#161826', surface: '#232532', surface2: '#1f2130',
  border: '#3f424d', divider: 'rgba(233,233,237,0.14)',
  text: '#e9e9ed', textSecondary: '#9397ab', textMuted: '#75798c',
  income: '#7cbf8e', incomeBg: 'rgba(124,191,142,0.13)',
  expense: '#e0786e', expenseBg: 'rgba(224,120,110,0.13)', expenseText:
'#e0786e',
  warning: '#d8a657', warningBg: 'rgba(216,166,87,0.13)', //
NEW
  accent: '#9184d9', accentDim: '#2b2741',
  accentBorder: 'rgba(145,132,217,0.55)', accentText: '#d2cefd',
  onAccent: '#161826', skeleton: '#2c2e3c', //
NEW
  uncategorized: '#4a4d5a', scrim: 'rgba(10,11,18,0.72)', //
NEW
  tabBarBg: '#161826', inputBg: '#232532', inputBgSheet: '#161826', //
sheet NEW
  placeholder: '#75798c', statusBarStyle: 'light',
  chartPalette: ['#968ae0', '#d2cefd', '#75798c', '#5d5294', '#b2b6ca'],
};

const light: ColorScheme = {
  background: '#eef0f9', surface: '#f7f8fe', surface2: '#e4e7f5',
  border: '#dcdfee', divider: 'rgba(31,33,48,0.12)',
  text: '#1f2130', textSecondary: '#595d6c', textMuted: '#75798c',
  income: '#3b7650', incomeBg: 'rgba(59,118,80,0.10)',
  expense: '#b4453d', expenseBg: 'rgba(180,69,61,0.09)', expenseText:
'#b4453d',
  warning: '#8f6219', warningBg: 'rgba(143,98,25,0.10)',
  accent: '#5d5294', accentDim: '#e7e5fe',
  accentBorder: 'rgba(93,82,148,0.5)', accentText: '#423a6a',
  onAccent: '#eef0f9', skeleton: '#e1e4f1',
  uncategorized: '#c3c7d9', scrim: 'rgba(31,33,48,0.45)',
  tabBarBg: '#eef0f9', inputBg: '#f7f8fe', inputBgSheet: '#eef0f9',
  placeholder: '#75798c', statusBarStyle: 'dark',
  chartPalette: ['#968ae0', '#d2cefd', '#75798c', '#5d5294', '#b2b6ca'],
  // light: pair #d2cefd / #b2b6ca slices with a 1px border so they hold
on #f7f8fe
};

export const currency = { symbol: '₹', locale: 'en-IN' }; // swap here

```

Type, space, radius, elevation

display	-₹1,850	48/50 · 500 · -0.96
amountInput	₹1,250	52/60 · 500 · -1.04
amountLg	+₹12,480	40/44 · 500 · -0.8
h1	Sign in	28/34 · 500 · -0.42
h2	Today	20/24 · 500 · -0.3
h3	September 2026	17/22 · 500 · -0.26
body	Entries you add today show up here.	15/23 · 400
bodyMd	Lunch with team	15/23 · 500
amount	-₹12,50,000	15/20 · 500 · tnum
bodySm	Saved with today's date.	13/19 · 400
caption	Food · 13:05	12/16 · 400
kicker	NET TODAY	11/14 · 600 · +0.99
tab	Activity	10/12 · 500 · +0.2

```

export const fontFamily = {
  regular: 'Inter_400Regular', medium: 'Inter_500Medium',
  semibold: 'Inter_600SemiBold', bold: 'Inter_700Bold',
};
const tnum = { fontVariant: ['tabular-nums'] as const };
const f = (family, fontSize, lineHeight, letterSpacing = 0) =>
  ({ fontFamily: family, fontSize, lineHeight, letterSpacing });

export const text = {
  display: { ...f(fontFamily.medium, 48, 50, -0.96), ...tnum },
  amountInput: { ...f(fontFamily.medium, 52, 60, -1.04), ...tnum },
  amountLg: { ...f(fontFamily.medium, 40, 44, -0.8), ...tnum },
  amountMd: { ...f(fontFamily.medium, 18, 24), ...tnum },
  amount: { ...f(fontFamily.medium, 15, 20), ...tnum },
  amountSm: { ...f(fontFamily.regular, 12, 16), ...tnum },
  h1: f(fontFamily.medium, 28, 34, -0.42),
  h2: f(fontFamily.medium, 20, 24, -0.3), // screen titles
  h3: f(fontFamily.medium, 17, 22, -0.26), // sheet titles, steppers
  body: f(fontFamily.regular, 15, 23),
  bodyMd: f(fontFamily.medium, 15, 23),
  bodySm: f(fontFamily.regular, 13, 19),
  caption: f(fontFamily.regular, 12, 16),
  captionMd: f(fontFamily.medium, 12, 16), // field labels
  kicker: { ...f(fontFamily.semibold, 11, 14, 0.99), textTransform:
'uppercase' },
  tab: f(fontFamily.medium, 10, 12, 0.2),
};
// Bold (700) is loaded but unused in UI; 600 only for kickers/badges.

```

SPACING (4-PT; SCREEN PAD 20)


xxs	 2px
xs	 4px
sm	 8px
md	 12px
base	 16px
lg	 20px
xl	 24px
xxl	 32px




sm · 6px
badges, tags



md · 8px
tiles, inner seg




card · 10px
cards, inputs, buttons




sheet · 14px
sheets, dialogs




pill · 999px
chips



elevation.card



elevation.sheet



elevation.glow ·
1/screen

Freestanding rule: LinearGradient 1px, transparent → divider (48px) → transparent. In-card
row divider: inset left past the icon, fades only at the right end (40px).

```

export const spacing = {
  xxs: 2, xs: 4, sm: 8, md: 12, base: 16, lg: 20, xl: 24, xxl: 32,
  screenPad: 20, rowMinHeight: 58, hitTarget: 44,
  control: 40, button: 44, field: 48, cta: 50,
  tabBar: 50, // + insets.bottom → 84 on notched iPhones
};
export const radius = { sm: 6, md: 8, card: 10, sheet: 14, pill: 999 };

export const elevation = (C: ColorScheme, dark: boolean) => ({
  card: {
    borderWidth: 1, borderColor: C.border,
    shadowColor: dark ? '#000' : '#1f2130',
    shadowOpacity: dark ? 0.45 : 0.07, shadowRadius: dark ? 18 : 14,
    shadowOffset: { width: 0, height: dark ? 6 : 4 }, elevation: dark ?
4 : 2,
  },
  sheet: {
    borderTopWidth: 1, borderColor: C.border, shadowColor: '#000',
    shadowOpacity: dark ? 0.6 : 0.12, shadowRadius: 40,
    shadowOffset: { width: 0, height: -16 }, elevation: 16,
  },
  glow: { // one per screen
    borderWidth: 1, borderColor: C.accentBorder, shadowColor: C.accent,
    shadowOpacity: dark ? 0.3 : 0.2, shadowRadius: 28,
    shadowOffset: { width: 0, height: 0 }, elevation: 8, // Android ≥ 28
tints it
  },
});

```

COMPONENTS/MAIN/SHARED/*

Component spec

Each card: the component in its states on the dark ground, then anatomy → token. Press = 0.96 opacity + tint
background (Pressable), 120 ms. Disabled = 0.45 opacity. Light mode swaps the scheme only; no layout differs.

TransactionCard (row)

TxRow

	Lunch with team @ Food · 13:05	-₮650
	Salary — September Pressed · Salary · 09:00	+₮48,000
	Parking Uncategorized · 07:45	-₮180
	Tea and snacks 🔗 Waiting to sync · 14:20	-₮120
	Motorbike — full pay... Transport · 11:30	-₮12,50,000

e & breakfast



Edit



Delete

Min height 58 · pad 0 14 · gap 12. Tile 36/r8 accentDim + accentText MCI icon (category.icon), Uncategorized = dashed border tile + shape-outline in textMuted. Title bodyMd, 1 line ellipsis; attach-outline 15 when receiptFileUrl. Meta caption textSecondary "Category · HH:mm". Amount amount-token, never wraps, sign + ₮ at 75% opacity, income/expense color. 7-digit amounts fit because the title shrinks, not the amount. Pending: cloud-upload-outline + "Waiting to sync" in warning. Swipe (Swipeable, existing) reveals Edit (accentDim) and Delete (expenseBg) 64px each; one open at a time.

TotalBalanceCard + SummaryPills

glow

NET TODAY

7 entries

+₮3,200

In

+₮5,200


Out

-₮2,000

Props: label, income, expense, count?. Net = income - expense; sign glyph in income/expense color at 26, ₮ textSecondary 26, figure display 48 in text. Zero → all textMuted, bar becomes surface2 + border (H4). Split bar: two flex children weighted by the raw amounts, 3px gap, r3; if one side is 0 the other fills. The pills are no longer pills — the In/Out pair sits inline under the bar (label caption, value amountMd). Period variants (Activity, Insights) use amountLg 40 and drop the count.

CategoryBreakdown

bar · list · donut



Input categoryBreakdown[]. Expense view: filter expense > 0, sort desc, ramp by rank (6th+ collapse into "Other" in c5). categoryId null → uncategorized swatch always, even if it ranks first. Selected row (Activity filter) = accentDim background. Compact form on Today (bar + wrapped legend); donut form on Trend (PieChart donut, innerRadius 0.68, center label = total).

CategoryPicker · TypeToggle

Transport Food None + No category Bills

default · selected · None (sends null) · missing (Smart Add) · disabled

Expense Income

Expense Income

Month Week

Picker: horizontal ScrollView of chips, h34 r17, gap 8, bleeds off the right edge to signal scroll. Default border edge / textSecondary; selected accentDim + accent border + accentText. First chip "None". Settings grid variant (ST2): 44×44 r8 tiles. TypeToggle: surface2 track + border, r10, pad 3; selected segment takes expenseBg/incomeBg + 1px border in that color. The neutral view segmented (Month/Week, Year/Trend, theme) uses surface + edge for the selected segment — color is reserved for income/expense.

PrimaryButton

+ Outline Pressed Disabled

○ Saving... Emphasis

🗑️ Destructive Ghost

variant: outline (default) | emphasis | destructive | ghost. Height 44 (48 in sheets, 50 for the screen's CTA). Outline: 1px accent, accent label; pressed → accentDim fill + accentText label. Emphasis: accent fill, onAccent label — at most one per screen (Save on Add/Smart Add/sheets, Sign in). Loading: ActivityIndicator 14 in the label color + gerund label, disabled. The old 'color' prop (red Accept) is dropped; tone comes from variant.

FormField

Default

What was it for?

Focused

Lunch with team

Error

Please enter a title

Disabled

rafiul.alam@gmail.com

Label caption-medium textSecondary above (no floating labels). Input h48 r10, inputBg (inputBgSheet inside sheets), 1px border; focus → accent border; error → expense border + helper; disabled 0.45. Placeholder textMuted. Amount variant: amountInput, ₹ prefix textSecondary.


EmptyState · Skeleton · Error



Title in h3

One sentence on what will appear and why.


+ Optional action



Empty: left-aligned, icon in a dashed 44 tile (no illustration).
Skeleton: same geometry as TxRow, skeleton token, rows fade 1 → 0.4; pulse opacity 1 ↔ 0.6 over 900 ms (Animated.loop).
Error: card with alert-circle-outline in expense, head in bodyMd, API `message` verbatim in textSecondary, outline "Try again" (refresh-outline) that calls refetch. Toasts (react-native-toast-message) use the same card surface at the top, not colored slabs.

Sheet (edit modal) · ReceiptViewer

Sheet title



Paper Portal + Modal anchored to the bottom (contentContainerStyle: marginTop auto, radius 14 top corners), scrim token, grabber 36×4. Slide-up 220 ms ease-out; drag-down or scrim tap dismisses. Content in KeyboardAwareScrollView; pad 20 + insets.bottom. Used by UpdateTransactionModal (H6), PendingTransactionEditModal, TransactionRequestEditModal (RQ2), BudgetFormModal (B2), CategoryFormModal (ST2), profile (ST3), receipt source (R1). ReceiptViewerModal is full-screen on #10111b: close (close) left, filename + entry center, trash-outline right; image = pinch-zoomable Image; PDF (resourceType "raw") = file card + "Open PDF" via Linking/WebBrowser (R2–R4).

NEEDS A BACKEND CHANGE

What the API can't serve yet

None of these are faked in the mockups — each screen works around them as noted. Listed roughly by how much they'd unlock.

01	No transaction date field Transactions are dated by createdAt only, so nothing can be backdated: Add, Quick Add and Smart Add always save "now", and an accepted Request loses its occurredAt (RQ2 says so in the sheet). Smart Add text like "yesterday" is silently ignored.	Transaction.occurredAt DateTime @default(now()); bucket summaries on it; accept copies request.occurredAt
02	Monthly can't take a year monthly-transaction pins the year to the current UTC year. The Activity stepper stops at January, and the Insights → month drill-in only exists for the current year.	GET /monthly-transaction? targetMonth=N&targetYear=YYYY
03	Weekly has no offset Only the current Fri–Thu week is available, so Week has no stepper. weekEnd is exclusive (next Friday 00:00) and transactionData isn't sorted — the client handles both.	GET /weekly-transaction? weekOffset=-1 (or ?date=), add orderBy createdAt desc
04	Accepting a request ignores category accept takes {title, description, amount} only and always creates an uncategorized expense. RQ2 applies the picked category with a second call (PATCH update-transaction) — two round-trips and a failure mode between them.	Accept body: categoryId?: string (ownership-checked like addNewTransaction)
05	Profile edits are name-only update-profile writes name; email and profilePicture can't be changed and there's no photo upload route. ST3 shows email locked and offers no photo action.	PATCH /auth/update-profile {email?}; PUT /auth/profile-picture (multer + Cloudinary, like receipts)
06	Timezone: "today" is UTC-today Buckets use getUTCDate(), but daily/monthly start–end are built with local-time new Date(y, m, d). For a UTC+6 user, anything logged before 06:00 local lands on yesterday; on a non-UTC server the range and bucket can disagree near midnight.	Accept ?tz=Asia/Dhaka (or utcOffset) and compute ranges + buckets in it
07	many-transaction returns only {count} Smart Add can't link to the created rows or attach receipts to them. S4 shows the drafts it sent plus the server count.	Return created rows (createManyAndReturn, Prisma ≥ 5.14)
08	Smart Add never suggests a category The AI prompt returns type/amount/title/description only, so every draft starts as "No category".	Pass the user's category names into the prompt; return categoryId per draft
09	Budgets are current-month only GET /budgets computes spent for this UTC month; no past months, so no budget history or month switcher. The 80% near-limit threshold is a client constant.	GET /budgets?targetMonth&targetYear; optional per-budget warnAt
10	Request history isn't exposed Only pending requests are listed, so there's no "reviewed" view. Reject has no undo route, so the toast has no Undo.	GET /transaction-requests? status=accepted rejected; PATCH /:id/reopen

11	Trend categories cover the latest month only trend-transaction's categoryBreakdown is the newest month's expenses, so per-category trends over the window can't be drawn.	categoryBreakdown per monthlySummary bucket
12	No search or range query There's no endpoint to search titles or fetch an arbitrary date range, so no search UI was designed.	GET /transactions? q=&from=&to=&categoryId=
13	Currency isn't stored Amounts are bare decimals; ₹ + en-IN grouping is a client constant (currency in colors.ts). A per-user currency would need a User field.	User.currency String @default("BDT")

Today & capture

Home, Add, Smart Add, Quick Add + widget, and the receipt flow. Every figure on these phones is computed from the endpoint named in the notes beside it. Labels (H1, A2...) are stable — reference them in chat.

SCREEN 1 · APP/(TABS)/INDEX.TSX

Today

Net first, then where it went, then the entries. The net figure is the one glow card in the app's most-opened screen; in/out sit directly under it as a proportional bar so the ratio reads before the numbers do.

Feed GET /transactions/daily-transaction → data.{income, expense, transactions[], categoryBreakdown[]}



Net income – expense (client). Sign colored pos/neg, figure stays ink. "7 entries" = transactions.length.



Spent on categoryBreakdown filtered to expense > 0, sorted desc, ramp c1→c5 by rank; Uncategorized always uses the uncat swatch, never a ramp hue.



Inbox badge GET /transaction-requests length (already fetched by useTransactionRequests). Replaces the "Requests" button on Add.

Avatar → Settings (replaces the gear). Initials from user.name; profilePicture if set.

Diverged Greeting dropped; category breakdown moved above the list as a compact bar; offline queue is merged into the list as "waiting to sync" rows instead of a separate section.







SCREEN 2 · APP/(TABS)/ADDTRANSACTION.TSX

Add entry

Amount first, typed on an in-app keypad in the thumb zone, so the most common entry (amount + category) never raises the system keyboard. Title and note use the system keyboard only when tapped.

Save POST /transactions/new-transaction {type, amount, title, description?, categoryId?}. If a receipt is attached: then PUT /transactions/receipt-file/:id (multipart "file") with the returned _id.

Categories GET /categories → chip row; first chip "None" sends categoryId null.

Keypad Flex rows of Pressables, same regex as today (/^\d+(\.\d{0,2})?\$/)
— invalid keys simply don't register, so the "Invalid Amount" toast goes away.

Title Required by the API; if empty on save we fall back to the category name instead of blocking — see A4 for the validation that remains.

Diverged "Requests" button moved to Today's inbox icon. Smart Add stays here as the one header action. Offline: unchanged queue behaviour, the button reads "Save offline".

A1 Filled · dark

9:41

New entry

Smart Add

Expense

Income

AMOUNT

₪1,250|

Aa Lunch with team

None

Food

Transport

Groceries

Note

Receipt

1

2

3

4

5

6

7

8

9

.

0

⌫

Save expense

Today

Activity

+

Insights

Budgets

A2 Filled · light

9:41

New entry

Smart Add

Expense

Income

AMOUNT

₪1,250|

Aa Lunch with team

None

Food

Transport

Groceries

Note

Receipt

1

2

3

4

5

6

7

8

9

.

0

⌫

Save expense

Today

Activity

+

Insights

Budgets

9:41

New entry

Smart Add

Expense

Income

AMOUNT

₪ 0

Aa Title

Note

Receipt

1

2

3

4

5

6

7

8

9

.

0

Save expense

Today

Activity

+

Insights

Budgets

9:41

Entry saved, receipt didn't upload

File too large. Open the entry to try another file.

AMOUNT

₪ 1,250

Aa Title

Please enter a title

None

Food

Transport

Groceries

Note

invoice-sept.pdf

1

2

3

4

5

6

7

8

9

.

0

Save expense

Today

Activity

+

Insights

Budgets

FLOW · RECEIPTIMAGEPICKER + RECEIPTVIEWERMODAL

Receipt attachment

Pick → chip (A4) → view → remove. The server only accepts a file on an existing transaction, so on Add the file rides along as a chip and uploads right after create.


Upload PUT /transactions/receipt-file/:id, field "file", image or PDF, 10 MB cap (multer). A second upload replaces the first.

Display receiptFileUrl, receiptFileOriginalName for the chip, receiptFileResourceType "image" | "raw" chooses image vs PDF viewer.


Remove DELETE /transactions/receipt-file/:id after R4.



Row indicator attach-outline next to the title whenever receiptFileUrl is set.

R1 Pick source



R2 Viewer · image





SCREEN 3 · APP/(TABS)/SMART-ADD.TSX

Smart Add

Write a sentence, get drafts, fix what's wrong, save once. The review list is the screen — each draft is a card you can edit in place or discard; nothing is written until the one Save.

Parse POST /transactions/manage-money {prompt} → data: [{type, amount, title, description}] (no category — the AI never returns one).


Save POST /transactions/many-transaction with the edited array + categoryId per draft (spec 22 picker). Response is Prisma's {count} — S4 uses that count.

Empty data: [] → "Didn't find any amounts in that" with the text kept for editing.


Error 400 "AI returned invalid transaction data" or OpenRouter failure → S5, text preserved.

Diverged Drafts without a category are flagged "No category" rather than silently saved as Uncategorized.

S1 Compose



S2 Parsing (loading)



9:41

← Review

Edit text

4 drafts

In +₹800

Out -₹1,900

Expense

Income

₹ 250

Coffee

Coffee purchase

None

Food

Transport

Groceries

Discard

✓ Done

Lunch

-₹450

Lunch expense

Food

Electricity bill

-₹1,200

Monthly electricity payment

+ No category

Save 4 entries

Today

Activity

+

Insights

Budgets

9:41

✓

4 entries saved

They're in today's list now.

Coffee

-₹250

Lunch

-₹450

Electricity bill

-₹1,200

Tickets refund from Rafi

+₹800

View today

+ Add more


Today

Activity

+

Insights

Budgets



SCREEN 11 · APP/QUICK-ADD.TSX +
WIDGETS/QUICKADDWIDGET.TSX

Quick Add + widget

A sheet over a scrim, not a screen: no tab bar, no header, one job. The deep-link type presets the toggle; the keypad and Save sit in the thumb zone. On save it closes back to the launcher.

Entry client://quick-add?type=expense|income → toggle preset, keypad focused.


Save same POST /transactions/new-transaction; offline queue applies. No receipt here (that's what the full Add is for).

Widget FlexWidget + TextWidget only: flat rects, 1px borders, 16/12 radii, hardcoded palette below (the widget can't read ThemeContext). No data shown — it runs in a headless task without the auth token flow, so a total would be stale or wrong.

01 Quick Add sheet · type=expense

A mobile app interface for adding an expense. At the top, the status bar shows the time 9:41 and signal/battery icons. Below is a dark-themed sheet with a title bar containing 'Expense' (selected) and 'Income' tabs, and a close button. The main area displays a large currency symbol '₹' followed by the number '180' with a cursor. Below this is a text input field with the placeholder 'Aa Title (defaults to category)'. A category bar shows icons and labels for 'None', 'Food', 'Transport' (selected), and 'Groceries'. A numeric keypad with digits 1-9, a decimal point, and a backspace button is positioned below the category bar. At the bottom is a large purple button labeled 'Save expense'.

W1 Home-screen widget · 4×1 and 2×2, dark + light



Review & manage

Activity (month/week), Insights (year/trend), Budgets, Requests, Settings, Auth. Tab bar: Today · Activity · Add · Insights · Budgets — Trends moved in beside the yearly view; Budgets promoted from a Settings link to a tab; Requests and Settings are reached from Today's header.

SCREEN 4 · APP/(TABS)/MONTHLYTRANSACTIONS.TSX

Activity · month + week

Period net on top, a day-by-day spend strip to scan the shape of the month, then the day-grouped list. The accordion is gone — every day is open, headed by its own in/out.


Month GET /transactions/monthly-transaction?targetMonth=N → {income, expense, transactionData[{date, income, expense, transactions}], categoryBreakdown}. Strip = expense per date, days missing from transactionData drawn as empty ticks.

Avg out/day expense ÷ days elapsed (spec 01's existing calc).

Stepper targetMonth only — the server pins the year to the current UTC year, so the stepper stops at January and at the current month.

Week GET /transactions/weekly-transaction → weekStart...weekEnd (exclusive; show weekEnd – 1 day). No parameter, so no week stepper. transactionData isn't server-sorted — sort by date desc client-side.

Chips categoryBreakdown → client-side filter of the list (existing behaviour).



9:41



Activity


Month

Week

This week Fri 25 Sep – Thu 1 Oct

NET THIS WEEK

- ₹6,840



In +₹800 Out -₹7,640

BY CATEGORY

	Food	₹3,100 41%
	Transport	₹1,850 24%
	Groceries	₹1,420 19%
	Bills	₹1,090 14%
	Uncategorized	₹180 2%



Today



Activity



Insights



Budgets

9:41





Activity

Month

Week

September 2026



Today





Activity



Insights



Budgets



SCREENS 5 + 6 · APP/(TABS)/HISTORY.TSX

Insights · year + trend

History becomes Insights, with Trend as its second segment (it was a hidden tab inside Monthly). Year answers "how did this year go"; Trend answers "am I spending more lately".

Year GET /transactions/yearly-transaction?targetYear=YYYY →
{totalIncome, totalExpense, yearSummary[{month 0-11, income, expense, transactionCount}]}. Rows use transactionCount.



Drill-in Free only for the current year: row → Activity with sc-camel-target-month = month+1. Past years show no chevron because the monthly endpoint can't take a year.


Trend GET /transactions/trend-transaction?months=3|6|12|24 →
monthlySummary[{targetMonth "YYYY-MM", income, expense}]
oldest→newest; sc-camel-category-breakdown = latest month's expenses only.

Charts gifted-charts BarChart (grouped, Year) and LineChart with areaChart on expense (Trend); PieChart donut for the split. Income/expense series use pos/neg; category slices use the ramp.

I1 Year







SCREEN 7 · APP/(TABS)/BUDGETS.TSX

Budgets

Sorted by how close each one is to its limit, so the rows that need attention are on top. Tone does the talking: danger when over, warning from 80%, accent otherwise.

Feed GET /budgets → [{_id, categoryId, category{name, icon}, monthlyLimit, spent, percentage, isOverLimit}] — spent is this month's expense per category, server-computed.


Tone isOverLimit → neg · percentage ≥ 80 → warn (client threshold) · else accent. Bar width min(percentage, 100)%.

Summary Σspent / ΣmonthlyLimit across budgets (client).

Create / edit POST /budgets {categoryId, monthlyLimit}; PATCH /budgets/:id {monthlyLimit}; DELETE /budgets/:id (hard delete). Category locked when editing. 409 → "A budget already exists..." toast.

Diverged Promoted to a tab. Sheet shows "spent this month" for the picked category from the cached monthly categoryBreakdown.

B1 Over · near · under



B2 New budget sheet

9:41

New budget

Category · only ones without a budget

 Rent  Coffee  Mobile



Monthly limit


₹ 16,000 |

Spent on Rent so far this month: ₹15,000

Save budget

Editing: category is fixed, and a Delete (danger outline) sits left of Save.





SCREEN 8 · APP/(TABS)/TRANSACTION-REQUESTS.TSX

Requests inbox

An inbox, not a list: each card says where it came from and when it happened, and offers two moves. Reject is quiet; Review opens the accept sheet.


Feed GET /transaction-requests → pending only, createdAt desc. Card: sourceApp · sourceType (fuel → gas-station, maintenance → tools, accessory → tag-outline), occurredAt, title, amount, description.

Accept PATCH /transaction-requests/:id/accept {title?, description?, amount?} — the server always creates an uncategorized expense. The picked category is applied with a follow-up PATCH /transactions/update-transaction/:transaction_id {categoryId}.


Reject PATCH /:id/reject — card leaves with a 5 s "Rejected" toast (no undo endpoint, so no undo button).



Date The new transaction's date is acceptance time (createdAt), not occurredAt. The sheet says so.


RQ1 Pending



RQ2 Review → accept sheet







SCREEN 9 · APP/(TABS)/SETTINGS.TSX

Settings

Profile, appearance, categories, sign out — in that order, one card each. Categories are the only list that grows, so they get the room.


Profile GET /auth/me → name, email, profilePicture. PATCH /auth/update-profile accepts name only — email is shown read-only and there's no photo action (see backend gaps).

Categories GET /categories (createdAt asc); POST {name, icon}; PATCH /:id {name?, icon?}; PATCH /:id/delete (soft). 409 → "A category with this name already exists".


Icons category.icon stores MaterialCommunityIcons names (CATEGORY_ICON_OPTIONS, 27). Kept as MCI so existing data renders; everything else is Ionicons.

Appearance Today ThemeProvider follows the OS only. The segmented control needs a stored preference (AsyncStorage) — client-only, no API.

ST1 Settings



ST2 Edit category sheet



9:41

RA

Edit profile

Name

Rafiul Alam

Email

rafiul.alam@gmail.com

Email and photo can't be changed from the app yet.

Save

9:41



< Settings

Today

Activity

Insights

Budgets



SCREEN 10 · APP/AUTH.TSX + APP/REGISTER.TSX

Sign in · register

Two fields, one filled button, nothing else. Flush-left and set low enough that the button sits under the thumb with the keyboard up.

Login POST /auth/login {email, password} → data {userData, token}; token persisted (AsyncStorage). 401 anywhere → back here.

Register POST /auth/register {name, email, password}.

Errors message shown inline above the button, verbatim ("User dont exist with this email !!!", "Password don't match !!"). Worth tidying those strings server-side.

AU1 Sign in

AU2 Register

9:41

EXPENSETRACKER

Sign in

ⓘ Password don't match !!

Sign in

New here? [Create an account](#)

9:41

EXPENSETRACKER

Sign in

Signing in...

New here? [Create an account](#)