

desktop or HTTPS SSH <https://github.com/anukowsi/kowsalya.git>

creating a new file or uploading an existing file. We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

```
salya" >> README.md
```

```
DME.md
-m "first commit"
-M main
add origin https://github.com/anukowski/kowsalya.git
origin main
```

an existing repository from the command line

```
add origin https://github.com/anukowski/kowsalya.git
```

/eclipse-workspace/Kowsi

MINGW64 ~/eclipse-workspace/Kowsi

name anukowksi

MINGW64 ~/eclipse-workspace/Kowsi

itory in C:/Users/DharaKesh/eclipse-workspace/Kowsi/.git/

MINGW64 ~/eclipse-workspace/Kowsi (master)

to include in what will be committed)

t untracked files present (use "git add" to track)

MINGW64 ~/eclipse-workspace/Kowsi (master)

MINGW64 ~/eclipse-workspace/Kowsi (master)

added"

2d4] kowksi is added

tions(+)

path

tt

ngs/org.eclipse.jdt.core.prefs

g/amp/Vaishu.class

g/amp/Vaishu.java

MINGW64 ~/eclipse-workspace/Kowsi (master)

tps://github.com/anukowksi/dharani.git|

MINGW64 ~/eclipse-workspace/Kowsi (master)

one.

/14), done.

to 2 threads

(8/8), done.

14), 2.05 KiB | 99.00 KiB/s, done.

0 (delta 0), pack-reused 0

owksi/dharani.git

^ -> master



track 'origin/master'.

Search



27°C



Σ AutoSum ▾
 Fill ▾
 Clear ▾
 Editing

 f_x

A

B

C

D

E

F

G

H

1

J

h the code to master.

src/org/amp/Vaishu.java

```
@@ -10,13 +10,15 @@ private void companyName() {  
    c=a+b;  
    System.out.println(a+b);  
    System.out.println(a);  
    System.out.println("a is print");  
    --a;  
    System.out.println(a);  
    System.out.println(c);  
  
    }  
    private void companyId() {  
    System.out.println("i am not happy know ");  
    System.out.println("this program is done");  
    }  
    public static void main(String[] args) {  
        Vaishu v=new Vaishu();
```

commit b4ffbbb

Preview

H B I

comment

files by dragging & dropping, selecting or pasting them