ExpNo-11 Experiment to understand pandas library uses in datascience

Program:

```
import numpy as np
import pandas as pd
list=[[11,'Arun',52000],[12,'Meera',64000]]
df=pd.DataFrame(list)
df
df.columns=['Empd','Name','Salary']
df
df.info()
df=pd.read_csv("50_Startups.csv")
df.info()
df.head()
df.tail()
import numpy as np
import pandas as pd
df=pd.read_csv("employee.csv")
df.head()
df.tail()
df.info()
df.salary
df.salary.mean()
df.salary.median()
df.salary.mode()
df.salary.var()
df.salary.std()
```

```
df.describe()
df.describe(include='all')
empCol=df.columns
emparray=df.values
employee_DF=pd.DataFrame(emparray,columns=empCol)
employee_DF
```

output:

```
<class 'pandas.DataFrame'>
RangeIndex: 2 entries, 0 to 1
Data columns (total 3 columns):
 #   Column  Non-Null Count  Dtype
---  ------  --------------  -----
 0   Empd    2 non-null      int64
 1   Name    2 non-null      str
 2   Salary  2 non-null      int64
dtypes: int64(2), str(1)
memory usage: 180.0 bytes
<class 'pandas.DataFrame'>
RangeIndex: 50 entries, 0 to 49
Data columns (total 5 columns):
 #   Column          Non-Null Count  Dtype
---  ------          --------------  -----
 0   R&D Spend       50 non-null     float64
 1   Administration  50 non-null     float64
 2   Marketing Spend  50 non-null    float64
 3   State           50 non-null     str
 4   Profit          50 non-null     float64
dtypes: float64(4), str(1)
```

memory usage: 2.1 KB

<class 'pandas.DataFrame'>

RangeIndex: 7 entries, 0 to 6

Data columns (total 3 columns):

#	Column	Non-Null Count	Dtype
0	emp id	7 non-null	int64
1	name	7 non-null	str
2	salary	7 non-null	int64

dtypes: int64(2), str(1)

memory usage: 300.0 bytes

	emp id	name	salary
0	1	SREE VARSSINI K S	5000
1	2	SREEMATHI B	6000
2	3	SREYA G	7000
3	4	SREYASKARI MULLAPUDI	5000
4	5	SRI AKASH U G	8000
5	6	SRI HARSHAVARDHANAN R	3000
6	7	SRI HARSHAVARDHANAN R	6000