



Image shown is a representation only. Exact specifications should be obtained from the product data sheet.

DLM11SN900HZ2L

DigiKey Part Number

490-18111-2-ND - Tape & Reel (TR)
490-18111-1-ND - Cut Tape (CT)
490-18111-6-ND - Digi-Reel®

Manufacturer

Murata Electronics

Manufacturer Product Number

DLM11SN900HZ2L

Description

CMC 100MA 2LN 90 OHM SMD

Manufacturer Standard Lead Time

10 Weeks

In-Stock: 103,008

[Check for Additional Incoming Stock](#)

QUANTITY

[Add to List](#)

[Add to Cart](#)

All prices are in NZD

Cut Tape (CT) & Digi-Reel®

QUANTITY	UNIT PRICE	EXT PRICE
1	\$0.41000	\$0.41
10	\$0.32900	\$3.29
25	\$0.30440	\$7.61
50	\$0.28720	\$14.36
100	\$0.27090	\$27.09
250	\$0.25060	\$62.65
500	\$0.23624	\$118.12
1,000	\$0.22273	\$222.73

* All Digi-Reel orders will add a \$10.00 reeling fee.

Tape & Reel (TR)

QUANTITY	UNIT PRICE	EXT PRICE
4,000	\$0.19801	\$792.04
8,000	\$0.18671	\$1,493.68

Customer Reference

Detailed Description

2 Line Common Mode Choke Surface Mount 90 Ohms @ 100 MHz

Datasheet**EDA/CAD Models**[DLM11SN900HZ2L Models](#)

QUANTITY	UNIT PRICE	EXT PRICE
12,000	\$0.18041	\$2,164.92
20,000	\$0.17278	\$3,455.60
28,000	\$0.16794	\$4,702.32
40,000	\$0.16296	\$6,518.40
100,000	\$0.15491	\$15,491.00

Manufacturers Standard Package

Unit Price without GST: \$0.41000

Unit Price with GST: \$0.47150

Product Attributes

TYPE	DESCRIPTION	SELECT ALL <input type="checkbox"/>
Category	Filters Common Mode Chokes	<input type="radio"/> <input checked="" type="radio"/>
Manufacturer	Murata Electronics	<input type="checkbox"/>
Series	DLM11	<input type="checkbox"/>
Packaging	Tape & Reel (TR) Cut Tape (CT) Digi-Reel®	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Part Status	Active	<input type="checkbox"/>
Filter Type	Signal Line	<input type="checkbox"/>
Number of Lines	2	<input type="checkbox"/>
Impedance @ Frequency	90 Ohms @ 100 MHz	<input type="checkbox"/>
Current Rating (Max)	100mA	<input type="checkbox"/>
DC Resistance (DCR) (Max)	1.380ohm	<input type="checkbox"/>

Voltage Rating - DC	5V	<input type="checkbox"/>
Voltage Rating - AC	-	<input type="checkbox"/>
Operating Temperature	-55°C ~ 125°C	<input type="checkbox"/>
Approval Agency	-	<input type="checkbox"/>
Features	-	<input type="checkbox"/>
Qualification	AEC-Q200	<input type="checkbox"/>
Mounting Type	Surface Mount	<input type="checkbox"/>
Size / Dimension	0.049" L x 0.039" W (1.25mm x 1.00mm)	<input type="checkbox"/>
Height (Max)	0.024" (0.60mm)	<input type="checkbox"/>
Package / Case	0504 (1210 Metric), 4 Lead	<input type="checkbox"/>
Base Product Number	DLM11SN	<input type="checkbox"/>

[Report Product Information Error](#)[View Similar](#)

Documents & Media

RESOURCE TYPE	LINK
Datasheets	DLM11SNyyHZ2y Ref Sheet
Design Resources	DLM11SN900HZ2L SimSurfing Design Tool
EDA Models	DLM11SN900HZ2L Models

RESOURCE TYPE	LINK
Part Numbering Guide	DL Automotive Part Numbering

Environmental & Export Classifications

ATTRIBUTE	DESCRIPTION
RoHS Status	ROHS3 Compliant
Moisture Sensitivity Level (MSL)	1 (Unlimited)
REACH Status	REACH Unaffected
ECCN	EAR99
HTSUS	8548.00.0000

Product Questions and Answers

See what engineers are asking, ask your own questions, or help out a member of the DigiKey engineering community

[See all Questions and Answers](#)[Ask a Product Question](#)

Additional Resources

ATTRIBUTE	DESCRIPTION
	490-18111-6
Other Names	DLM11SN900HZ2L-ND
	490-18111-1
	490-18111-2
Manufacturer Standard Package	4,000 ?

You May Also Be Interested In [See All](#)

10 Items

A black integrated circuit package with a metal lead frame, labeled as the PCF8523T/1,118 component.



BLM15AX601SN1D

FERRITE BEAD 600 OHM 0402 1LN

Murata Electronics

\$0.19000

Details

The image shows a black integrated circuit package, specifically a DIP (Dual In-line Package) type, which is a standard component for logic gates like the SN74A.

Chat

8

 800 449 837

00+1 218 681 7979

orders@digikey.com

Co-Browse



 New Zealand