




Product Index > Connectors, Interconnects > Coaxial Connectors (RF) > Coaxial Connector (RF) Assemblies >
TE Connectivity Linx CONSMA002-SMD

Dark Mode ☐



Image shown is a representation only. Exact specifications should be obtained from the product data sheet.



CONSMA002-SMD

DigiKey Part Number

CONSMA002-SMD-ND

Manufacturer

[TE Connectivity Linx](#)

Manufacturer Product Number

CONSMA002-SMD

Description

CONN SMA RCPT R/A 50 OHM SMD

Manufacturer Standard Lead Time

6 Weeks

Customer Reference

Detailed Description

SMA Connector Receptacle, Female Socket 50 Ohms Surface Mount, Right Angle Solder



Datasheet



Datasheet

EDA/CAD Models

CONSMA002-SMD Models

In-Stock: 1,591

Check for Additional Incoming Stock

QUANTITY

Add to Cart

Add to List

All prices are in NZD

Bulk

QUANTITY	UNIT PRICE	EXT PRICE
1	\$7.74000	\$7.74
250	\$7.20020	\$1,800.05
500	\$6.72868	\$3,364.34
1,000	\$6.30243	\$6,302.43

Unit Price without GST: \$7.74000
Unit Price with GST: \$8.90100 ?

Product Attributes

TYPE	DESCRIPTION	SELECT ALL
Category	Connectors, Interconnects	<input type="radio"/>
	Coaxial Connectors (RF)	<input type="radio"/>
	Coaxial Connector (RF) Assemblies	<input checked="" type="radio"/>
Mfr	TE Connectivity Linx	<input type="checkbox"/>

Series	-	<input type="checkbox"/>
Packaging	Bulk ?	<input type="checkbox"/>
Part Status	Active	<input type="checkbox"/>
Connector Style	SMA	<input type="checkbox"/>
Connector Type	Receptacle, Female Socket	<input type="checkbox"/>
Contact Termination	Solder	<input type="checkbox"/>
Shield Termination	Solder	<input type="checkbox"/>
Impedance	50 Ohms	<input type="checkbox"/>
Mounting Type	Surface Mount, Right Angle	<input type="checkbox"/>
Mounting Feature	-	<input type="checkbox"/>
Cable Group	-	<input type="checkbox"/>
Fastening Type	Threaded	<input type="checkbox"/>
Frequency - Max	18 GHz	<input type="checkbox"/>
Number of Ports	1	<input type="checkbox"/>
Features	-	<input type="checkbox"/>
Housing Color	Silver	<input type="checkbox"/>
Ingress Protection	-	<input type="checkbox"/>
Center Contact Material	Beryllium Copper	<input type="checkbox"/>
Includes	-	<input type="checkbox"/>
Body Material	Brass	<input type="checkbox"/>
Body Finish	Nickel	<input type="checkbox"/>
Center Contact Plating	Gold	<input type="checkbox"/>
Dielectric Material	Polytetrafluoroethylene (PTFE)	<input type="checkbox"/>
Operating Temperature	-65°C ~ 165°C	<input type="checkbox"/>
Mating Cycles	500	<input type="checkbox"/>
Insertion Loss	-	<input type="checkbox"/>
Base Product Number	CONSMA	<input type="checkbox"/>

Report Product Information Error

View Similar

Documents & Media

RESOURCE TYPE	LINK
Datasheets	ENG_DS_CONSMA002-SMD_D.pdf SMA, Reverse Polarity SMA Specifications
Product Training Modules	FCC and Legal Considerations with Linx Radio Modules Introduction to the RF Environment
Environmental Information	RoHS Cert
EDA Models	CONSMA002-SMD Models
Product Drawings	LICAL-DEC-HS001-B Drawing

Environmental & Export Classifications

ATTRIBUTE	DESCRIPTION
RoHS Status	RoHS Compliant
Moisture Sensitivity Level (MSL)	1 (Unlimited)
REACH Status	REACH Unaffected
ECCN	EAR99
HTSUS	8536.69.4010

Product Questions and Answers

See what engineers are asking, ask your own questions, or help out a member of the DigiKey engineering community

See all Questions and Answers


Ask a Product Question

Additional Resources

ATTRIBUTE	DESCRIPTION
Other Names	CONSMA002SMD
Manufacturer Standard Package	100 ?

You May Also Be Interested In [See All](#)

8 Items




CONSMA002-SMD-G-T

CONN SMA REC R/A T&R

TE Connectivity Linx

\$7.93000

Details



CONSMA002-SMD-G

CONN SMA RCPT R/A 50 OHM

TE Connectivity Linx

\$13.69000

Details

Chat

800 449 837

00+1 218 681 7979

sales@digikey.com

Co-Browse

New Zealand | Copyright © 1995-2025, DigiKey. | All Rights Reserved.