



Image shown is a representation only. Exact specifications should be obtained from the product data sheet.

FC-135 32.7680KA-E0

DigiKey Part Number

- 114-FC-13532.7680KA-E0TR-ND - Tape & Reel (TR)
- 114-FC-13532.7680KA-E0CT-ND - Cut Tape (CT)
- 114-FC-13532.7680KA-E0DKR-ND - Digi-Reel®



Manufacturer

EPSON



Manufacturer Product Number

FC-135 32.7680KA-E0



Description

CRYSTAL 32.768KHZ 6PF SMD



Manufacturer Standard Lead Time

16 Weeks

Customer Reference

Detailed Description

32.768 kHz ±20ppm Crystal 6pF 70 kOhms 2-SMD, No Lead



Datasheet



Datasheet

In-Stock: 2,979

Check for Additional Incoming Stock

QUANTITY

Add to Cart

Add to List

All prices are in NZD

Cut Tape (CT) & Digi-Reel®

QUANTITY	UNIT PRICE	EXT PRICE
1	\$0.85000	\$0.85
10	\$0.73800	\$7.38
25	\$0.69800	\$17.45
50	\$0.66880	\$33.44
100	\$0.64130	\$64.13
250	\$0.60640	\$151.60
500	\$0.58134	\$290.67

* All Digi-Reel orders will add a \$10.00 reeling fee.

Tape & Reel (TR)

QUANTITY	UNIT PRICE	EXT PRICE
 1,000	\$0.55728	\$557.28
2,000	\$0.53423	\$1,068.46
3,000	\$0.52119	\$1,563.57
5,000	\$0.50522	\$2,526.10
7,000	\$0.49497	\$3,464.79
10,000	\$0.48434	\$4,843.40
12,000	\$0.47899	\$5,747.88
24,000	\$0.45921	\$11,021.04
25,000	\$0.45808	\$11,452.00



Manufacturers Standard Package

Unit Price without GST: \$0.85000

Unit Price with GST: \$0.97750 

Product Attributes

TYPE	DESCRIPTION	SELECT ALL
Category	Crystals, Oscillators, Resonators Crystals	<input checked="" type="radio"/>
Mfr	EPSON	<input type="checkbox"/>
Series	FC-135	<input type="checkbox"/>
Packaging	Tape & Reel (TR) ⓘ Cut Tape (CT) ⓘ Digi-Reel® ⓘ	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Part Status	Active	<input type="checkbox"/>
Type	kHz Crystal (Tuning Fork)	<input type="checkbox"/>
Frequency	32.768 kHz	<input type="checkbox"/>
Frequency Stability	-	<input type="checkbox"/>
Frequency Tolerance	±20ppm	<input type="checkbox"/>
Load Capacitance	6pF	<input type="checkbox"/>
ESR (Equivalent Series Resistance)	70 kOhms	<input type="checkbox"/>
Operating Mode	Fundamental	<input type="checkbox"/>
Operating Temperature	-40°C ~ 85°C	<input type="checkbox"/>
Ratings	-	<input type="checkbox"/>
Mounting Type	Surface Mount	<input type="checkbox"/>
Package / Case	2-SMD, No Lead	<input type="checkbox"/>
Supplier Device Package	2-SMD (3.2x1.5)	<input type="checkbox"/>
Size / Dimension	0.126" L x 0.059" W (3.20mm x 1.50mm)	<input type="checkbox"/>
Height - Seated (Max)	0.035" (0.90mm)	<input type="checkbox"/>
<div>Report Product Information Error</div>		<div>View Similar</div>

Documents & Media

RESOURCE TYPE	LINK
Datasheets	FC-135(R) Series Datasheet
Forum Discussions	Epson FC-135 series kHz Range Crystals Part Numbering

Environmental & Export Classifications

ATTRIBUTE	DESCRIPTION
RoHS Status	ROHS3 Compliant
Moisture Sensitivity Level (MSL)	1 (Unlimited)
REACH Status	REACH Affected
ECCN	EAR99
HTSUS	8541.60.0010


Product Questions and Answers

See what engineers are asking, ask your own questions, or help out a member of the DigiKey engineering community

See all Questions and Answers

Ask a Product Question

Alternate Packaging



Tape & Reel (TR) / Cut Tape (CT)

FC-135 32.7680KA-E3

Minimum Order Quantity:
250 - Tape & Reel (TR)
1 - Cut Tape (CT)

\$1.98000



Tape & Reel (TR)

FC-135 32.7680KA-E5

Minimum Order Quantity:
3,000 - Tape & Reel (TR)

\$0.52119



Bulk

FC-135 32.7680KA-E

Minimum Order Quantity:
1 - Bulk

\$1.98000

Additional Resources

ATTRIBUTE	DESCRIPTION
Other Names	114-FC-13532.7680KA-E0DKR 114-FC-13532.7680KA-E0TR 114-FC-13532.7680KA-E0CT
Manufacturer Standard Package	1,000 ?

Chat

800 449 837

00+1 218 681 7979

sales@digikikey.com

Co-Browse

