

Started on Tuesday, 5 May 2026, 8:12 AM

State Finished

Completed on Tuesday, 5 May 2026, 8:20 AM

Time taken 8 mins 34 secs

Grade 12.00 out of 15.00 (80%)

Question 1 | Correct Mark 1.00 out of 1.00

A python tuple can be created without using any parentheses. (True/False)

- ☒ a. True ✓
- ☐ b. False

Question 2 | Correct Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

- ☐ a. 12
- ☐ b. (55,78,64,25)
- ☐ c. (12)
- ☒ d. Error ✓

Question 3 | Correct Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

- ☐ a. "==" is not supported for set in Python
- ☐ b. No, No
- ☐ c. Yes, Yes
- ☒ d. Yes, No ✓

Question 4 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

- ☐ a. Error
- ☒ b. False ✓
- ☐ c. True
- ☐ d. Error

Question 5 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

- ☐ a. 1
- ☒ b. Error ✓
- ☐ c. 5
- ☐ d. 2

Question 6 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

- ☐ a. It will throw an error as there are two 0 while creating the set.
- ☐ b. {9}
- ☒ c. {0,9} ✓
- ☐ d. {0,0,9}

Question 7 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)

>>>[t[i] for i in range(0, len(t), 2)]
```

- ☒ a. [1, 4, 8] ✓
- ☐ b. (1, 4, 8)
- ☐ c. [1, 2, 4, 3, 8, 9]
- ☐ d. [2, 3, 9]

Question 8 | Correct Mark 1.00 out of 1.00

What will set1 | set2 do?

```
If set1={"a","b",3}  
set2={3,7}
```

- ☐ a. Elements of set2 will get appended to set1
- ☐ b. Elements of set1 will get appended to set2
- ☐ c. A new set will be created with the unique elements of set1 and set2.
- ☒ d. A new set will be created with the elements of both set1 and set2 ✓

Question 9 | Correct Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tup1=("python","programming","Computer")  
print(tup1[-3:0])
```

- ☐ a. Computer
- ☐ b. Error
- ☒ c. () ✓
- ☐ d. (Computer)

Question 10 | Correct Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}  
set2 = {60, 70, 10, 30, 40, 80, 20, 50}  
  
print(set1.issubset(set2))  
print(set2.issuperset(set1))
```

- ☐ a. False
True
- ☐ b. True
False
- ☒ c. True ✓
True
- ☐ d. False
False

Question 11 | Incorrect Mark 0.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

- ☐ a. {1,3,2}
- ☐ b. {4}
- ☒ c. {2} ✖
- ☐ d. {1,3,4}

Question 12 | Incorrect Mark 0.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}

print(aSet)
```

- ☐ a. {'rec', 1, ('cse', 'ece')}
- ☒ b. ✖
{'rec', True, ('cse', 'ece')}
- ☐ c. Error
- ☐ d. {'rec', 1, ('cse', 'ece'), True}

Question 13 | Incorrect Mark 0.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)

# options i, ii, iii, or iv

print(t[:-1])

print(t[0:5])

print(t[0:8])

print(t[-7:])
```

- ☐ a. i,iii
- ☒ b. iii,iv ✖
- ☐ c. ii,iv
- ☐ d. i,ii

Question 14 | Correct Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

- ☐ a. {40, '10', 50, 20, 60, 30}
- ☐ b. SyntaxError: Different types cannot be used with sets
- ☒ c. {40, 10, '10', 50, 20, 60, 30} ✓
- ☐ d. {40, 10, 50, 20, 60, 30}

Question 15 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

- ☐ a. [11,11,11,3,3,3]
- ☒ b. (11, 3, 11, 3, 11, 3) ✓
- ☐ c. (11,3)(11,3)(11,3)
- ☐ d. (11,3,11,11,3,11,11,11,3)