
question_info
id: int(11)
code: varchar(64)
quest_title: varchar(100)
quest_date: datetime(0)
quest_user: varchar(64)
qrtz_simple_triggers
SCHED_NAME: varchar(120)
TRIGGER_NAME: varchar(200)
TRIGGER_GROUP: varchar(200)
REPEAT_COUNT: bigint(7)
REPEAT_INTERVAL: bigint(12)
TIMES_TRIGGERED: bigint(10)
t_user_role
USER_ID: bigint(20)
ROLE_ID: bigint(20)
qrtz_triggers
SCHED_NAME: varchar(120)
TRIGGER_NAME: varchar(200)
TRIGGER_GROUP: varchar(200)
JOB_NAME: varchar(200)
JOB_GROUP: varchar(200)
DESCRIPTION: varchar(250)
NEXT_FIRE_TIME: bigint(13)
PREV_FIRE_TIME: bigint(13)
PRIORITY: int(11)
TRIGGER_STATE: varchar(16)
TRIGGER_TYPE: varchar(8)
START_TIME: bigint(13)
END_TIME: bigint(13)
CALENDAR_NAME: varchar(200)
MISFIRE_INSTR: smallint(2)
JOB_DATA: blob
qrtz_cron_triggers
SCHED_NAME: varchar(120)
TRIGGER_NAME: varchar(200)
TRIGGER_GROUP: varchar(200)
CRON_EXPRESSION: varchar(200)
TIME_ZONE_ID: varchar(80)
qrtz_job_details
SCHED_NAME: varchar(120)
JOB_NAME: varchar(200)
JOB_GROUP: varchar(200)
DESCRIPTION: varchar(250)
JOB_CLASS_NAME: varchar(250)
IS_DURABLE: varchar(1)
IS_NONCONCURRENT: varchar(1)
IS_UPDATE_DATA: varchar(1)
REQUESTS_RECOVERY: varchar(1)
JOB_DATA: blob
t_menu
MENU_ID: bigint(20)
PARENT_ID: bigint(20)
MENU_NAME: varchar(50)
PATH: varchar(255)
COMPONENT: varchar(255)
PERMS: varchar(50)
ICON: varchar(50)
TYPE: char(2)
ORDER_NUM: double(20, 0)
CREATE_TIME: datetime(0)
MODIFY_TIME: datetime(0)
qrtz_blob_triggers
SCHED_NAME: varchar(120)
TRIGGER_NAME: varchar(200)
TRIGGER_GROUP: varchar(200)
BLOB_DATA: blob
t_job_log
LOG_ID: bigint(20)
JOB_ID: bigint(20)
BEAN_NAME: varchar(100)
METHOD_NAME: varchar(100)
PARAMS: varchar(200)
STATUS: char(2)
ERROR: text
TIMES: decimal(11, 0)
CREATE_TIME: datetime(0)
qrtz_simprop_triggers
SCHED_NAME: varchar(120)
TRIGGER_NAME: varchar(200)
TRIGGER_GROUP: varchar(200)
STR_PROP_1: varchar(512)
STR_PROP_2: varchar(512)
STR_PROP_3: varchar(512)
INT_PROP_1: int(11)
INT_PROP_2: int(11)
LONG_PROP_1: bigint(20)
LONG_PROP_2: bigint(20)
DEC_PROP_1: decimal(13, 4)
DEC_PROP_2: decimal(13, 4)
BOOL_PROP_1: varchar(1)
BOOL_PROP_2: varchar(1)
t_log
ID: bigint(20)
USERNAME: varchar(50)
OPERATION: text
TIME: decimal(11, 0)
METHOD: text
PARAMS: text
IP: varchar(64)
CREATE_TIME: datetime(0)
location: varchar(50)
t_role
ROLE_ID: bigint(20)
ROLE_NAME: varchar(10)
REMARK: varchar(100)
CREATE_TIME: datetime(0)
MODIFY_TIME: datetime(0)
qrtz_paused_trigger_grps
SCHED_NAME: varchar(120)
TRIGGER_GROUP: varchar(200)
t_role_menu
ROLE_ID: bigint(20)
MENU_ID: bigint(20)
user_info
id: int(11)
code: varchar(64)
name: varchar(50)
pwd: varchar(255)
email: varchar(50)
address: varchar(255)
sex: int(4)
uppwer: varchar(255)
ip_address: varchar(255)
windows: varchar(255)
phone: varchar(255)
age: int(11)
idcard: varchar(255)
born: varchar(255)
qrtz_fired_triggers
SCHED_NAME: varchar(120)
ENTRY_ID: varchar(95)
TRIGGER_NAME: varchar(200)
TRIGGER_GROUP: varchar(200)
INSTANCE_NAME: varchar(200)
FIRED_TIME: bigint(13)
SCHED_TIME: bigint(13)
PRIORITY: int(11)
STATE: varchar(16)
JOB_NAME: varchar(200)
JOB_GROUP: varchar(200)
IS_NONCONCURRENT: varchar(1)
REQUESTS_RECOVERY: varchar(1)
scenic_info
id: int(11)
scenic_name: varchar(255)
web_img: text
area: varchar(255)
scenic_price: varchar(255)
point: varchar(255)
code: varchar(255)
hot: varchar(255)
history: text
link: text
address: varchar(255)
level: varchar(255)
sold: varchar(255)
t_user
USER_ID: bigint(10)
USERNAME: varchar(50)
PASSWORD: varchar(128)
DEPT_ID: bigint(20)
EMAIL: varchar(128)
MOBILE: varchar(20)
STATUS: char(1)
CREATE_TIME: datetime(0)
MODIFY_TIME: datetime(0)
LAST_LOGIN_TIME: datetime(0)
SSEX: char(1)
DESCRIPTION: varchar(100)
AVATAR: varchar(100)
stay_order
id: int(11)
code: varchar(64)
stay_code: varchar(64)
stay_num: int(11)
stay_day: int(11)
stay_date: datetime(0)
stay_status: int(4)
user_code: varchar(64)
t_job
JOB_ID: bigint(20)
BEAN_NAME: varchar(100)
METHOD_NAME: varchar(100)
PARAMS: varchar(200)
CRON_EXPRESSION: varchar(100)
STATUS: char(2)
REMARK: varchar(200)
CREATE_TIME: datetime(0)
order_info
id: int(11)
code: varchar(64)
user_code: varchar(64)
order_num: int(4)
scenic_code: varchar(64)
order_date: datetime(0)
is_use: int(4)
stay_info
id: int(11)
code: varchar(64)
stay_name: varchar(50)
stay_price: decimal(10, 2)
stay_address: varchar(255)
point: varchar(255)
web_img: varchar(255)



qrtz 调度系列

t_dept
t_role
t_user
用户角色权限

scenic_info 景区

user_info 用户信息

question_info 公告

order_info 订单信息

stay_酒店信息

stay_order 住宿信息

数据关联 取消id绑定 都由进行code绑定