Monotype

FONTSPLITTER

2020-09-26 - 14:53.01
14:53.03

Print this page

	Noto Sans Khmer UI Condensed	Noto Sans Khmer UI Condensed	Noto Sans Khmer UI Condensed	Noto Sans Khmer UI Condensed	Noto Sans Khmer UI Condensed	Noto Sans Khmer UI Condensed	**Noto Sans Khmer UI Condensed**	Noto Sans Khmer UI Condensed	Noto Sans Khmer UI Condensed
uni0000	□	□	□	□	□	□	□	□	□
uni000D									
SPACE uni0020									
EXCLAMATION MARK uni0021	!	!	!	!	!	!	!	!	!
QUOTATION MARK uni0022	"	"	"	"	"	"	"	"	"
APOSTROPHE uni0027	'	'	'	'	'	'	'	'	'
LEFT PARENTHESIS uni0028	(	(	(	(	(	(	(	(	(
RIGHT PARENTHESIS uni0029	)	)	)	)	)	)	)	)	)
COMMA uni002C	,	,	,	,	,	,	,	,	,
HYPHEN-MINUS uni002D	-	-	-	-	-	-	-	-	-
FULL STOP uni002E	.	.	.	.	.	.	.	.	.
SOLIDUS uni002F	/	/	/	/	/	/	/	/	/
COLON uni003A	:	:	:	:	:	:	:	:	:
SEMICOLON uni003B	;	;	;	;	;	;	;	;	;
QUESTION MARK uni003F	?	?	?	?	?	?	?	?	?
NO-BREAK SPACE uni00A0									

LEFT-POINTING DOUBLE ANGLE QUOTATION MARK uni00AB	«	«	«	«	«	«	«	«	«	«
SOFT HYPHEN uni00AD										
RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK uni00BB	»	»	»	»	»	»	»	»	»	»
KHMER LETTER KA uni1780	□	ក	ក	ក	ក	ក	ក	ក	ក	ក
KHMER LETTER KHA uni1781	□	ខ	ខ	ខ	ខ	ខ	ខ	ខ	ខ	ខ
KHMER LETTER KO uni1782	□	គ	គ	គ	គ	គ	គ	គ	គ	គ
KHMER LETTER KHO uni1783	□	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ
KHMER LETTER NGO uni1784	□	ង	ង	ង	ង	ង	ង	ង	ង	ង
KHMER LETTER CA uni1785	□	ច	ច	ច	ច	ច	ច	ច	ច	ច
KHMER LETTER CHA uni1786	□	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ
KHMER LETTER CO uni1787	□	ជ	ជ	ជ	ជ	ជ	ជ	ជ	ជ	ជ
KHMER LETTER CHO uni1788	□	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ
KHMER LETTER NYO uni1789	□	ញ	ញ	ញ	ញ	ញ	ញ	ញ	ញ	ញ
KHMER LETTER DA uni178A	□	ដ	ដ	ដ	ដ	ដ	ដ	ដ	ដ	ដ
KHMER LETTER TTHA uni178B	□	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ
KHMER LETTER DO uni178C	□	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ
KHMER LETTER TTHO uni178D	□	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ
KHMER LETTER NNO uni178E	□	ណ	ណ	ណ	ណ	ណ	ណ	ណ	ណ	ណ
KHMER LETTER TA uni178F	□	ត	ត	ត	ត	ត	ត	ត	ត	ត
KHMER LETTER THA uni1790	□	ថ	ថ	ថ	ថ	ថ	ថ	ថ	ថ	ថ
KHMER LETTER TO uni1791	□	ទ	ទ	ទ	ទ	ទ	ទ	ទ	ទ	ទ
KHMER LETTER THO uni1792	□	ធ	ធ	ធ	ធ	ធ	ធ	ធ	ធ	ធ
KHMER LETTER NO uni1793	□	ន	ន	ន	ន	ន	ន	ន	ន	ន
KHMER LETTER BA uni1794	□	ប	ប	ប	ប	ប	ប	ប	ប	ប
KHMER LETTER PHA uni1795	□	ផ	ផ	ផ	ផ	ផ	ផ	ផ	ផ	ផ
KHMER LETTER PO uni1796	□	ព	ព	ព	ព	ព	ព	ព	ព	ព
KHMER LETTER PHO uni1797	□	ភ	ភ	ភ	ភ	ភ	ភ	ភ	ភ	ភ
KHMER LETTER MO uni1798	□	ម	ម	ម	ម	ម	ម	ម	ម	ម

KHMER LETTER YO uni1799	□	យ	យ	យ	យ	យ	យ	យ	យ	យ
KHMER LETTER RO uni179A	□	រ	រ	រ	រ	រ	រ	រ	រ	រ
KHMER LETTER LO uni179B	□	ល	ល	ល	ល	ល	ល	ល	ល	ល
KHMER LETTER VO uni179C	□	វ	វ	វ	វ	វ	វ	វ	វ	វ
KHMER LETTER SHA uni179D	□	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ
KHMER LETTER SSO uni179E	□	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ
KHMER LETTER SA uni179F	□	ស	ស	ស	ស	ស	ស	ស	ស	ស
KHMER LETTER HA uni17A0	□	ហ	ហ	ហ	ហ	ហ	ហ	ហ	ហ	ហ
KHMER LETTER LA uni17A1	□	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ
KHMER LETTER QA uni17A2	□	អ	អ	អ	អ	អ	អ	អ	អ	អ
KHMER INDEPENDENT VOWEL QAQ uni17A3	□	ឣ	ឣ	ឣ	ឣ	ឣ	ឣ	ឣ	ឣ	ឣ
KHMER INDEPENDENT VOWEL QAA uni17A4	□	ឤ	ឤ	ឤ	ឤ	ឤ	ឤ	ឤ	ឤ	ឤ
KHMER INDEPENDENT VOWEL QI uni17A5	□	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ
KHMER INDEPENDENT VOWEL QII uni17A6	□	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ
KHMER INDEPENDENT VOWEL QU uni17A7	□	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ
KHMER INDEPENDENT VOWEL QUK uni17A8	□	ឨ	ឨ	ឨ	ឨ	ឨ	ឨ	ឨ	ឨ	ឨ
KHMER INDEPENDENT VOWEL QUU uni17A9	□	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ
KHMER INDEPENDENT VOWEL QUUV uni17AA	□	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ
KHMER INDEPENDENT VOWEL RY uni17AB	□	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ
KHMER INDEPENDENT VOWEL RYY uni17AC	□	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ
KHMER INDEPENDENT VOWEL LY uni17AD	□	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ
KHMER INDEPENDENT VOWEL LYY uni17AE	□	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ
KHMER INDEPENDENT VOWEL QE uni17AF	□	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ
KHMER INDEPENDENT VOWEL QAI uni17B0	□	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ
KHMER INDEPENDENT VOWEL QOO TYPE ONE uni17B1	□	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ
KHMER INDEPENDENT VOWEL QOO TYPE TWO uni17B2	□	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ

KHMER INDEPENDENT VOWEL QAU uni17B3	□	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ
KHMER VOWEL INHERENT AQ uni17B4									
KHMER VOWEL INHERENT AA uni17B5									
KHMER VOWEL SIGN AA uni17B6	□	◌ា	◌ា	◌ា	◌ា	◌ា	◌ា	◌ា	◌ា
KHMER VOWEL SIGN I uni17B7		◌ិ	◌ិ	◌ិ	◌ិ	◌ិ	◌ិ	◌ិ	◌ិ
KHMER VOWEL SIGN II uni17B8		◌ី	◌ី	◌ី	◌ី	◌ី	◌ី	◌ី	◌ី
KHMER VOWEL SIGN Y uni17B9		◌ឹ	◌ឹ	◌ឹ	◌ឹ	◌ឹ	◌ឹ	◌ឹ	◌ឹ
KHMER VOWEL SIGN YY uni17BA		◌ឺ	◌ឺ	◌ឺ	◌ឺ	◌ឺ	◌ឺ	◌ឺ	◌ឺ
KHMER VOWEL SIGN U uni17BB		◌ុ	◌ុ	◌ុ	◌ុ	◌ុ	◌ុ	◌ុ	◌ុ
KHMER VOWEL SIGN UU uni17BC		◌ូ	◌ូ	◌ូ	◌ូ	◌ូ	◌ូ	◌ូ	◌ូ
KHMER VOWEL SIGN UA uni17BD		◌ួ	◌ួ	◌ួ	◌ួ	◌ួ	◌ួ	◌ួ	◌ួ
KHMER VOWEL SIGN OE uni17BE	□	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ
KHMER VOWEL SIGN YA uni17BF	□	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ
KHMER VOWEL SIGN IE uni17C0	□	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ
KHMER VOWEL SIGN E uni17C1	□	◌េ	◌េ	◌េ	◌េ	◌េ	◌េ	◌េ	◌េ
KHMER VOWEL SIGN AE uni17C2	□	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ
KHMER VOWEL SIGN AI uni17C3	□	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ
KHMER VOWEL SIGN OO uni17C4	□	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ
KHMER VOWEL SIGN AU uni17C5	□	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ
KHMER SIGN NIKAHIT uni17C6		◌ំ	◌ំ	◌ំ	◌ំ	◌ំ	◌ំ	◌ំ	◌ំ
KHMER SIGN REAHMUK uni17C7	□	◌ះ	◌ះ	◌ះ	◌ះ	◌ះ	◌ះ	◌ះ	◌ះ
KHMER SIGN YUUKALEAPINTU uni17C8	□	◌:	◌:	◌:	◌:	◌:	◌:	◌:	◌:
KHMER SIGN MUUSIKATOAN uni17C9		◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ
KHMER SIGN TRIISAP uni17CA		◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ
KHMER SIGN BANTOC uni17CB		◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ
KHMER SIGN ROBAT uni17CC		◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ
KHMER SIGN TOANDAKHIAT uni17CD		◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ
KHMER SIGN KAKABAT uni17CE		◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ	◌ៈ

KHMER SIGN AHSDA uni17CF	◌	◌	◌	◌	◌	◌	◌	◌	◌
KHMER SIGN SAMYOK SANNYA uni17D0	◌	◌	◌	◌	◌	◌	◌	◌	◌
KHMER SIGN VIRIAM uni17D1	◌	◌	◌	◌	◌	◌	◌	◌	◌
KHMER SIGN COENG uni17D2	◌	◌	◌	◌	◌	◌	◌	◌	◌
KHMER SIGN BATHAMASAT uni17D3	◌	◌	◌	◌	◌	◌	◌	◌	◌
KHMER SIGN KHAN uni17D4	។	។	។	។	។	។	។	។	។
KHMER SIGN BARIYOOSAN uni17D5	៕	៕	៕	៕	៕	៕	៕	៕	៕
KHMER SIGN CAMNUC PII KUUH uni17D6	៖	៖	៖	៖	៖	៖	៖	៖	៖
KHMER SIGN LEK TOO uni17D7	ៗ	ៗ	ៗ	ៗ	ៗ	ៗ	ៗ	ៗ	ៗ
KHMER SIGN BEYYAL uni17D8	។ល៎	។ល៎	។ល៎	។ល៎	។ល៎	។ល៎	។ល៎	។ល៎	។ល។
KHMER SIGN PHNAEK MUAN uni17D9	៙	៙	៙	៙	៙	៙	៙	៙	៙
KHMER SIGN KOOMUUT uni17DA	᩠	᩠	᩠	᩠	᩠	᩠	᩠	᩠	᩠
KHMER CURRENCY SYMBOL RIEL uni17DB	៛	៛	៛	៛	៛	៛	៛	៛	៛
KHMER SIGN AVAKRAHASANYA uni17DC	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ
KHMER SIGN ATTHACAN uni17DD	◌	◌	◌	◌	◌	◌	◌	◌	◌
KHMER DIGIT ZERO uni17E0	๐	๐	๐	๐	๐	๐	๐	๐	๐
KHMER DIGIT ONE uni17E1	๑	๑	๑	๑	๑	๑	๑	๑	๑
KHMER DIGIT TWO uni17E2	๒	๒	๒	๒	๒	๒	๒	๒	๒
KHMER DIGIT THREE uni17E3	๓	๓	๓	๓	๓	๓	๓	๓	๓
KHMER DIGIT FOUR uni17E4	๔	๔	๔	๔	๔	๔	๔	๔	๔
KHMER DIGIT FIVE uni17E5	๕	๕	๕	๕	๕	๕	๕	๕	๕
KHMER DIGIT SIX uni17E6	๖	๖	๖	๖	๖	๖	๖	๖	๖
KHMER DIGIT SEVEN uni17E7	๗	๗	๗	๗	๗	๗	๗	๗	๗
KHMER DIGIT EIGHT uni17E8	๘	๘	๘	๘	๘	๘	๘	๘	๘
KHMER DIGIT NINE uni17E9	๙	๙	๙	๙	๙	๙	๙	๙	๙
KHMER SYMBOL LEK ATTAK SON uni17F0	๐	๐	๐	๐	๐	๐	๐	๐	๐
KHMER SYMBOL LEK ATTAK MUOY uni17F1	๑	๑	๑	๑	๑	๑	๑	๑	๑
KHMER SYMBOL LEK ATTAK PII uni17F2	๒	๒	๒	๒	๒	๒	๒	๒	๒

KHMER SYMBOL LEK ATTAK BEI uni17F3	□	ᝳ	ᝳ	ᝳ	ᝳ	ᝳ	ᝳ	ᝳ	ᝳ
KHMER SYMBOL LEK ATTAK BUON uni17F4	□	᝴	᝴	᝴	᝴	᝴	᝴	᝴	᝴
KHMER SYMBOL LEK ATTAK PRAM uni17F5	□	᝵	᝵	᝵	᝵	᝵	᝵	᝵	᝵
KHMER SYMBOL LEK ATTAK PRAM-MUOY uni17F6	□	᝶	᝶	᝶	᝶	᝶	᝶	᝶	᝶
KHMER SYMBOL LEK ATTAK PRAM-PII uni17F7	□	᝷	᝷	᝷	᝷	᝷	᝷	᝷	᝷
KHMER SYMBOL LEK ATTAK PRAM-BEI uni17F8	□	᝸	᝸	᝸	᝸	᝸	᝸	᝸	᝸
KHMER SYMBOL LEK ATTAK PRAM-BUON uni17F9	□	᝹	᝹	᝹	᝹	᝹	᝹	᝹	᝹
KHMER SYMBOL PATHAMASAT uni19E0		᧠	᧠	᧠	᧠	᧠	᧠	᧠	᧠
KHMER SYMBOL MUOY KOET uni19E1		᧡	᧡	᧡	᧡	᧡	᧡	᧡	᧡
KHMER SYMBOL PII KOET uni19E2		᧢	᧢	᧢	᧢	᧢	᧢	᧢	᧢
KHMER SYMBOL BEI KOET uni19E3		᧣	᧣	᧣	᧣	᧣	᧣	᧣	᧣
KHMER SYMBOL BUON KOET uni19E4		᧤	᧤	᧤	᧤	᧤	᧤	᧤	᧤
KHMER SYMBOL PRAM KOET uni19E5		᧥	᧥	᧥	᧥	᧥	᧥	᧥	᧥
KHMER SYMBOL PRAM-MUOY KOET uni19E6		᧦	᧦	᧦	᧦	᧦	᧦	᧦	᧦
KHMER SYMBOL PRAM-PII KOET uni19E7		᧧	᧧	᧧	᧧	᧧	᧧	᧧	᧧
KHMER SYMBOL PRAM-BEI KOET uni19E8		᧨	᧨	᧨	᧨	᧨	᧨	᧨	᧨
KHMER SYMBOL PRAM-BUON KOET uni19E9		᧩	᧩	᧩	᧩	᧩	᧩	᧩	᧩
KHMER SYMBOL DAP KOET uni19EA		᧪	᧪	᧪	᧪	᧪	᧪	᧪	᧪
KHMER SYMBOL DAP-MUOY KOET uni19EB		᧫	᧫	᧫	᧫	᧫	᧫	᧫	᧫
KHMER SYMBOL DAP-PII KOET uni19EC		᧬	᧬	᧬	᧬	᧬	᧬	᧬	᧬
KHMER SYMBOL DAP-BEI KOET uni19ED		᧭	᧭	᧭	᧭	᧭	᧭	᧭	᧭
KHMER SYMBOL DAP-BUON KOET uni19EE		᧮	᧮	᧮	᧮	᧮	᧮	᧮	᧮
KHMER SYMBOL DAP-PRAM KOET uni19EF		᧯	᧯	᧯	᧯	᧯	᧯	᧯	᧯
KHMER SYMBOL TUTEYASAT uni19F0		᧰	᧰	᧰	᧰	᧰	᧰	᧰	᧰
KHMER SYMBOL MUOY ROC uni19F1		᧱	᧱	᧱	᧱	᧱	᧱	᧱	᧱
KHMER SYMBOL PII ROC uni19F2		᧲	᧲	᧲	᧲	᧲	᧲	᧲	᧲
KHMER SYMBOL BEI ROC uni19F3		᧳	᧳	᧳	᧳	᧳	᧳	᧳	᧳
KHMER SYMBOL BUON ROC									

uni19F4		᧴	᧴	᧴	᧴	᧴	᧴	᧴	᧴	᧴
KHMER SYMBOL PRAM ROC uni19F5		᧵	᧵	᧵	᧵	᧵	᧵	᧵	᧵	᧵
KHMER SYMBOL PRAM-MUOY ROC uni19F6		᧶	᧶	᧶	᧶	᧶	᧶	᧶	᧶	᧶
KHMER SYMBOL PRAM-PII ROC uni19F7		᧷	᧷	᧷	᧷	᧷	᧷	᧷	᧷	᧷
KHMER SYMBOL PRAM-BEI ROC uni19F8		᧸	᧸	᧸	᧸	᧸	᧸	᧸	᧸	᧸
KHMER SYMBOL PRAM-BUON ROC uni19F9		᧹	᧹	᧹	᧹	᧹	᧹	᧹	᧹	᧹
KHMER SYMBOL DAP ROC uni19FA		᧺	᧺	᧺	᧺	᧺	᧺	᧺	᧺	᧺
KHMER SYMBOL DAP-MUOY ROC uni19FB		᧻	᧻	᧻	᧻	᧻	᧻	᧻	᧻	᧻
KHMER SYMBOL DAP-PII ROC uni19FC		᧼	᧼	᧼	᧼	᧼	᧼	᧼	᧼	᧼
KHMER SYMBOL DAP-BEI ROC uni19FD		᧽	᧽	᧽	᧽	᧽	᧽	᧽	᧽	᧽
KHMER SYMBOL DAP-BUON ROC uni19FE		᧾	᧾	᧾	᧾	᧾	᧾	᧾	᧾	᧾
KHMER SYMBOL DAP-PRAM ROC uni19FF		᧿	᧿	᧿	᧿	᧿	᧿	᧿	᧿	᧿
ZERO WIDTH SPACE uni200B										
ZERO WIDTH NON-JOINER uni200C										
ZERO WIDTH JOINER uni200D										
HYPHEN uni2010	‐	‐	‐	‐	‐	‐	‐	‐	‐	‐
LEFT SINGLE QUOTATION MARK uni2018	‘	‘	‘	‘	‘	‘	‘	‘	‘	‘
RIGHT SINGLE QUOTATION MARK uni2019	’	’	’	’	’	’	’	’	’	’
LEFT DOUBLE QUOTATION MARK uni201C	“	“	“	“	“	“	“	“	“	“
RIGHT DOUBLE QUOTATION MARK uni201D	”	”	”	”	”	”	”	”	”	”
HORIZONTAL ELLIPSIS uni2026	…	…	…	…	…	…	…	…	…	…
DOTTED CIRCLE uni25CC	◌	◌	◌	◌	◌	◌	◌	◌	◌	◌

---

uni1789.a Ending "a" ≠ OT Feature (cannot display this character) feature									
uni1794.a Ending "a" ≠ OT Feature (cannot display this character) feature									
uni1794.a2 Ending "a2" ≠ OT Feature (cannot display this character) feature									

uni17B7.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B717CD
It might be two unicodes: 17B7 + 17CD (most Arabic ccmp feature)

uni17B717CD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B8.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17BA.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17BB.b
Ending "b" ≠ OT Feature (cannot display this character)
feature

uni17BC.b
Ending "b" ≠ OT Feature (cannot display this character)
feature

uni17BD.b
Ending "b" ≠ OT Feature (cannot display this character)
feature

uni17BF.right1
Ending "right1" ≠ OT Feature (cannot display this character)
feature

uni17BF.right2
Ending "right2" ≠ OT Feature (cannot display this character)
feature

uni17BF.right3
Ending "right3" ≠ OT Feature (cannot display this character)
feature

uni17C0.right1
Ending "right1" ≠ OT Feature (cannot display this character)
feature

uni17C0.right2
Ending "right2" ≠ OT Feature (cannot display this character)
feature

uni17C0.right3
Ending "right3" ≠ OT Feature (cannot display this character)
feature

uni17C5.right
Ending "right" ≠ OT Feature (cannot display this character)
feature

uni17C6.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17C9.a
Ending "a" ≠ OT Feature (cannot display this character)
feature

uni17C9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CA.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CA.r.c0
feature

uni17CB.r
Ending "r" ≠ OT Feature (cannot display this character)

feature

uni17CC.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CE.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CF.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B717CE
It might be two unicodes: 17B7 + 17CE (most Arabic ccmp feature)



uni17BA17CE
It might be two unicodes: 17BA + 17CE (most Arabic ccmp feature)

uni17BA17CE.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CA17B7
It might be two unicodes: 17CA + 17B7 (most Arabic ccmp feature)

uni17CA17B8
It might be two unicodes: 17CA + 17B8 (most Arabic ccmp feature)

uni17CA17B8.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CA17B9
It might be two unicodes: 17CA + 17B9 (most Arabic ccmp feature)

uni17CA17BA
It might be two unicodes: 17CA + 17BA (most Arabic ccmp feature)

uni17CA17C6
It might be two unicodes: 17CA + 17C6 (most Arabic ccmp feature)

uni17CA17CE
It might be two unicodes: 17CA + 17CE (most Arabic ccmp feature)

uni17CA17D0
It might be two unicodes: 17CA + 17D0 (most Arabic ccmp feature)

uni17D017CE
It might be two unicodes: 17D0 + 17CE (most Arabic ccmp feature)

uni17C917B8
It might be two unicodes: 17C9 + 17B8 (most Arabic ccmp feature)

uni17C917BA
It might be two unicodes: 17C9 + 17BA (most Arabic ccmp feature)

uni17C917CE
It might be two unicodes: 17C9 + 17CE (most Arabic ccmp feature)

uni17D1.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D3.r
Ending "r" ≠ OT Feature (cannot display this character)

feature

uni17DD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D21780
It might be two unicodes: 17D2 + 1780 (most Arabic ccmp feature)

uni17D21781
It might be two unicodes: 17D2 + 1781 (most Arabic ccmp feature)

uni17D21782
It might be two unicodes: 17D2 + 1782 (most Arabic ccmp feature)

uni17D21783
It might be two unicodes: 17D2 + 1783 (most Arabic ccmp feature)

uni17D21783.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D21784
It might be two unicodes: 17D2 + 1784 (most Arabic ccmp feature)

uni17D21785
It might be two unicodes: 17D2 + 1785 (most Arabic ccmp feature)

uni17D21786
It might be two unicodes: 17D2 + 1786 (most Arabic ccmp feature)

uni17D21787
It might be two unicodes: 17D2 + 1787 (most Arabic ccmp feature)

uni17D21788
It might be two unicodes: 17D2 + 1788 (most Arabic ccmp feature)



uni17D21788.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D21789
It might be two unicodes: 17D2 + 1789 (most Arabic ccmp feature)

uni17D21789.a
Ending "a" ≠ OT Feature (cannot display this character)
feature

uni17D2178A
It might be two unicodes: 17D2 + 178A (most Arabic ccmp feature)

uni17D2178A.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D2178B
It might be two unicodes: 17D2 + 178B (most Arabic ccmp feature)

uni17D2178C
It might be two unicodes: 17D2 + 178C (most Arabic ccmp feature)

uni17D2178D
It might be two unicodes: 17D2 + 178D (most Arabic ccmp feature)

uni17D2178D.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2178E
It might be two unicodes: 17D2 + 178E (most Arabic ccmp feature)

uni17D2178E.alt
Ending "alt" ≠ OT Feature (cannot display this character) feature

uni17D2178F
It might be two unicodes: 17D2 + 178F (most Arabic ccmp feature)

uni17D2178F.r
Ending "r" ≠ OT Feature (cannot display this character) feature

uni17D21790
It might be two unicodes: 17D2 + 1790 (most Arabic ccmp feature)

uni17D21791
It might be two unicodes: 17D2 + 1791 (most Arabic ccmp feature)

uni17D21792
It might be two unicodes: 17D2 + 1792 (most Arabic ccmp feature)

uni17D21793
It might be two unicodes: 17D2 + 1793 (most Arabic ccmp feature)

uni17D21794
It might be two unicodes: 17D2 + 1794 (most Arabic ccmp feature)

uni17D21794.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D21795
It might be two unicodes: 17D2 + 1795 (most Arabic ccmp feature)

uni17D21796
It might be two unicodes: 17D2 + 1796 (most Arabic ccmp feature)

uni17D21797
It might be two unicodes: 17D2 + 1797 (most Arabic ccmp feature)

uni17D21797.r
Ending "r" ≠ OT Feature (cannot display this character) feature

uni17D21798
It might be two unicodes: 17D2 + 1798 (most Arabic ccmp feature)

uni17D21798.r
Ending "r" ≠ OT Feature (cannot display this character) feature

uni17D21799
It might be two unicodes: 17D2 + 1799 (most Arabic ccmp feature)

uni17D21799.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179A
It might be two unicodes: 17D2 + 179A (most Arabic ccmp feature)

uni17D2179A.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179B
It might be two unicodes: 17D2 + 179B (most Arabic ccmp feature)

uni17D2179C
It might be two unicodes: 17D2 + 179C (most Arabic ccmp feature)

uni17D2179D
It might be two unicodes: 17D2 + 179D (most Arabic ccmp feature)

uni17D2179E
It might be two unicodes: 17D2 + 179E (most Arabic ccmp feature)

uni17D2179E.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179F
It might be two unicodes: 17D2 + 179F (most Arabic ccmp feature)

uni17D2179F.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D217A0
It might be two unicodes: 17D2 + 17A0 (most Arabic ccmp feature)

uni17D217A1
It might be two unicodes: 17D2 + 17A1 (most Arabic ccmp feature)

uni17D217A2
It might be two unicodes: 17D2 + 17A2 (most Arabic ccmp feature)

uni17D217A7
It might be two unicodes: 17D2 + 17A7 (most Arabic ccmp feature)

uni17D217AB
It might be two unicodes: 17D2 + 17AB (most Arabic ccmp feature)

uni17D217AC
It might be two unicodes: 17D2 + 17AC (most Arabic ccmp feature)

uni17D217AF
It might be two unicodes: 17D2 + 17AF (most Arabic ccmp feature)

uni17D217AB.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D217AC.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D217AF.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni178017B6
It might be two unicodes: 1780 + 17B6 (most Arabic ccmp feature)

uni178017C5
It might be two unicodes: 1780 + 17C5 (most Arabic ccmp feature)

uni178117B6
It might be two unicodes: 1781 + 17B6 (most Arabic ccmp feature)

uni178117C5
It might be two unicodes: 1781 + 17C5 (most Arabic ccmp feature)

uni178217B6
It might be two unicodes: 1782 + 17B6 (most Arabic ccmp feature)

uni178217C5
It might be two unicodes: 1782 + 17C5 (most Arabic ccmp feature)

uni178317B6
It might be two unicodes: 1783 + 17B6 (most Arabic ccmp feature)

uni178317C5
It might be two unicodes: 1783 + 17C5 (most Arabic ccmp feature)

uni178417B6
It might be two unicodes: 1784 + 17B6 (most Arabic ccmp feature)

uni178417C5
It might be two unicodes: 1784 + 17C5 (most Arabic ccmp feature)

uni178517B6
It might be two unicodes: 1785 + 17B6 (most Arabic ccmp feature)

uni178517C5
It might be two unicodes: 1785 + 17C5 (most Arabic ccmp feature)

uni178617B6
It might be two unicodes: 1786 + 17B6 (most Arabic ccmp feature)

uni178617C5
It might be two unicodes: 1786 + 17C5 (most Arabic ccmp feature)

uni178717B6
It might be two unicodes: 1787 + 17B6 (most Arabic ccmp feature)

uni178717C5
It might be two unicodes: 1787 + 17C5 (most Arabic ccmp feature)

uni178817B6
It might be two unicodes: 1788 + 17B6 (most Arabic ccmp feature)

uni178817C5
It might be two unicodes: 1788 + 17C5 (most Arabic ccmp feature)

uni178917B6
It might be two unicodes: 1789 + 17B6 (most Arabic ccmp feature)

uni178917C5
It might be two unicodes: 1789 + 17C5 (most Arabic ccmp feature)

uni178917B6.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni178917C5.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni178A17B6
It might be two unicodes: 178A + 17B6 (most Arabic ccmp feature)

uni178A17C5
It might be two unicodes: 178A + 17C5 (most Arabic ccmp feature)

uni178B17B6
It might be two unicodes: 178B + 17B6 (most Arabic ccmp feature)

uni178B17C5
It might be two unicodes: 178B + 17C5 (most Arabic ccmp feature)

uni178C17B6

It might be two unicodes: 178C + 17B6 (most Arabic ccmp feature)

uni178C17C5
It might be two unicodes: 178C + 17C5 (most Arabic ccmp feature)

uni178D17B6
It might be two unicodes: 178D + 17B6 (most Arabic ccmp feature)

uni178D17C5
It might be two unicodes: 178D + 17C5 (most Arabic ccmp feature)

uni178E17B6
It might be two unicodes: 178E + 17B6 (most Arabic ccmp feature)

uni178E17C5
It might be two unicodes: 178E + 17C5 (most Arabic ccmp feature)

uni178F17B6
It might be two unicodes: 178F + 17B6 (most Arabic ccmp feature)

uni178F17C5
It might be two unicodes: 178F + 17C5 (most Arabic ccmp feature)

uni179017B6
It might be two unicodes: 1790 + 17B6 (most Arabic ccmp feature)

uni179017C5
It might be two unicodes: 1790 + 17C5 (most Arabic ccmp feature)

uni179117B6
It might be two unicodes: 1791 + 17B6 (most Arabic ccmp feature)

uni179117C5
It might be two unicodes: 1791 + 17C5 (most Arabic ccmp feature)

uni179217B6
It might be two unicodes: 1792 + 17B6 (most Arabic ccmp feature)

uni179217C5
It might be two unicodes: 1792 + 17C5 (most Arabic ccmp feature)

uni179317B6
It might be two unicodes: 1793 + 17B6 (most Arabic ccmp feature)

uni179317C5
It might be two unicodes: 1793 + 17C5 (most Arabic ccmp feature)

uni179417B6
It might be two unicodes: 1794 + 17B6 (most Arabic ccmp feature)

uni179417B6.high
Ending "high" ≠ OT Feature (cannot display this character) feature

uni179417C5
It might be two unicodes: 1794 + 17C5 (most Arabic ccmp feature)

uni179417C5.high
Ending "high" ≠ OT Feature (cannot display this character) feature

uni179517B6
It might be two unicodes: 1795 + 17B6 (most Arabic ccmp feature)

uni179517C5
It might be two unicodes: 1795 + 17C5 (most Arabic ccmp feature)

uni179617B6
It might be two unicodes: 1796 + 17B6 (most Arabic ccmp feature)

uni179617C5
It might be two unicodes: 1796 + 17C5 (most Arabic ccmp feature)

uni179717B6
It might be two unicodes: 1797 + 17B6 (most Arabic ccmp feature)

uni179717C5
It might be two unicodes: 1797 + 17C5 (most Arabic ccmp feature)

uni179817B6
It might be two unicodes: 1798 + 17B6 (most Arabic ccmp feature)

uni179817C5
It might be two unicodes: 1798 + 17C5 (most Arabic ccmp feature)

uni179917B6
It might be two unicodes: 1799 + 17B6 (most Arabic ccmp feature)

uni179917C5
It might be two unicodes: 1799 + 17C5 (most Arabic ccmp feature)

uni179A17B6
It might be two unicodes: 179A + 17B6 (most Arabic ccmp feature)

uni179A17C5
It might be two unicodes: 179A + 17C5 (most Arabic ccmp feature)

uni179B17B6
It might be two unicodes: 179B + 17B6 (most Arabic ccmp feature)

uni179B17C5
It might be two unicodes: 179B + 17C5 (most Arabic ccmp feature)

uni179C17B6
It might be two unicodes: 179C + 17B6 (most Arabic ccmp feature)

uni179C17C5
It might be two unicodes: 179C + 17C5 (most Arabic ccmp feature)

uni179D17B6
It might be two unicodes: 179D + 17B6 (most Arabic ccmp feature)

uni179D17C5
It might be two unicodes: 179D + 17C5 (most Arabic ccmp feature)

uni179E17B6
It might be two unicodes: 179E + 17B6 (most Arabic ccmp feature)

uni179E17C5
It might be two unicodes: 179E + 17C5 (most Arabic ccmp feature)

uni179F17B6
It might be two unicodes: 179F + 17B6 (most Arabic ccmp feature)

uni179F17C5
It might be two unicodes: 179F + 17C5 (most Arabic ccmp feature)

uni17A017B6
It might be two unicodes: 17A0 + 17B6 (most Arabic ccmp

feature)

uni17A017C5
It might be two unicodes: 17A0 + 17C5 (most Arabic ccmp feature)

uni17A117B6
It might be two unicodes: 17A1 + 17B6 (most Arabic ccmp feature)

uni17A117C5
It might be two unicodes: 17A1 + 17C5 (most Arabic ccmp feature)

uni17A217B6
It might be two unicodes: 17A2 + 17B6 (most Arabic ccmp feature)

uni17A217C5
It might be two unicodes: 17A2 + 17C5 (most Arabic ccmp feature)

uni17D2178317B6
"Uni" in name but missing unicode: uni17D2178317B6

uni17D2178317B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178317C5
"Uni" in name but missing unicode: uni17D2178317C5

uni17D2178317C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178817B6
"Uni" in name but missing unicode: uni17D2178817B6

uni17D2178817B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178817C5
"Uni" in name but missing unicode: uni17D2178817C5

uni17D2178817C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178D17B6
"Uni" in name but missing unicode: uni17D2178D17B6

uni17D2178D17B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178D17C5
"Uni" in name but missing unicode: uni17D2178D17C5

uni17D2178D17C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179417B6
"Uni" in name but missing unicode: uni17D2179417B6

uni17D2179417B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179417C5
"Uni" in name but missing unicode: uni17D2179417C5

uni17D2179417C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179917B6
"Uni" in name but missing unicode: uni17D2179917B6

uni17D2179917B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179917C5
"Uni" in name but missing unicode: uni17D2179917C5

uni17D2179917C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179E17B6
"Uni" in name but missing unicode: uni17D2179E17B6

uni17D2179E17B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2179E17C5
"Uni" in name but missing unicode: uni17D2179E17C5

uni17D2179E17C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2179F17B6
"Uni" in name but missing unicode: uni17D2179F17B6

uni17D2179F17B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2179F17C5
"Uni" in name but missing unicode: uni17D2179F17C5

uni17D2179F17C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni25CC.dot
Ending "dot" ≠ OT Feature (cannot display this character) feature



uni17C5.right.long
feature



topout.alt
Ending "alt" ≠ OT Feature (cannot display this character) feature

rovoloop
Cannot display because feature tag is missing in name.

ab.below
Ending "below" ≠ OT Feature (cannot display this character) feature

ac.below
Ending "below" ≠ OT Feature (cannot display this character) feature