

Print this page

Noto Sans Khmer UI Thin
Noto Sans Khmer UI ExtraLight
Noto Sans Khmer UI Light
Noto Sans Khmer UI Regular
Noto Sans Khmer UI Medium
Noto Sans Khmer UI SemiBold
Noto Sans Khmer UI Bold
Noto Sans Khmer UI ExtraBold
Noto Sans Khmer UI Black

[illegible]

KHMER SIGN AHSDA uni17CF		០	០	០	០	០	០	០	០
KHMER SIGN SAMYOK SANNYA uni17D0		១	១	១	១	១	១	១	១
KHMER SIGN VIRIAM uni17D1		២	២	២	២	២	២	២	២
KHMER SIGN COENG uni17D2		៣	៣	៣	៣	៣	៣	៣	៣
KHMER SIGN BATHAMASAT uni17D3		៤	៤	៤	៤	៤	៤	៤	៤
KHMER SIGN KHAN uni17D4	៥	៦	៦	៦	៦	៦	៦	៦	៦
KHMER SIGN BARIYOOSAN uni17D5	៧	៨	៨	៨	៨	៨	៨	៨	៨
KHMER SIGN CAMNUC PII KUUH uni17D6	៩	០	០	០	០	០	០	០	០
KHMER SIGN LEK TOO uni17D7	១	២	២	២	២	២	២	២	២
KHMER SIGN BEYYAL uni17D8	៣	៤	៤	៤	៤	៤	៤	៤	៤
KHMER SIGN PHNAEK MUAN uni17D9	៥	៦	៦	៦	៦	៦	៦	៦	៦
KHMER SIGN KOOMUUT uni17DA	៧	៨	៨	៨	៨	៨	៨	៨	៨
KHMER CURRENCY SYMBOL RIEL uni17DB	៩	០	០	០	០	០	០	០	០
KHMER SIGN AVAKRAHASANYA uni17DC	១	២	២	២	២	២	២	២	២
KHMER SIGN ATTHACAN uni17DD		៣	៣	៣	៣	៣	៣	៣	៣
KHMER DIGIT ZERO uni17E0	៥	៦	៦	៦	៦	៦	៦	៦	៦
KHMER DIGIT ONE uni17E1	៧	៨	៨	៨	៨	៨	៨	៨	៨
KHMER DIGIT TWO uni17E2	៩	០	០	០	០	០	០	០	០
KHMER DIGIT THREE uni17E3	១	២	២	២	២	២	២	២	២
KHMER DIGIT FOUR uni17E4	៣	៤	៤	៤	៤	៤	៤	៤	៤
KHMER DIGIT FIVE uni17E5	៥	៦	៦	៦	៦	៦	៦	៦	៦
KHMER DIGIT SIX uni17E6	៧	៨	៨	៨	៨	៨	៨	៨	៨
KHMER DIGIT SEVEN uni17E7	៩	០	០	០	០	០	០	០	០
KHMER DIGIT EIGHT uni17E8	១	២	២	២	២	២	២	២	២
KHMER DIGIT NINE uni17E9	៣	៤	៤	៤	៤	៤	៤	៤	៤
KHMER SYMBOL LEK ATTAK SON uni17F0	៥	៦	៦	៦	៦	៦	៦	៦	៦
KHMER SYMBOL LEK ATTAK MUOY uni17F1	៧	៨	៨	៨	៨	៨	៨	៨	៨
KHMER SYMBOL LEK ATTAK PII uni17F2	៩	០	០	០	០	០	០	០	០

uni19F4		១	១	១	១	១	១	១	១	១
KHMER SYMBOL PRAM ROC uni19F5		២	២	២	២	២	២	២	២	២
KHMER SYMBOL PRAM-MUOY ROC uni19F6		៣	៣	៣	៣	៣	៣	៣	៣	៣
KHMER SYMBOL PRAM-PII ROC uni19F7		៤	៤	៤	៤	៤	៤	៤	៤	៤
KHMER SYMBOL PRAM-BEI ROC uni19F8		៥	៥	៥	៥	៥	៥	៥	៥	៥
KHMER SYMBOL PRAM-BUON ROC uni19F9		៦	៦	៦	៦	៦	៦	៦	៦	៦
KHMER SYMBOL DAP ROC uni19FA		៧	៧	៧	៧	៧	៧	៧	៧	៧
KHMER SYMBOL DAP-MUOY ROC uni19FB		៨	៨	៨	៨	៨	៨	៨	៨	៨
KHMER SYMBOL DAP-PII ROC uni19FC		៩	៩	៩	៩	៩	៩	៩	៩	៩
KHMER SYMBOL DAP-BEI ROC uni19FD		១០	១០	១០	១០	១០	១០	១០	១០	១០
KHMER SYMBOL DAP-BUON ROC uni19FE		១១	១១	១១	១១	១១	១១	១១	១១	១១
KHMER SYMBOL DAP-PRAM ROC uni19FF		១២	១២	១២	១២	១២	១២	១២	១២	១២
ZERO WIDTH SPACE uni200B										
ZERO WIDTH NON-JOINER uni200C										
ZERO WIDTH JOINER uni200D										
HYPHEN uni2010	–	–	–	–	–	–	–	–	–	–
LEFT SINGLE QUOTATION MARK uni2018	‘	’	’	’	’	’	’	’	’	’
RIGHT SINGLE QUOTATION MARK uni2019	’	’	’	’	’	’	’	’	’	’
LEFT DOUBLE QUOTATION MARK uni201C	“	”	”	”	”	”	”	”	”	”
RIGHT DOUBLE QUOTATION MARK uni201D	”	”	”	”	”	”	”	”	”	”
HORIZONTAL ELLIPSIS uni2026	…	…	…	…	…	…	…	…	…	…
DOTTED CIRCLE uni25CC	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯	⋯

uni1789.a
 Ending "a" ≠ OT Feature (cannot display this character)
 feature

uni1794.a
 Ending "a" ≠ OT Feature (cannot display this character)
 feature

uni1794.a2
 Ending "a2" ≠ OT Feature (cannot display this character)
 feature

uni17B7.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17B717CD
It might be two unicodes: 17B7 + 17CD (most Arabic ccmp
feature)



uni17B717CD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17B8.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17B9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17BA.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17BB.b
Ending "b" ≠ OT Feature (cannot display this character)
feature



uni17BC.b
Ending "b" ≠ OT Feature (cannot display this character)
feature



uni17BD.b
Ending "b" ≠ OT Feature (cannot display this character)
feature



uni17BF.right1
Ending "right1" ≠ OT Feature (cannot display this character)
feature



uni17BF.right2
Ending "right2" ≠ OT Feature (cannot display this character)
feature



uni17BF.right3
Ending "right3" ≠ OT Feature (cannot display this character)
feature



uni17C0.right1
Ending "right1" ≠ OT Feature (cannot display this character)
feature



uni17C0.right2
Ending "right2" ≠ OT Feature (cannot display this character)
feature



uni17C0.right3
Ending "right3" ≠ OT Feature (cannot display this character)
feature



uni17C5.right
Ending "right" ≠ OT Feature (cannot display this character)
feature



uni17C6.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17C9.a
Ending "a" ≠ OT Feature (cannot display this character)
feature



uni17C9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17CA.r
Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17CA.r.c0
feature



uni17CB.r
Ending "r" ≠ OT Feature (cannot display this character)



feature



uni17CC.r

Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CD.r

Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17CE.r

Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17CF.r

Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17B717CE

It might be two unicodes: 17B7 + 17CE (most Arabic ccmp
feature)



uni17BA17CE

It might be two unicodes: 17BA + 17CE (most Arabic ccmp
feature)



uni17BA17CE.r

Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17CA17B7

It might be two unicodes: 17CA + 17B7 (most Arabic ccmp
feature)



uni17CA17B8

It might be two unicodes: 17CA + 17B8 (most Arabic ccmp
feature)



uni17CA17B8.r

Ending "r" ≠ OT Feature (cannot display this character)
feature



uni17CA17B9

It might be two unicodes: 17CA + 17B9 (most Arabic ccmp
feature)



uni17CA17BA

It might be two unicodes: 17CA + 17BA (most Arabic ccmp
feature)



uni17CA17C6

It might be two unicodes: 17CA + 17C6 (most Arabic ccmp
feature)



uni17CA17CE

It might be two unicodes: 17CA + 17CE (most Arabic ccmp
feature)



uni17CA17D0

It might be two unicodes: 17CA + 17D0 (most Arabic ccmp
feature)



uni17D017CE

It might be two unicodes: 17D0 + 17CE (most Arabic ccmp
feature)



uni17C917B8

It might be two unicodes: 17C9 + 17B8 (most Arabic ccmp
feature)



uni17C917BA

It might be two unicodes: 17C9 + 17BA (most Arabic ccmp
feature)



uni17C917CE

It might be two unicodes: 17C9 + 17CE (most Arabic ccmp
feature)



uni17D1.r

Ending "r" ≠ OT Feature (cannot display this character)
feature





















































































































































































































uni17D3.r

Ending "r" ≠ OT Feature (cannot display this character)



	feature								
Ending "r" ≠ OT Feature (cannot display this character)	feature								
	uni17DD.r								
It might be two unicodes: 17D2 + 1780 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 1781 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 1782 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 1783 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
Ending "low" ≠ OT Feature (cannot display this character)	feature								
It might be two unicodes: 17D2 + 1784 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 1785 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 1786 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 1787 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 1788 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
Ending "low" ≠ OT Feature (cannot display this character)	feature								
It might be two unicodes: 17D2 + 1789 (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
Ending "a" ≠ OT Feature (cannot display this character)	feature								
It might be two unicodes: 17D2 + 178A (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
Ending "r" ≠ OT Feature (cannot display this character)	feature								
It might be two unicodes: 17D2 + 178B (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 178C (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
It might be two unicodes: 17D2 + 178D (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ
Ending "low" ≠ OT Feature (cannot display this character)	feature								
It might be two unicodes: 17D2 + 178E (most Arabic ccmp feature)		◻	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ	ﺍﻭ

Ending "alt" ≠ OT Feature (cannot display this character feature)	uni17D2178E.alt										
It might be two unicones: 17D2 + 178F (most Arabic ccmp feature)	uni17D2178F										
Ending "r" ≠ OT Feature (cannot display this character feature)	uni17D2178F.r										
It might be two unicones: 17D2 + 1790 (most Arabic ccmp feature)	uni17D21790										
It might be two unicones: 17D2 + 1791 (most Arabic ccmp feature)	uni17D21791										
It might be two unicones: 17D2 + 1792 (most Arabic ccmp feature)	uni17D21792										
It might be two unicones: 17D2 + 1793 (most Arabic ccmp feature)	uni17D21793										
It might be two unicones: 17D2 + 1794 (most Arabic ccmp feature)	uni17D21794										
Ending "low" ≠ OT Feature (cannot display this character feature)	uni17D21794.low										
It might be two unicones: 17D2 + 1795 (most Arabic ccmp feature)	uni17D21795										
It might be two unicones: 17D2 + 1796 (most Arabic ccmp feature)	uni17D21796										
It might be two unicones: 17D2 + 1797 (most Arabic ccmp feature)	uni17D21797										
Ending "r" ≠ OT Feature (cannot display this character feature)	uni17D21797.r										
It might be two unicones: 17D2 + 1798 (most Arabic ccmp feature)	uni17D21798										
Ending "r" ≠ OT Feature (cannot display this character feature)	uni17D21798.r										
It might be two unicones: 17D2 + 1799 (most Arabic ccmp feature)	uni17D21799										
Ending "low" ≠ OT Feature (cannot display this character feature)	uni17D21799.low										
It might be two unicones: 17D2 + 179A (most Arabic ccmp feature)	uni17D2179A										
Ending "low" ≠ OT Feature (cannot display this character feature)	uni17D2179A.low										
It might be two unicones: 17D2 + 179B (most Arabic ccmp feature)	uni17D2179B										
It might be two unicones: 17D2 + 179C (most Arabic ccmp feature)	uni17D2179C										

uni17D2179D
It might be two unicodes: 17D2 + 179D (most Arabic ccmp feature)



uni17D2179E
It might be two unicodes: 17D2 + 179E (most Arabic ccmp feature)



uni17D2179E.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2179F
It might be two unicodes: 17D2 + 179F (most Arabic ccmp feature)



uni17D2179F.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D217A0
It might be two unicodes: 17D2 + 17A0 (most Arabic ccmp feature)



uni17D217A1
It might be two unicodes: 17D2 + 17A1 (most Arabic ccmp feature)



uni17D217A2
It might be two unicodes: 17D2 + 17A2 (most Arabic ccmp feature)



uni17D217A7
It might be two unicodes: 17D2 + 17A7 (most Arabic ccmp feature)



uni17D217AB
It might be two unicodes: 17D2 + 17AB (most Arabic ccmp feature)



uni17D217AC
It might be two unicodes: 17D2 + 17AC (most Arabic ccmp feature)



uni17D217AF
It might be two unicodes: 17D2 + 17AF (most Arabic ccmp feature)



uni17D217AB.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D217AC.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D217AF.low
Ending "low" ≠ OT Feature (cannot display this character) feature



uni178017B6
It might be two unicodes: 1780 + 17B6 (most Arabic ccmp feature)



uni178017C5
It might be two unicodes: 1780 + 17C5 (most Arabic ccmp feature)



uni178117B6
It might be two unicodes: 1781 + 17B6 (most Arabic ccmp feature)



uni178117C5
It might be two unicodes: 1781 + 17C5 (most Arabic ccmp feature)



uni178217B6
It might be two unicodes: 1782 + 17B6 (most Arabic ccmp feature)



uni178217C5

It might be two unicodes: 1782 + 17C5 (most Arabic ccmp feature)

𐤀 𐤀 𐤀 𐤀 𐤀 𐤀 𐤀 𐤀 𐤀 𐤀

uni178317B6

It might be two unicodes: 1783 + 17B6 (most Arabic ccmp feature)

𐤁 𐤁 𐤁 𐤁 𐤁 𐤁 𐤁 𐤁 𐤁 𐤁

uni178317C5

It might be two unicodes: 1783 + 17C5 (most Arabic ccmp feature)

𐤂 𐤂 𐤂 𐤂 𐤂 𐤂 𐤂 𐤂 𐤂 𐤂

uni178417B6

It might be two unicodes: 1784 + 17B6 (most Arabic ccmp feature)

𐤃 𐤃 𐤃 𐤃 𐤃 𐤃 𐤃 𐤃 𐤃 𐤃

uni178417C5

It might be two unicodes: 1784 + 17C5 (most Arabic ccmp feature)

𐤄 𐤄 𐤄 𐤄 𐤄 𐤄 𐤄 𐤄 𐤄 𐤄

uni178517B6

It might be two unicodes: 1785 + 17B6 (most Arabic ccmp feature)

𐤅 𐤅 𐤅 𐤅 𐤅 𐤅 𐤅 𐤅 𐤅 𐤅

uni178517C5

It might be two unicodes: 1785 + 17C5 (most Arabic ccmp feature)

𐤆 𐤆 𐤆 𐤆 𐤆 𐤆 𐤆 𐤆 𐤆 𐤆

uni178617B6

It might be two unicodes: 1786 + 17B6 (most Arabic ccmp feature)

𐤇 𐤇 𐤇 𐤇 𐤇 𐤇 𐤇 𐤇 𐤇 𐤇

uni178617C5

It might be two unicodes: 1786 + 17C5 (most Arabic ccmp feature)

𐤈 𐤈 𐤈 𐤈 𐤈 𐤈 𐤈 𐤈 𐤈 𐤈

uni178717B6

It might be two unicodes: 1787 + 17B6 (most Arabic ccmp feature)

𐤉 𐤉 𐤉 𐤉 𐤉 𐤉 𐤉 𐤉 𐤉 𐤉

uni178717C5

It might be two unicodes: 1787 + 17C5 (most Arabic ccmp feature)

𐤊 𐤊 𐤊 𐤊 𐤊 𐤊 𐤊 𐤊 𐤊 𐤊

uni178817B6

It might be two unicodes: 1788 + 17B6 (most Arabic ccmp feature)

𐤋 𐤋 𐤋 𐤋 𐤋 𐤋 𐤋 𐤋 𐤋 𐤋

uni178817C5

It might be two unicodes: 1788 + 17C5 (most Arabic ccmp feature)

𐤌 𐤌 𐤌 𐤌 𐤌 𐤌 𐤌 𐤌 𐤌 𐤌

uni178917B6

It might be two unicodes: 1789 + 17B6 (most Arabic ccmp feature)

𐤍 𐤍 𐤍 𐤍 𐤍 𐤍 𐤍 𐤍 𐤍 𐤍

uni178917C5

It might be two unicodes: 1789 + 17C5 (most Arabic ccmp feature)

𐤎 𐤎 𐤎 𐤎 𐤎 𐤎 𐤎 𐤎 𐤎 𐤎

uni178917B6.a

Ending "a" ≠ OT Feature (cannot display this character) feature

𐤏 𐤏 𐤏 𐤏 𐤏 𐤏 𐤏 𐤏 𐤏 𐤏

uni178917C5.a

Ending "a" ≠ OT Feature (cannot display this character) feature

𐤐 𐤐 𐤐 𐤐 𐤐 𐤐 𐤐 𐤐 𐤐 𐤐

uni178A17B6

It might be two unicodes: 178A + 17B6 (most Arabic ccmp feature)

𐤑 𐤑 𐤑 𐤑 𐤑 𐤑 𐤑 𐤑 𐤑 𐤑

uni178A17C5

It might be two unicodes: 178A + 17C5 (most Arabic ccmp feature)

𐤒 𐤒 𐤒 𐤒 𐤒 𐤒 𐤒 𐤒 𐤒 𐤒

uni178B17B6

It might be two unicodes: 178B + 17B6 (most Arabic ccmp feature)

𐤓 𐤓 𐤓 𐤓 𐤓 𐤓 𐤓 𐤓 𐤓 𐤓

uni178B17C5

It might be two unicodes: 178B + 17C5 (most Arabic ccmp feature)

𐤔 𐤔 𐤔 𐤔 𐤔 𐤔 𐤔 𐤔 𐤔 𐤔

uni178C17B6


 Զ Զ Զ Զ Զ Զ Զ Զ Զ

0 1 2 3 4 5 6 7 8 9













០០ ព្រី ព្រី ព្រី ព្រី ព្រី ព្រី ព្រី ព្រី ព្រី

၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀


 ԼՈՂԱՆՈՒՄ ԵՎ ԳԻՏՈՒԹՅԱՆ ՄԻՆԻՍՏԵՐԱՆ
 ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅԱՆ ԿՐԹԱՅԻՆ ԵՎ ԳԻՏՈՒԹՅԱՆ ՄԻՆԻՍՏԵՐԱՆ

00 ၀၁ ၀၂ ၀၃ ၀၄ ၀၅ ၀၆ ၀၇ ၀၈ ၀၉

0 1 1 1 1 1 1 1 1 1

០០ ០១ ០២ ០៣ ០៤ ០៥ ០៦ ០៧ ០៨ ០៩

00 01 02 03 04 05 06 07 08 09

១១ ១២ ១៣ ១៤ ១៥ ១៦ ១៧ ១៨ ១៩



[illegible]


 27 27 27 27 27 27 27 27 27

១១ ១២ ១៣ ១៤ ១៥ ១៦ ១៧ ១៨ ១៩












Age Group	Percentage
18-24	28%
25-34	22%
35-44	18%
45-54	15%
55-64	12%
65-74	8%
75-84	5%
85+	2%

၀၀ တေ တေ တေ တေ တေ တေ တေ တေ တေ တေ

[illegible]



It might be two unicodes: 1795 + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 1796 + 17B6 (most Arabic ccmp feature)

It might be two unicodes: 1796 + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 1797 + 17B6 (most Arabic ccmp feature)

It might be two unicodes: 1797 + 17C5 (most Arabic ccmp feature)

It might be two unicones: 1798 + 17B6 (most Arabic ccmp feature)

It might be two unicodes: 1798 + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 1799 + 17B6 (most Arabic ccmp feature)

It might be two unicodes: 1799 + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 179A + 17B6 (most Arabic ccmp feature)

It might be two unicodes: 179A + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 179B + 17B6 (most Arabic ccmp feature)

It might be two unicodes: 179B + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 179C + 17B6 (most Arabic ccmp feature)

It might be two unicones: 179C + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 179D + 17B6 (most Arabic ccmp feature)

It might be two unicones: 179D + 17C5 (most Arabic ccmp feature)

It might be two unicodes: 179E + 17B6 (most Arabic ccmp feature)

It might be two unicodes: 179E + 17C5 (most Arabic ccmp feature)

It might be two unicones: 179F + 17B6 (most Arabic ccmp feature)

It might be two unicondes: 179F + 17C5 (most Arabic ccmp feature)

It might be two unicones: 17A0 + 17B6 (most Arabic ccmp

feature)



uni17A017C5

It might be two unicodes: 17A0 + 17C5 (most Arabic ccmp feature)



uni17A117B6

It might be two unicodes: 17A1 + 17B6 (most Arabic ccmp feature)



uni17A117C5

It might be two unicodes: 17A1 + 17C5 (most Arabic ccmp feature)



uni17A217B6

It might be two unicodes: 17A2 + 17B6 (most Arabic ccmp feature)



uni17A217C5

It might be two unicodes: 17A2 + 17C5 (most Arabic ccmp feature)



uni17D2178317B6

"Uni" in name but missing unicode: uni17D2178317B6



uni17D2178317B6.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2178317C5

"Uni" in name but missing unicode: uni17D2178317C5



uni17D2178317C5.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2178817B6

"Uni" in name but missing unicode: uni17D2178817B6



uni17D2178817B6.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2178817C5

"Uni" in name but missing unicode: uni17D2178817C5



uni17D2178817C5.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2178D17B6

"Uni" in name but missing unicode: uni17D2178D17B6



uni17D2178D17B6.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2178D17C5

"Uni" in name but missing unicode: uni17D2178D17C5



uni17D2178D17C5.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2179417B6

"Uni" in name but missing unicode: uni17D2179417B6



uni17D2179417B6.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2179417C5

"Uni" in name but missing unicode: uni17D2179417C5




uni17D2179417C5.low

Ending "low" ≠ OT Feature (cannot display this character) feature



uni17D2179917B6

"Uni" in name but missing unicode: uni17D2179917B6



uni17D2179917B6.low
Ending "low" ≠ OT Feature (cannot display this character)
feature



uni17D2179917C5
"Uni" in name but missing unicode: uni17D2179917C5



uni17D2179917C5.low
Ending "low" ≠ OT Feature (cannot display this character)
feature



uni17D2179E17B6
"Uni" in name but missing unicode: uni17D2179E17B6



uni17D2179E17B6.low
Ending "low" ≠ OT Feature (cannot display this character)
feature



uni17D2179E17C5
"Uni" in name but missing unicode: uni17D2179E17C5



uni17D2179E17C5.low
Ending "low" ≠ OT Feature (cannot display this character)
feature



uni17D2179F17B6
"Uni" in name but missing unicode: uni17D2179F17B6



uni17D2179F17B6.low
Ending "low" ≠ OT Feature (cannot display this character)
feature



uni17D2179F17C5
"Uni" in name but missing unicode: uni17D2179F17C5



uni17D2179F17C5.low
Ending "low" ≠ OT Feature (cannot display this character)
feature



uni25CC.dot
Ending "dot" ≠ OT Feature (cannot display this character)
feature



uni17C5.right.long
feature



topout.alt
Ending "alt" ≠ OT Feature (cannot display this character)
feature



rovoloop
Cannot display because feature tag is missing in name.



ab.below
Ending "below" ≠ OT Feature (cannot display this character)
feature



ac.below
Ending "below" ≠ OT Feature (cannot display this character)
feature



© 2010 Blackwell Publishing Ltd *Journal of Internal Medicine* 267: 103–111

© 2010 Blackwell Publishing Ltd *Journal of Internal Medicine* 267: 103–111

© 2006 The Authors
 Journal compilation © 2006 Blackwell Publishing Ltd

© 2010 Blackwell Publishing Ltd *Journal of Internal Medicine* 267: 225–233

the 1990s, the number of people in the world who are under 15 years of age has increased from 1.1 billion to 1.5 billion, and the number of people aged 65 and over has increased from 0.5 billion to 0.7 billion (United Nations 2002). The number of people aged 65 and over is projected to increase to 1.2 billion by 2050 (United Nations 2002).

There is a growing awareness of the need to address the needs of older people in the workplace. The World Health Organization (WHO) has identified the need for a 'healthy ageing' approach to the workplace (WHO 2002). The WHO defines 'healthy ageing' as 'the process of developing and maintaining the functional ability that enables older people to live the lives they want' (WHO 2002, p. 1).

The WHO has identified five domains of functional ability: (1) physical, (2) mental, (3) social, (4) emotional, and (5) spiritual. The WHO has identified a number of factors that can influence functional ability, including: (1) genetics, (2) environment, (3) lifestyle, (4) social support, and (5) access to services (WHO 2002).

The WHO has identified a number of strategies that can be used to promote healthy ageing in the workplace, including: (1) providing a safe and healthy work environment, (2) providing opportunities for physical activity, (3) providing opportunities for social interaction, (4) providing opportunities for learning and development, and (5) providing opportunities for meaningful work (WHO 2002).

The WHO has identified a number of challenges that need to be addressed in order to promote healthy ageing in the workplace, including: (1) the need for a multi-sectoral approach, (2) the need for a life-course approach, and (3) the need for a person-centred approach (WHO 2002).

The WHO has identified a number of key messages for the workplace, including: (1) 'Healthy ageing is a process, not a destination', (2) 'Healthy ageing is a goal, not a state', (3) 'Healthy ageing is a process that can be influenced by the workplace', and (4) 'Healthy ageing is a process that can be supported by the workplace' (WHO 2002).

The WHO has identified a number of key messages for the workplace, including: (1) 'Healthy ageing is a process, not a destination', (2) 'Healthy ageing is a goal, not a state', (3) 'Healthy ageing is a process that can be influenced by the workplace', and (4) 'Healthy ageing is a process that can be supported by the workplace' (WHO 2002).

The WHO has identified a number of key messages for the workplace, including: (1) 'Healthy ageing is a process, not a destination', (2) 'Healthy ageing is a goal, not a state', (3) 'Healthy ageing is a process that can be influenced by the workplace', and (4) 'Healthy ageing is a process that can be supported by the workplace' (WHO 2002).

The WHO has identified a number of key messages for the workplace, including: (1) 'Healthy ageing is a process, not a destination', (2) 'Healthy ageing is a goal, not a state', (3) 'Healthy ageing is a process that can be influenced by the workplace', and (4) 'Healthy ageing is a process that can be supported by the workplace' (WHO 2002).

100%

100%

