Nokora Regular
Nokora Bold

2020-09-24 - 05:50.16
05:50.17

Print this page

SPACE uni0020			
EXCLAMATION MARK uni0021	!	!	**!**
QUOTATION MARK uni0022	"	"	**"**
NUMBER SIGN uni0023	#	#	**#**
DOLLAR SIGN uni0024	$	$	**$**
PERCENT SIGN uni0025	%	%	**%**
AMPERSAND uni0026	&	&	**&**
APOSTROPHE uni0027	'	'	**'**
LEFT PARENTHESIS uni0028	(	(	**(**
RIGHT PARENTHESIS uni0029	)	)	**)**
ASTERISK uni002A	*	*	*****
PLUS SIGN uni002B	+	+	**+**
COMMA uni002C	,	,	**,**
HYPHEN-MINUS uni002D	-	-	**-**
FULL STOP uni002E	.	.	**.**
SOLIDUS uni002F	/	/	**/**

DIGIT ZERO uni0030	0	0	**0**
DIGIT ONE uni0031	1	1	**1**
DIGIT TWO uni0032	2	2	**2**
DIGIT THREE uni0033	3	3	**3**
DIGIT FOUR uni0034	4	4	**4**
DIGIT FIVE uni0035	5	5	**5**
DIGIT SIX uni0036	6	6	**6**
DIGIT SEVEN uni0037	7	7	**7**
DIGIT EIGHT uni0038	8	8	**8**
DIGIT NINE uni0039	9	9	**9**
COLON uni003A	:	:	**:**
SEMICOLON uni003B	;	;	**;**
LESS-THAN SIGN uni003C	<	<	**<**
EQUALS SIGN uni003D	=	=	**=**
GREATER-THAN SIGN uni003E	>	>	**>**
QUESTION MARK uni003F	?	?	**?**
COMMERCIAL AT uni0040	@	@	**@**
LEFT CURLY BRACKET uni007B	{	{	**{**
VERTICAL LINE uni007C	|	|	**|**
RIGHT CURLY BRACKET uni007D	}	}	**}**
TILDE uni007E	~	~	**~**
LEFT-POINTING DOUBLE ANGLE QUOTATION MARK uni00AB	«	«	**«**
SOFT HYPHEN uni00AD			
RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK uni00BB	»	»	**»**
KHMER LETTER KA uni1780	□	ក	**ក**
KHMER LETTER KHA uni1781	□	ខ	**ខ**
KHMER LETTER KO uni1782	□	គ	**គ**
KHMER LETTER KHO uni1783	□	ឃ	**ឃ**

KHMER LETTER NGO uni1784	□	ង	ង
KHMER LETTER CA uni1785	□	ច	ច
KHMER LETTER CHA uni1786	□	ឆ	ឆ
KHMER LETTER CO uni1787	□	ជ	ជ
KHMER LETTER CHO uni1788	□	ឈ	ឈ
KHMER LETTER NYO uni1789	□	ញ	ញ
KHMER LETTER DA uni178A	□	ដ	ដ
KHMER LETTER TTHA uni178B	□	ឋ	ឋ
KHMER LETTER DO uni178C	□	ឌ	ឌ
KHMER LETTER TTHO uni178D	□	ឍ	ឍ
KHMER LETTER NNO uni178E	□	ណ	ណ
KHMER LETTER TA uni178F	□	ត	ត
KHMER LETTER THA uni1790	□	ថ	ថ
KHMER LETTER TO uni1791	□	ទ	ទ
KHMER LETTER THO uni1792	□	ធ	ធ
KHMER LETTER NO uni1793	□	ន	ន
KHMER LETTER BA uni1794	□	ប	ប
KHMER LETTER PHA uni1795	□	ផ	ផ
KHMER LETTER PO uni1796	□	ព	ព
KHMER LETTER PHO uni1797	□	ភ	ភ
KHMER LETTER MO uni1798	□	ម	ម
KHMER LETTER YO uni1799	□	យ	យ
KHMER LETTER RO uni179A	□	រ	រ
KHMER LETTER LO uni179B	□	ល	ល
KHMER LETTER VO uni179C	□	វ	វ
KHMER LETTER SHA uni179D	□	ឝ	ឝ
KHMER LETTER SSO uni179E	□	ឞ	ឞ
KHMER LETTER SA uni179F	□	ស	ស

KHMER LETTER HA uni17A0	□	ហ	ហ
KHMER LETTER LA uni17A1	□	ឡ	ឡ
KHMER LETTER QA uni17A2	□	អ	អ
KHMER INDEPENDENT VOWEL QAQ uni17A3	□	អ	អ
KHMER INDEPENDENT VOWEL QAA uni17A4	□	អា	អា
KHMER INDEPENDENT VOWEL QI uni17A5	□	ឥ	ឥ
KHMER INDEPENDENT VOWEL QII uni17A6	□	ឦ	ឦ
KHMER INDEPENDENT VOWEL QU uni17A7	□	ឧ	ឧ
KHMER INDEPENDENT VOWEL QUK uni17A8	□	ឩ	ឩ
KHMER INDEPENDENT VOWEL QUU uni17A9	□	ឪ	ឪ
KHMER INDEPENDENT VOWEL QUUV uni17AA	□	ឫ	ឫ
KHMER INDEPENDENT VOWEL RY uni17AB	□	ឬ	ឬ
KHMER INDEPENDENT VOWEL RYY uni17AC	□	ឭ	ឭ
KHMER INDEPENDENT VOWEL LY uni17AD	□	ឮ	ឮ
KHMER INDEPENDENT VOWEL LYY uni17AE	□	ឯ	ឯ
KHMER INDEPENDENT VOWEL QE uni17AF	□	ឰ	ឰ
KHMER INDEPENDENT VOWEL QAI uni17B0	□	ឱ	ឱ
KHMER INDEPENDENT VOWEL QOO TYPE ONE uni17B1	□	ឲ	ឲ
KHMER INDEPENDENT VOWEL QOO TYPE TWO uni17B2	□	ឳ	ឳ
KHMER INDEPENDENT VOWEL QAU uni17B3	□	ា	ា
KHMER VOWEL SIGN AA uni17B6	□	ិ	ិ
KHMER VOWEL SIGN I uni17B7		ី	ី
KHMER VOWEL SIGN II uni17B8		ឹ	ឹ
KHMER VOWEL SIGN Y uni17B9		ឺ	ឺ
KHMER VOWEL SIGN YY uni17BA		ុ	ុ
KHMER VOWEL SIGN U uni17BB		ូ	ូ
KHMER VOWEL SIGN UU uni17BC		ួ	ួ
KHMER VOWEL SIGN UA uni17BD		ើ	ើ

KHMER VOWEL SIGN OE uni17BE	□	◌ᩮ	◌ᩮ
KHMER VOWEL SIGN YA uni17BF	□	◌ᩯ	◌ᩯ
KHMER VOWEL SIGN IE uni17C0	□	◌ᩰ	◌ᩰ
KHMER VOWEL SIGN E uni17C1	□	◌ᩱ	◌ᩱ
KHMER VOWEL SIGN AE uni17C2	□	◌ᩲ	◌ᩲ
KHMER VOWEL SIGN AI uni17C3	□	◌ᩳ	◌ᩳ
KHMER VOWEL SIGN OO uni17C4	□	◌ᩴ	◌ᩴ
KHMER VOWEL SIGN AU uni17C5	□	◌᩵	◌᩵
KHMER SIGN NIKAHIT uni17C6		◌᩶	◌᩶
KHMER SIGN REAHMUK uni17C7	□	◌᩷	◌᩷
KHMER SIGN YUUKALEAPINTU uni17C8	□	◌᩸	◌᩸
KHMER SIGN MUUSIKATOAN uni17C9		◌᩹	◌᩹
KHMER SIGN TRIISAP uni17CA		◌᩺	◌᩺
KHMER SIGN BANTOC uni17CB		◌᩻	◌᩻
KHMER SIGN ROBAT uni17CC		◌᩼	◌᩼
KHMER SIGN TOANDAKHIAT uni17CD		◌᩽	◌᩽
KHMER SIGN KAKABAT uni17CE		◌᩾	◌᩾
KHMER SIGN AHSDA uni17CF		◌᩿	◌᩿
KHMER SIGN SAMYOK SANNYA uni17D0		◌᪀	◌᪀
KHMER SIGN VIRIAM uni17D1		◌᪁	◌᪁
KHMER SIGN COENG uni17D2		◌᪂	◌᪂
KHMER SIGN BATHAMASAT uni17D3		◌᪃	◌᪃
KHMER SIGN KHAN uni17D4	□	᪄	᪄
KHMER SIGN BARIYOOSAN uni17D5	□	᪅	᪅
KHMER SIGN CAMNUC PII KUUH uni17D6	□	᪆	᪆
KHMER SIGN LEK TOO uni17D7	□	᪇	᪇
KHMER SIGN BEYYAL uni17D8	□	᪈ᩲᩲ᪈	᪈ᩲᩲ᪈
KHMER SIGN PHNAEK MUAN uni17D9	□	᪉	᪉

KHMER SIGN KOOMUUT uni17DA		᧞	᧞
KHMER CURRENCY SYMBOL RIEL uni17DB		᧟	᧟
KHMER DIGIT ZERO uni17E0		᧠	᧠
KHMER DIGIT ONE uni17E1		᧡	᧡
KHMER DIGIT TWO uni17E2		᧢	᧢
KHMER DIGIT THREE uni17E3		᧣	᧣
KHMER DIGIT FOUR uni17E4		᧤	᧤
KHMER DIGIT FIVE uni17E5		᧥	᧥
KHMER DIGIT SIX uni17E6		᧦	᧦
KHMER DIGIT SEVEN uni17E7		᧧	᧧
KHMER DIGIT EIGHT uni17E8		᧨	᧨
KHMER DIGIT NINE uni17E9		᧩	᧩
ZERO WIDTH SPACE uni200B			

nonmarkingreturn Cannot display because feature tag is missing in name.			
uni17D21780 It might be two unicodes: 17D2 + 1780 (most Arabic ccmp feature)		ก	ก
uni17D21781 It might be two unicodes: 17D2 + 1781 (most Arabic ccmp feature)		ข	ข
uni17D21782 It might be two unicodes: 17D2 + 1782 (most Arabic ccmp feature)		ค	ค
uni17D21783 It might be two unicodes: 17D2 + 1783 (most Arabic ccmp feature)		ฆ	ฆ
uni17D21784 It might be two unicodes: 17D2 + 1784 (most Arabic ccmp feature)		ง	ง
uni17D21785 It might be two unicodes: 17D2 + 1785 (most Arabic ccmp feature)		จ	จ
uni17D21786 It might be two unicodes: 17D2 + 1786 (most Arabic ccmp feature)		ฉ	ฉ
uni17D21787 It might be two unicodes: 17D2 + 1787 (most Arabic ccmp feature)		ช	ช

uni17D21788
It might be two unicodes: 17D2 + 1788 (most Arabic ccmp feature)

uni17D21789
It might be two unicodes: 17D2 + 1789 (most Arabic ccmp feature)

uni17D21789.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17D2178A
It might be two unicodes: 17D2 + 178A (most Arabic ccmp feature)

uni17D2178B
It might be two unicodes: 17D2 + 178B (most Arabic ccmp feature)

uni17D2178C
It might be two unicodes: 17D2 + 178C (most Arabic ccmp feature)

uni17D2178D
It might be two unicodes: 17D2 + 178D (most Arabic ccmp feature)

uni17D2178E
It might be two unicodes: 17D2 + 178E (most Arabic ccmp feature)

uni17D2178F
It might be two unicodes: 17D2 + 178F (most Arabic ccmp feature)

uni17D21790
It might be two unicodes: 17D2 + 1790 (most Arabic ccmp feature)

uni17D21791
It might be two unicodes: 17D2 + 1791 (most Arabic ccmp feature)

uni17D21792
It might be two unicodes: 17D2 + 1792 (most Arabic ccmp feature)

uni17D21793
It might be two unicodes: 17D2 + 1793 (most Arabic ccmp feature)

uni17D21794
It might be two unicodes: 17D2 + 1794 (most Arabic ccmp feature)

uni17D21795
It might be two unicodes: 17D2 + 1795 (most Arabic ccmp feature)

uni17D21796
It might be two unicodes: 17D2 + 1796 (most Arabic ccmp feature)

uni17D21797
It might be two unicodes: 17D2 + 1797 (most Arabic ccmp feature)

uni17D21798
It might be two unicodes: 17D2 + 1798 (most Arabic ccmp feature)

uni17D21799
It might be two unicodes: 17D2 + 1799 (most Arabic ccmp feature)

uni17D2179A
It might be two unicodes: 17D2 + 179A (most Arabic ccmp feature)

uni17D2179B
It might be two unicodes: 17D2 + 179B (most Arabic ccmp

feature)

uni17D2179C
It might be two unicodes: 17D2 + 179C (most Arabic ccmp feature)

uni17D2179F
It might be two unicodes: 17D2 + 179F (most Arabic ccmp feature)

uni17D217A0
It might be two unicodes: 17D2 + 17A0 (most Arabic ccmp feature)

uni17D217A2
It might be two unicodes: 17D2 + 17A2 (most Arabic ccmp feature)

uni17BB.b
Ending "b" ≠ OT Feature (cannot display this character) feature

uni17BC.b
Ending "b" ≠ OT Feature (cannot display this character) feature

uni17BD.b
Ending "b" ≠ OT Feature (cannot display this character) feature

uni17B7.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17B8.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17B9.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17BA.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17C6.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17CE.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17D0.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni1789.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni1794.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni17D2179A.b
Ending "b" ≠ OT Feature (cannot display this character) feature

uni17B717CD
It might be two unicodes: 17B7 + 17CD (most Arabic ccmp feature)

uni17BF.b
Ending "b" ≠ OT Feature (cannot display this character) feature

uni17C0.b
Ending "b" ≠ OT Feature (cannot display this character) feature

uni17B7.r
Ending "r" ≠ OT Feature (cannot display this character) feature

uni17B8.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17BA.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17C6.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17C9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B717CD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D2178A.n
Ending "n" ≠ OT Feature (cannot display this character)
feature

uni17D2178B.n
Ending "n" ≠ OT Feature (cannot display this character)
feature

uni17D2178C.n
Ending "n" ≠ OT Feature (cannot display this character)
feature

uni17D217A0.n
Ending "n" ≠ OT Feature (cannot display this character)
feature

uni17D2178A.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D21797.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D21798.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17BB.n
Ending "n" ≠ OT Feature (cannot display this character)
feature

uni17BC.n
Ending "n" ≠ OT Feature (cannot display this character)
feature

uni17BD.n
Ending "n" ≠ OT Feature (cannot display this character)
feature

uni17BB.n2
Ending "n2" ≠ OT Feature (cannot display this character)
feature

uni17BC.n2
Ending "n2" ≠ OT Feature (cannot display this character)
feature

uni17BD.n2
Ending "n2" ≠ OT Feature (cannot display this character)
feature

uni17D21798.b
Ending "b" ≠ OT Feature (cannot display this character)
feature

uni17D217A0.b

Ending "b" ≠ OT Feature (cannot display this character) feature

uni17BF.right
Ending "right" ≠ OT Feature (cannot display this character) feature

uni17C0.right
Ending "right" ≠ OT Feature (cannot display this character) feature

uni17C5.right
Ending "right" ≠ OT Feature (cannot display this character) feature

uni178917C917B617C6
"Uni" in name but missing unicode: uni178917C917B617C6

uni179A17C917B617C6
"Uni" in name but missing unicode: uni179A17C917B617C6

uni179417D2178A17B6
"Uni" in name but missing unicode: uni179417D2178A17B6

uni179417C917B6
"Uni" in name but missing unicode: uni179417C917B6

uni179417C917C5
"Uni" in name but missing unicode: uni179417C917C5