

Nokora Regular

Nokora Bold

2020-09-24 - 06:40.50

06:40.51

Print this page

SPACE uni0020			
EXCLAMATION MARK uni0021	!	!	!
QUOTATION MARK uni0022	"	"	"
NUMBER SIGN uni0023	#	#	#
DOLLAR SIGN uni0024	\$	\$	\$
PERCENT SIGN uni0025	%	%	%
AMPERSAND uni0026	&	&	&
APOSTROPHE uni0027	'	'	'
LEFT PARENTHESIS uni0028	(((
RIGHT PARENTHESIS uni0029)))
ASTERISK uni002A	*	*	*
PLUS SIGN uni002B	+	+	+
COMMA uni002C	,	,	,
HYPHEN-MINUS uni002D	-	-	-
FULL STOP uni002E	.	.	.
SOLIDUS uni002F	/	/	/

DIGIT ZERO uni0030	0	0	0
DIGIT ONE uni0031	1	1	1
DIGIT TWO uni0032	2	2	2
DIGIT THREE uni0033	3	3	3
DIGIT FOUR uni0034	4	4	4
DIGIT FIVE uni0035	5	5	5
DIGIT SIX uni0036	6	6	6
DIGIT SEVEN uni0037	7	7	7
DIGIT EIGHT uni0038	8	8	8
DIGIT NINE uni0039	9	9	9
COLON uni003A	:	:	:
SEMICOLON uni003B	;	;	;
LESS-THAN SIGN uni003C	<	<	<
EQUALS SIGN uni003D	=	=	=
GREATER-THAN SIGN uni003E	>	>	>
QUESTION MARK uni003F	?	?	?
COMMERCIAL AT uni0040	@	@	@
LEFT CURLY BRACKET uni007B	{	{	{
VERTICAL LINE uni007C			
RIGHT CURLY BRACKET uni007D	}	}	}
TILDE uni007E	~	~	~
LEFT-POINTING DOUBLE ANGLE QUOTATION MARK uni00AB	«	«	«
SOFT HYPHEN uni00AD			
RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK uni00BB	»	»	»
KHMER LETTER KA uni1780	ក	ក	ក
KHMER LETTER KHA uni1781	ខ	ខ	ខ
KHMER LETTER KO uni1782	គ	គ	គ
KHMER LETTER KHO uni1783	ឃ	ឃ	ឃ

KHMER LETTER NGO
uni1784



ង

ង

KHMER LETTER CA
uni1785



ច

ច

KHMER LETTER CHA
uni1786



ឆ

ឆ

KHMER LETTER CO
uni1787



ជ

ជ

KHMER LETTER CHO
uni1788



ឈ

ឈ

KHMER LETTER NYO
uni1789



ញ

ញ

KHMER LETTER DA
uni178A



ដ

ដ

KHMER LETTER TTHA
uni178B



ថ

ថ

KHMER LETTER DO
uni178C



ឌ

ឌ

KHMER LETTER TTHO
uni178D



ឍ

ឍ

KHMER LETTER NNO
uni178E



ណ

ណ

KHMER LETTER TA
uni178F



ត

ត

KHMER LETTER THA
uni1790



ថ

ថ

KHMER LETTER TO
uni1791



ទ

ទ

KHMER LETTER THO
uni1792



ធ

ធ

KHMER LETTER NO
uni1793



ន

ន

KHMER LETTER BA
uni1794



ប

ប

KHMER LETTER PHA
uni1795



ផ

ផ

KHMER LETTER PO
uni1796



ព

ព

KHMER LETTER PHO
uni1797



ភ

ភ

KHMER LETTER MO
uni1798



ម

ម

KHMER LETTER YO
uni1799



យ

យ

KHMER LETTER RO
uni179A



រ

រ

KHMER LETTER LO
uni179B



ល

ល

KHMER LETTER VO
uni179C



វ

វ

KHMER LETTER SHA
uni179D



គ

គ

KHMER LETTER SSO
uni179E



ស

ស

KHMER LETTER SA
uni179F



ស

ស

KHMER LETTER HA uni17A0	ហ	ហ
KHMER LETTER LA uni17A1	ឡ	ឡ
KHMER LETTER QA uni17A2	អ	អ
KHMER INDEPENDENT VOWEL QAQ uni17A3	អ	អ
KHMER INDEPENDENT VOWEL QAA uni17A4	អា	អា
KHMER INDEPENDENT VOWEL QI uni17A5	ឺ	ឺ
KHMER INDEPENDENT VOWEL QII uni17A6	ឺ	ឺ
KHMER INDEPENDENT VOWEL QU uni17A7	ឺ	ឺ
KHMER INDEPENDENT VOWEL QUK uni17A8	ឺ	ឺ
KHMER INDEPENDENT VOWEL QUU uni17A9	ឺ	ឺ
KHMER INDEPENDENT VOWEL QUUV uni17AA	ឺ	ឺ
KHMER INDEPENDENT VOWEL RY uni17AB	ឺ	ឺ
KHMER INDEPENDENT VOWEL RYY uni17AC	ឺ	ឺ
KHMER INDEPENDENT VOWEL LY uni17AD	ឺ	ឺ
KHMER INDEPENDENT VOWEL LYY uni17AE	ឺ	ឺ
KHMER INDEPENDENT VOWEL QE uni17AF	ឺ	ឺ
KHMER INDEPENDENT VOWEL QAI uni17B0	ឺ	ឺ
KHMER INDEPENDENT VOWEL QOO TYPE ONE uni17B1	ឺ	ឺ
KHMER INDEPENDENT VOWEL QOO TYPE TWO uni17B2	ឺ	ឺ
KHMER INDEPENDENT VOWEL QAU uni17B3	ឺ	ឺ
KHMER VOWEL SIGN AA uni17B6	័	័
KHMER VOWEL SIGN I uni17B7	័	័
KHMER VOWEL SIGN II uni17B8	័	័
KHMER VOWEL SIGN Y uni17B9	័	័
KHMER VOWEL SIGN YY uni17BA	័	័
KHMER VOWEL SIGN U uni17BB	័	័
KHMER VOWEL SIGN UU uni17BC	័	័
KHMER VOWEL SIGN UA uni17BD	័	័

KHMER VOWEL SIGN OE uni17BE	◻	្រ	្រ
KHMER VOWEL SIGN YA uni17BF	◻	្រ	្រ
KHMER VOWEL SIGN IE uni17C0	◻	្រ	្រ
KHMER VOWEL SIGN E uni17C1	◻	្រ	្រ
KHMER VOWEL SIGN AE uni17C2	◻	្រ	្រ
KHMER VOWEL SIGN AI uni17C3	◻	្រ	្រ
KHMER VOWEL SIGN OO uni17C4	◻	្រ	្រ
KHMER VOWEL SIGN AU uni17C5	◻	្រ	្រ
KHMER SIGN NIKAHIT uni17C6		◌	◌
KHMER SIGN REAHMUK uni17C7	◻	◌	◌
KHMER SIGN YUUKALEAPINTU uni17C8	◻	◌	◌
KHMER SIGN MUUSIKATOAN uni17C9		"	"
KHMER SIGN TRIISAP uni17CA		-	-
KHMER SIGN BANTOC uni17CB		'	'
KHMER SIGN ROBAT uni17CC		↵	↵
KHMER SIGN TOANDAKHIAT uni17CD		↶	↶
KHMER SIGN KAKABAT uni17CE		+	+
KHMER SIGN AHSDA uni17CF		↶	↶
KHMER SIGN SAMYOK SANNYA uni17D0		◌	◌
KHMER SIGN VIRIAM uni17D1		-	-
KHMER SIGN COENG uni17D2		+	+
KHMER SIGN BATHAMASAT uni17D3		◌	◌
KHMER SIGN KHAN uni17D4	◻	្រ	្រ
KHMER SIGN BARIYOOSAN uni17D5	◻	្រ	្រ
KHMER SIGN CAMNUC PII KUUH uni17D6	◻	◌	◌
KHMER SIGN LEK TOO uni17D7	◻	្រ	្រ
KHMER SIGN BEYYAL uni17D8	◻	្រ	្រ
KHMER SIGN PHNAEK MUAN uni17D9	◻	្រ	្រ

KHMER SIGN KOOMUUT
uni17DA



KHMER CURRENCY SYMBOL RIEL
uni17DB



KHMER DIGIT ZERO
uni17E0



KHMER DIGIT ONE
uni17E1



KHMER DIGIT TWO
uni17E2



KHMER DIGIT THREE
uni17E3



KHMER DIGIT FOUR
uni17E4



KHMER DIGIT FIVE
uni17E5



KHMER DIGIT SIX
uni17E6



KHMER DIGIT SEVEN
uni17E7



KHMER DIGIT EIGHT
uni17E8



KHMER DIGIT NINE
uni17E9




ZERO WIDTH SPACE
uni200B



nonmarkingreturn

Cannot display because feature tag is missing in name.



uni17D21780

It might be two unicodes: 17D2 + 1780 (most Arabic ccmp feature)



uni17D21781

It might be two unicodes: 17D2 + 1781 (most Arabic ccmp feature)



uni17D21782

It might be two unicodes: 17D2 + 1782 (most Arabic ccmp feature)



uni17D21783

It might be two unicodes: 17D2 + 1783 (most Arabic ccmp feature)



uni17D21784

It might be two unicodes: 17D2 + 1784 (most Arabic ccmp feature)



uni17D21785

It might be two unicodes: 17D2 + 1785 (most Arabic ccmp feature)



uni17D21786

It might be two unicodes: 17D2 + 1786 (most Arabic ccmp feature)



uni17D21787


It might be two unicodes: 17D2 + 1787 (most Arabic ccmp feature)



uni17D21788
It might be two unicodes: 17D2 + 1788 (most Arabic ccmp feature)




uni17D21789
It might be two unicodes: 17D2 + 1789 (most Arabic ccmp feature)




uni17D21789.a
Ending "a" ≠ OT Feature (cannot display this character feature)




uni17D2178A
It might be two unicodes: 17D2 + 178A (most Arabic ccmp feature)



uni17D2178B
It might be two unicodes: 17D2 + 178B (most Arabic ccmp feature)



uni17D2178C
It might be two unicodes: 17D2 + 178C (most Arabic ccmp feature)




uni17D2178D
It might be two unicodes: 17D2 + 178D (most Arabic ccmp feature)




uni17D2178E
It might be two unicodes: 17D2 + 178E (most Arabic ccmp feature)




uni17D2178F
It might be two unicodes: 17D2 + 178F (most Arabic ccmp feature)




uni17D21790
It might be two unicodes: 17D2 + 1790 (most Arabic ccmp feature)



uni17D21791
It might be two unicodes: 17D2 + 1791 (most Arabic ccmp feature)



uni17D21792
It might be two unicodes: 17D2 + 1792 (most Arabic ccmp feature)



uni17D21793
It might be two unicodes: 17D2 + 1793 (most Arabic ccmp feature)



uni17D21794
It might be two unicodes: 17D2 + 1794 (most Arabic ccmp feature)



uni17D21795
It might be two unicodes: 17D2 + 1795 (most Arabic ccmp feature)



uni17D21796
It might be two unicodes: 17D2 + 1796 (most Arabic ccmp feature)



uni17D21797
It might be two unicodes: 17D2 + 1797 (most Arabic ccmp feature)



uni17D21798
It might be two unicodes: 17D2 + 1798 (most Arabic ccmp feature)



uni17D21799
It might be two unicodes: 17D2 + 1799 (most Arabic ccmp feature)
























uni17D2179A
It might be two unicodes: 17D2 + 179A (most Arabic ccmp feature)



uni17D2179B
It might be two unicodes: 17D2 + 179B (most Arabic ccmp feature)



	feature)			
	uni17D2179C			
It might be two unicodes: 17D2 + 179C (most Arabic ccmp feature)				
	uni17D2179F			
It might be two unicodes: 17D2 + 179F (most Arabic ccmp feature)				
	uni17D217A0			
It might be two unicodes: 17D2 + 17A0 (most Arabic ccmp feature)				
	uni17D217A2			
It might be two unicodes: 17D2 + 17A2 (most Arabic ccmp feature)				
	uni17BB.b			
Ending "b" ≠ OT Feature (cannot display this character) feature				
	uni17BC.b			
Ending "b" ≠ OT Feature (cannot display this character) feature				
	uni17BD.b			
Ending "b" ≠ OT Feature (cannot display this character) feature				
	uni17B7.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni17B8.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni17B9.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni17BA.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni17C6.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni17CE.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni17D0.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni1789.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni1794.a			
Ending "a" ≠ OT Feature (cannot display this character) feature				
	uni17D2179A.b			
Ending "b" ≠ OT Feature (cannot display this character) feature				
	uni17B717CD			
It might be two unicodes: 17B7 + 17CD (most Arabic ccmp feature)				
	uni17BF.b			
Ending "b" ≠ OT Feature (cannot display this character) feature				
	uni17C0.b			
Ending "b" ≠ OT Feature (cannot display this character) feature				
	uni17B7.r			
Ending "r" ≠ OT Feature (cannot display this character) feature				

Ending "r" ≠ OT Feature (cannot display this character) feature	uni17B8.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17B9.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17BA.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17C6.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17C9.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17CD.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17B717CD.r	
Ending "n" ≠ OT Feature (cannot display this character) feature	uni17D2178A.n	
Ending "n" ≠ OT Feature (cannot display this character) feature	uni17D2178B.n	
Ending "n" ≠ OT Feature (cannot display this character) feature	uni17D2178C.n	
Ending "n" ≠ OT Feature (cannot display this character) feature	uni17D217A0.n	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17D2178A.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17D21797.r	
Ending "r" ≠ OT Feature (cannot display this character) feature	uni17D21798.r	
Ending "n" ≠ OT Feature (cannot display this character) feature	uni17BB.n	
Ending "n" ≠ OT Feature (cannot display this character) feature	uni17BC.n	
Ending "n" ≠ OT Feature (cannot display this character) feature	uni17BD.n	
Ending "n2" ≠ OT Feature (cannot display this character) feature	uni17BB.n2	
Ending "n2" ≠ OT Feature (cannot display this character) feature	uni17BC.n2	
Ending "n2" ≠ OT Feature (cannot display this character) feature	uni17BD.n2	
Ending "b" ≠ OT Feature (cannot display this character) feature	uni17D21798.b	
	uni17D217A0.b	

Ending "b" ≠ OT Feature (cannot display this character)
feature



uni17BF.right
Ending "right" ≠ OT Feature (cannot display this character)
feature



uni17C0.right
Ending "right" ≠ OT Feature (cannot display this character)
feature



uni17C5.right
Ending "right" ≠ OT Feature (cannot display this character)
feature



uni178917C917B617C6
"Uni" in name but missing unicode: uni178917C917B617C6



uni179A17C917B617C6
"Uni" in name but missing unicode: uni179A17C917B617C6




uni179417D2178A17B6
"Uni" in name but missing unicode: uni179417D2178A17B6



uni179417C917B6
"Uni" in name but missing unicode: uni179417C917B6



uni179417C917C5
"Uni" in name but missing unicode: uni179417C917C5



© 2010 Blackwell Publishing Ltd *Journal of Internal Medicine* 267: 103–110

