

DIGIT ZERO	0	0	0	0
uni0030 DIGIT ONE	1	1	1	1
uni0031 DIGIT TWO	2	2	2	2
uni0032	2			
DIGIT THREE uni0033	3	3	3	3
DIGIT FOUR uni0034	4	4	4	4
DIGIT FIVE uni0035	5	5	5	5
DIGIT SIX uni0036	6	6	6	6
DIGIT SEVEN uni0037	7	7	7	7
DIGIT EIGHT uni0038	8	8	8	8
DIGIT NINE uni0039	9	9	9	9
COLON uni003A	:	•	:	:
SEMICOLON uni003B	1	;	•	;
LESS-THAN SIGN uni003C	<	<	<	<
EQUALS SIGN uni003D	=	=	=	=
GREATER-THAN SIGN uni003E	>	>	>	>
QUESTION MARK uni003F	?	?	?	?
COMMERCIAL AT uni0040	(a)	@	@	@
LEFT CURLY BRACKET uni007B	{	{	{	{
VERTICAL LINE uni007C			I	I
RIGHT CURLY BRACKET uni007D	}	}	}	}
TILDE uni007E	~	~	~	~
LEFT-POINTING DOUBLE ANGLE QUOTATION MARK uni00AB	<<	«	«	«
SOFT HYPHEN uni00AD				
RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK uni00BB	>>	»	»	»
KHMER LETTER KA uni1780		$\overline{\cap}$	ī	n
KHMER LETTER KHA uni1781		8	8	8
KHMER LETTER KO uni1782		ค	ค	គ
KHMER LETTER KHO uni1783		W	ឃ	ឃ

KHMER LETTER NGO	ک	<u>ک</u>	<u>ک</u>
uni1784	ង	ង	ង
KHMER LETTER CA uni1785	ច	ប	ច
KHMER LETTER CHA uni1786	ม	រ	រ
KHMER LETTER CO uni1787	I	ជ	ជ
KHMER LETTER CHO uni1788	ឈ	ឈ	ឈ
KHMER LETTER NYO uni1789	$ \mathfrak{M} $	$\widehat{\mathbb{U}}$	$\overline{\mathbb{Q}}$
KHMER LETTER DA uni178A	IJ	ជ	ដ
KHMER LETTER TTHA uni178B	U	ឋ	ឋ
KHMER LETTER DO uni178C	23	ន	ន
KHMER LETTER TTHO uni178D	ក្ស	ព្រ	ព្រ
KHMER LETTER NNO uni178E	M	ណ	ណ
KHMER LETTER TA uni178F	ត	ត	ត
KHMER LETTER THA uni1790	ថ	ថ	ថ
KHMER LETTER TO uni1791	G	ß	ક
KHMER LETTER THO uni1792	ធ	ធ	ធ
KHMER LETTER NO uni1793	S	ន	ន
KHMER LETTER BA uni1794	ប	ប	ប
KHMER LETTER PHA uni1795	ជ	ជ	ជ
KHMER LETTER PO uni1796	n	ព	ព
KHMER LETTER PHO uni1797	$\overline{\cap}$	ภ	บ
KHMER LETTER MO uni1798	ម	ម	ម
KHMER LETTER YO uni1799	W	យ	យ
KHMER LETTER RO uni179A	Ĵ	ĵ	ĵ
KHMER LETTER LO uni179B	ល	ល	ល
KHMER LETTER VO uni179C	J	J	វ
KHMER LETTER SHA uni179D	គ	គ	ᅙ
KHMER LETTER SSO uni179E	អ្	ឞ	ឞ
	ស	ស	ស
KHMER LETTER SA			

uni179F			
KHMER LETTER HA uni17A0	ហ	ហ	ហ
KHMER LETTER LA uni17A1	H	ឡ	ឡ
KHMER LETTER QA uni17A2	H	អ	អ
KHMER INDEPENDENT VOWEL QAQ uni17A3	H	អ	អ
KHMER INDEPENDENT VOWEL QAA uni17A4	H	អា	អា
KHMER INDEPENDENT VOWEL QI uni17A5	ពី	ឥ	ឥ
KHMER INDEPENDENT VOWEL QII uni17A6	Ŋ	ឦ	ឦ
KHMER INDEPENDENT VOWEL QU uni17A7	2	ឧ	ឧ
KHMER INDEPENDENT VOWEL QUK uni17A8	Ŝ	ĝ	Ŝ
KHMER INDEPENDENT VOWEL QUU uni17A9	2	8	81
KHMER INDEPENDENT VOWEL QUUV uni17AA	202	S	ğ
KHMER INDEPENDENT VOWEL RY uni17AB	ឫ	ឫ	ប្វ
KHMER INDEPENDENT VOWEL RYY uni17AC	ឬ	ឬ	ឬ
KHMER INDEPENDENT VOWEL LY uni17AD	ŋ	ŋ	ឰ
KHMER INDEPENDENT VOWEL LYY uni17AE	Ũ	ឦ	ជ
KHMER INDEPENDENT VOWEL QE uni17AF	þ	ឯ	ឯ
KHMER INDEPENDENT VOWEL QAI uni17B0	ij	ឰ	ឰ
KHMER INDEPENDENT VOWEL QOO TYPE ONE uni17B1	S	ន្ទ	Š
KHMER INDEPENDENT VOWEL QOO TYPE TWO uni17B2	G	G	G
KHMER INDEPENDENT VOWEL QAU uni17B3	SS	S	S
KHMER VOWEL SIGN AA uni17B6	٦	٦	ר
KHMER VOWEL SIGN I uni17B7	٥	٥	
KHMER VOWEL SIGN II uni17B8	0	a	d
KHMER VOWEL SIGN Y uni17B9	ď	ය	a
KHMER VOWEL SIGN YY uni17BA	П	ช	굅
KHMER VOWEL SIGN U uni17BB	I	ı	1
KHMER VOWEL SIGN UU uni17BC	U	U	U
KHMER VOWEL SIGN UA	М	М	ш

~	~	~	
\ d	โ	֡֞֞֞֞֞֞֞֞֞֜֞֞֜֞֞֞֜֞֞֞֞֞֞֓֞֞֞֞֞֓֓֞֞֞֞֞֞֞֞	
[]	ιJ	เ	
	i]	ເຼ	
ĺ	į	Į	
5	ີ່	Ĵ	
۶	້ໃ	ļ	
[]	เา	[])
	•	ו	1
0	0	•	
0	0	0	
:	•	•	
"	11	"	
~	~	~	
	-		
		-	
J	9		
_	_		
+		٠	
0	•	•	
9	4	4	
៕	4	4	
<u>o</u>	<u>o</u>	<u>•</u>	
<u>၅</u>	ៗ	ៗ	
40	ู่ใ	ฯณ	្រ

KHMER SIGN BEYYAL uni17D8

KHMER SIGN PHNAEK MUAN uni17D9		0	0	0
KHMER SIGN KOOMUUT uni17DA		C	Csss	C
KHMER CURRENCY SYMBOL RIEL uni17DB		ş	ł	ĵ
KHMER DIGIT ZERO uni17E0		0	0	0
KHMER DIGIT ONE uni17E1		9	9	9
KHMER DIGIT TWO uni17E2		២	ឲ្រ	២
KHMER DIGIT THREE uni17E3		M	៣	៣
KHMER DIGIT FOUR uni17E4		Ğ	G	G
KHMER DIGIT FIVE uni17E5		೭	بر گ	ជ
KHMER DIGIT SIX uni17E6		ව	Э	ð
KHMER DIGIT SEVEN uni17E7		៧	៧	៧
KHMER DIGIT EIGHT uni17E8		Q	ជ	ជ
KHMER DIGIT NINE uni17E9		ට්	S	G
ZERO WIDTH SPACE uni200B				
nonmarkingreturn Cannot display because feature tag is missing in name.	?			�
uni17D21780 It might be two unicodes: 17D2 + 1780 (most Arabic ccmp feature)		О	C	C
uni17D21781 It might be two unicodes: 17D2 + 1781 (most Arabic ccmp feature)		8	2	2
uni17D21782 It might be two unicodes: 17D2 + 1782 (most Arabic ccmp feature)		6	ല	ค
uni17D21783 It might be two unicodes: 17D2 + 1783 (most Arabic ccmp feature)		ป	ป	ป
uni17D21784 It might be two unicodes: 17D2 + 1784 (most Arabic ccmp feature)		ر	ر	U
uni17D21785 It might be two unicodes: 17D2 + 1785 (most Arabic ccmp feature)		હ	ၓ	v
uni17D21786 It might be two unicodes: 17D2 + 1786 (most Arabic ccmp feature)		h	ы	ы
uni17D21787 It might be two unicodes: 17D2 + 1787 (most Arabic ccmp feature)		డు	డు	w
uni17D21788				

It might be two unicodes: 17D2 + 1788 (most Arabic ccmp feature)	<u> </u>
uni17D21789 It might be two unicodes: 17D2 + 1789 (most Arabic ccmp feature)	
uni17D21789.a Ending "a" \neq OT Feature (cannot display this character) feature	
uni17D2178A It might be two unicodes: 17D2 + 178A (most Arabic ccmp feature)	n n n
uni17D2178B It might be two unicodes: 17D2 + 178B (most Arabic ccmp feature)	
uni17D2178C It might be two unicodes: 17D2 + 178C (most Arabic ccmp feature)	
uni17D2178D It might be two unicodes: 17D2 + 178D (most Arabic ccmp feature)	
uni17D2178E It might be two unicodes: 17D2 + 178E (most Arabic ccmp feature)	<u> </u>
uni17D2178F It might be two unicodes: 17D2 + 178F (most Arabic ccmp feature)	<u>n</u> n n
uni17D21790 It might be two unicodes: 17D2 + 1790 (most Arabic ccmp feature)	
uni17D21791 It might be two unicodes: 17D2 + 1791 (most Arabic ccmp feature)	l a a a
uni17D21792 It might be two unicodes: 17D2 + 1792 (most Arabic ccmp feature)	a a
uni17D21793 It might be two unicodes: 17D2 + 1793 (most Arabic ccmp feature)	= = =
uni17D21794 It might be two unicodes: 17D2 + 1794 (most Arabic ccmp feature)	
uni17D21795 It might be two unicodes: 17D2 + 1795 (most Arabic ccmp feature)	П м м м
uni17D21796 It might be two unicodes: 17D2 + 1796 (most Arabic ccmp feature)	
uni17D21797 It might be two unicodes: 17D2 + 1797 (most Arabic ccmp feature)	
uni17D21798 It might be two unicodes: 17D2 + 1798 (most Arabic ccmp feature)	
uni17D21799 It might be two unicodes: 17D2 + 1799 (most Arabic ccmp feature)	
uni17D2179A It might be two unicodes: 17D2 + 179A (most Arabic ccmp feature)	
uni17D2179B It might be two unicodes: 17D2 + 179B (most Arabic ccmp feature)	□

It might be two unicodes: 17D2 + 179C (most Arabic ccmp feature)	
uni17D2179F It might be two unicodes: 17D2 + 179F (most Arabic ccmp feature)	□ J J J
uni17D217A0 It might be two unicodes: 17D2 + 17A0 (most Arabic ccmp feature)	<u>м</u> м
uni17D217A2 It might be two unicodes: 17D2 + 17A2 (most Arabic ccmp feature)	
uni17BB.b Ending "b" ≠ OT Feature (cannot display this character) feature	
uni17BC.b Ending "b" ≠ OT Feature (cannot display this character) feature	
uni17BD.b Ending "b" ≠ OT Feature (cannot display this character) feature	
uni17B7.a Ending "a" ≠ OT Feature (cannot display this character) feature	
uni17B8.a Ending "a" ≠ OT Feature (cannot display this character) feature	
uni17B9.a Ending "a" ≠ OT Feature (cannot display this character) feature	
uni17BA.a Ending "a" ≠ OT Feature (cannot display this character) feature	
uni17C6.a Ending "a" ≠ OT Feature (cannot display this character) feature	
uni1789.a Ending "a" ≠ OT Feature (cannot display this character) feature	
uni1794.a Ending "a" ≠ OT Feature (cannot display this character) feature	
uni17D2179A.b Ending "b" ≠ OT Feature (cannot display this character) feature	<u> </u>
uni17B717CD It might be two unicodes: 17B7 + 17CD (most Arabic ccmp feature)	
uni17BF.b Ending "b" ≠ OT Feature (cannot display this character) feature	
uni17C0.b Ending "b" ≠ OT Feature (cannot display this character) feature	
uni17B7.r Ending "r" ≠ OT Feature (cannot display this character) feature	
uni17B8.r Ending "r" ≠ OT Feature (cannot display this character) feature	
uni17B9.r Ending "r" ≠ OT Feature (cannot display this character) feature	

uni17BA.r Ending "r" ≠ OT Feature (cannot display this character) feature	
uni17C6.r Ending "r" ≠ OT Feature (cannot display this character) feature	
uni17C9.r Ending "r" ≠ OT Feature (cannot display this character) feature	
uni17CD.r Ending "r" ≠ OT Feature (cannot display this character) feature	
uni17B717CD.r Ending "r" \neq OT Feature (cannot display this character) feature	
uni17D2178A.n Ending "n" ≠ OT Feature (cannot display this character) feature	
uni17D2178B.n Ending "n" ≠ OT Feature (cannot display this character) feature	
uni17D2178C.n Ending "n" \neq OT Feature (cannot display this character) feature	
uni17D217A0.n Ending "n" \neq OT Feature (cannot display this character) feature	
uni17D2178A.r Ending "r" \neq OT Feature (cannot display this character) feature	
uni17D21797.r Ending "r" \neq OT Feature (cannot display this character) feature	
uni17D21798.r Ending "r" \neq OT Feature (cannot display this character) feature	
uni17BB.n Ending "n" \neq OT Feature (cannot display this character) feature	
uni17BC.n Ending "n" \neq OT Feature (cannot display this character) feature	
uni17BD.n Ending "n" ≠ OT Feature (cannot display this character) feature	
uni17BB.n2 Ending "n2" ≠ OT Feature (cannot display this character) feature	
uni17BC.n2 Ending "n2" ≠ OT Feature (cannot display this character) feature	
uni17BD.n2 Ending "n2" ≠ OT Feature (cannot display this character) feature	
uni17D21798.b Ending "b" \neq OT Feature (cannot display this character) feature	
uni17D217A0.b Ending "b" \neq OT Feature (cannot display this character) feature	



