

DIGIT ZERO uni0030	0	0
DIGIT ONE uni0031	1	1
DIGIT TWO uni0032	2	2
DIGIT THREE uni0033	3	3
DIGIT FOUR uni0034	4	4
DIGIT FIVE uni0035	5	5
DIGIT SIX uni0036	6	6
DIGIT SEVEN uni0037	7	7
DIGIT EIGHT uni0038	8	8
DIGIT NINE uni0039	9	9
COLON uni003A	:	:
SEMICOLON uni003B	,	•
LESS-THAN SIGN uni003C	<	<
EQUALS SIGN uni003D	=	=
GREATER-THAN SIGN uni003E	>	>
QUESTION MARK uni003F	?	?
COMMERCIAL AT uni0040	(a)	@
NO-BREAK SPACE uni00A0		
KHMER LETTER KA uni1780		$\Sigma$
KHMER LETTER KHA uni1781		2
KHMER LETTER KO uni1782		ন
KHMER LETTER KHO uni1783		W
// IMPD /		ນິ
KHMER LETTER NGO uni1784		
KHMER LETTER CA uni1785		ঢ
KHMER LETTER CHA uni1786		Ti
KHMER LETTER CO uni1787		ದ

KHMER LETTER CHO

uni1788	W
KHMER LETTER NYO uni1789	$\mathfrak{M}$
KHMER LETTER DA uni178A	ದ
KHMER LETTER TTHA uni178B	v
KHMER LETTER DO uni178C	2
KHMER LETTER TTHO uni178D	M
KHMER LETTER NNO uni178E	ណ
KHMER LETTER TA uni178F	ภ
KHMER LETTER THA uni1790	ਰ
KHMER LETTER TO uni1791	8
KHMER LETTER THO uni1792	ঢ়ি
KHMER LETTER NO uni1793	S
KHMER LETTER BA uni1794	$\mathcal{U}$
KHMER LETTER PHA uni1795	ದ
KHMER LETTER PO uni1796	M
KHMER LETTER PHO uni1797	$\Sigma$
KHMER LETTER MO uni1798	F
KHMER LETTER YO uni1799	$\mathcal{W}$
KHMER LETTER RO uni179A	J
KHMER LETTER LO uni179B	N
KHMER LETTER VO uni179C	9
KHMER LETTER SHA uni179D	Ā
KHMER LETTER SSO uni179E	$\mathcal{F}$
KHMER LETTER SA uni179F	$\mathcal{N}$
KHMER LETTER HA uni17A0	$\mathcal{O}$
KHMER LETTER LA uni17A1	\frac{1}{2}
KHMER LETTER QA uni17A2	S <del>र्</del> ग
KHMER INDEPENDENT VOWEL QAQ uni17A3	$\mathcal{S}_{\mathcal{F}}$

KHMER INDEPENDENT VOWEL QAA uni17A4	โป
KHMER INDEPENDENT VOWEL QI uni17A5	ಗ
KHMER INDEPENDENT VOWEL QII uni17A6	ឦ
KHMER INDEPENDENT VOWEL QU uni17A7	2
KHMER INDEPENDENT VOWEL QUK uni17A8	SS
KHMER INDEPENDENT VOWEL QUU uni17A9	8,
KHMER INDEPENDENT VOWEL QUUV uni17AA	Z
KHMER INDEPENDENT VOWEL RY uni17AB	y
KHMER INDEPENDENT VOWEL RYY uni17AC	ý
KHMER INDEPENDENT VOWEL LY uni17AD	$\mathcal{G}$
KHMER INDEPENDENT VOWEL LYY uni17AE	$\mathcal{G}$
KHMER INDEPENDENT VOWEL QE uni17AF	N
KHMER INDEPENDENT VOWEL QAI uni17B0	$\mathfrak{D}$
KHMER INDEPENDENT VOWEL QOO TYPE ONE uni17B1	Z
KHMER INDEPENDENT VOWEL QOO TYPE TWO uni17B2	B
KHMER INDEPENDENT VOWEL QAU uni17B3	Ž
KHMER VOWEL SIGN AA uni17B6	ି
KHMER VOWEL SIGN I uni17B7	ि
KHMER VOWEL SIGN II uni17B8	ୃ
KHMER VOWEL SIGN Y uni17B9	ું
KHMER VOWEL SIGN YY uni17BA	ੌ
KHMER VOWEL SIGN U uni17BB	្
KHMER VOWEL SIGN UU uni17BC	ូ
KHMER VOWEL SIGN UA uni17BD	ୁ ଅଟ
KHMER VOWEL SIGN OE uni17BE	િ
KHMER VOWEL SIGN YA uni17BF	ୌ
KHMER VOWEL SIGN IE uni17C0	្យើ

KHMER VOWEL SIGN E

14	
uni17C1	େ 
KHMER VOWEL SIGN AE uni17C2	ြ
KHMER VOWEL SIGN AI uni17C3	ि
KHMER VOWEL SIGN OO uni17C4	ୋ
KHMER VOWEL SIGN AU uni17C5	ৌ
KHMER SIGN NIKAHIT uni17C6	• •
KHMER SIGN REAHMUK uni17C7	၀
KHMER SIGN YUUKALEAPINTU uni17C8	ं.
KHMER SIGN MUUSIKATOAN uni17C9	0
KHMER SIGN TRIISAP uni17CA	~ `
KHMER SIGN BANTOC uni17CB	ر ا
KHMER SIGN ROBAT uni17CC	ि
KHMER SIGN TOANDAKHIAT uni17CD	े
KHMER SIGN KAKABAT uni17CE	٠ -
KHMER SIGN AHSDA uni17CF	ू
KHMER SIGN SAMYOK SANNYA uni17D0	ં
KHMER SIGN VIRIAM uni17D1	<u> </u>
KHMER SIGN COENG uni17D2	o.
KHMER SIGN BATHAMASAT uni17D3	° O
KHMER SIGN KHAN uni17D4	4
KHMER SIGN BARIYOOSAN uni17D5	41
KHMER SIGN CAMNUC PII KUUH uni17D6	0
KHMER SIGN LEK TOO uni17D7	J
KHMER SIGN BEYYAL uni17D8	40
KHMER SIGN PHNAEK MUAN uni17D9	0
KHMER SIGN KOOMUUT uni17DA	Csss
	Ŧ
KHMER CURRENCY SYMBOL RIEL	

uni17DB		
KHMER DIGIT ZERO uni17E0		0
KHMER DIGIT ONE uni17E1		9
KHMER DIGIT TWO uni17E2		<b>~</b>
KHMER DIGIT THREE uni17E3		$\gamma \gamma$
KHMER DIGIT FOUR uni17E4		ی
KHMER DIGIT FIVE uni17E5		کر
KHMER DIGIT SIX uni17E6		כ
KHMER DIGIT SEVEN uni17E7		ले
KHMER DIGIT EIGHT uni17E8		~
KHMER DIGIT NINE uni17E9		દ
ZERO WIDTH SPACE uni200B		
ZERO WIDTH NON-JOINER uni200C		
DOTTED CIRCLE uni25CC	(_)	0
nonmarkingreturn Cannot display because feature tag is missing in name.	<b>*</b>	
uni17D21780 It might be two unicodes: 17D2 + 1780 (most Arabic ccmp feature)		9
uni17D21781 It might be two unicodes: 17D2 + 1781 (most Arabic ccmp feature)		() ()
uni17D21782 It might be two unicodes: 17D2 + 1782 (most Arabic ccmp feature)		9
uni17D21783 It might be two unicodes: 17D2 + 1783 (most Arabic ccmp feature)		
uni17D21784 It might be two unicodes: 17D2 + 1784 (most Arabic ccmp feature)		9
uni17D21785 It might be two unicodes: 17D2 + 1785 (most Arabic ccmp feature)		() R
uni17D21786 It might be two unicodes: 17D2 + 1786 (most Arabic ccmp feature)		() 9
uni17D21787 It might be two unicodes: 17D2 + 1787 (most Arabic ccmp		

uni17D21788 It might be two unicodes: 17D2 + 1788 (most Arabic ccmp feature)	ৣ
uni17D21789 It might be two unicodes: 17D2 + 1789 (most Arabic ccmp feature)	_ ై
uni17D21789.alt Ending "alt" $\neq$ OT Feature (cannot display this character) feature	
uni17D2178A It might be two unicodes: 17D2 + 178A (most Arabic ccmp feature)	္
uni17D2178B It might be two unicodes: 17D2 + 178B (most Arabic ccmp feature)	
uni17D2178C It might be two unicodes: 17D2 + 178C (most Arabic ccmp feature)	្ឋ
uni17D2178D It might be two unicodes: 17D2 + 178D (most Arabic ccmp feature)	្ស
uni17D2178E It might be two unicodes: 17D2 + 178E (most Arabic ccmp feature)	
uni17D2178F It might be two unicodes: 17D2 + 178F (most Arabic ccmp feature)	្ត
uni17D21790 It might be two unicodes: 17D2 + 1790 (most Arabic ccmp feature)	ू
uni17D21791 It might be two unicodes: 17D2 + 1791 (most Arabic ccmp feature)	
uni17D21792 It might be two unicodes: 17D2 + 1792 (most Arabic ccmp feature)	ु
uni17D21793 It might be two unicodes: 17D2 + 1793 (most Arabic ccmp feature)	<u></u> ू
uni17D21794 It might be two unicodes: 17D2 + 1794 (most Arabic ccmp feature)	
uni17D21795 It might be two unicodes: 17D2 + 1795 (most Arabic ccmp feature)	្រ
uni17D21796 It might be two unicodes: 17D2 + 1796 (most Arabic ccmp feature)	្ត
uni17D21797 It might be two unicodes: 17D2 + 1797 (most Arabic ccmp feature)	<u>ြ</u> ္စ
uni17D21798 It might be two unicodes: 17D2 + 1798 (most Arabic ccmp feature)	्र
uni17D21799 It might be two unicodes: 17D2 + 1799 (most Arabic ccmp feature)	ि
uni17D2179A It might be two unicodes: 17D2 + 179A (most Arabic ccmp feature)	
uni17D2179B It might be two unicodes: 17D2 + 179B (most Arabic ccmp feature)	ू

uni17D2179C


It might be two unicodes: 17D2 + 179C (most Arabic ccmp feature)	<u></u>
uni17D2179F It might be two unicodes: 17D2 + 179F (most Arabic ccmp feature)	□ <mark>ु</mark>
uni17D217A0 It might be two unicodes: 17D2 + 17A0 (most Arabic ccmp feature)	
uni17D217A2 It might be two unicodes: 17D2 + 17A2 (most Arabic ccmp feature)	ू
uni178017B6 It might be two unicodes: 1780 + 17B6 (most Arabic ccmp feature)	
uni178117B6 It might be two unicodes: 1781 + 17B6 (most Arabic ccmp feature)	
uni178217B6 It might be two unicodes: 1782 + 17B6 (most Arabic ccmp feature)	
uni178317B6 It might be two unicodes: 1783 + 17B6 (most Arabic ccmp feature)	
uni178417B6 It might be two unicodes: 1784 + 17B6 (most Arabic ccmp feature)	
uni178517B6 It might be two unicodes: 1785 + 17B6 (most Arabic ccmp feature)	
uni178617B6 It might be two unicodes: 1786 + 17B6 (most Arabic ccmp feature)	
uni178717B6 It might be two unicodes: 1787 + 17B6 (most Arabic ccmp feature)	
uni178817B6 It might be two unicodes: 1788 + 17B6 (most Arabic ccmp feature)	□□ <mark>W</mark> 1
uni178917B6 It might be two unicodes: 1789 + 17B6 (most Arabic ccmp feature)	
uni178A17B6 It might be two unicodes: 178A + 17B6 (most Arabic ccmp feature)	III III
uni178B17B6 It might be two unicodes: 178B + 17B6 (most Arabic ccmp feature)	
uni178C17B6 It might be two unicodes: 178C + 17B6 (most Arabic ccmp feature)	
uni178D17B6 It might be two unicodes: 178D + 17B6 (most Arabic ccmp feature)	
uni178E17B6 It might be two unicodes: 178E + 17B6 (most Arabic ccmp feature)	
uni178F17B6 It might be two unicodes: 178F + 17B6 (most Arabic ccmp feature)	
uni179017B6 It might be two unicodes: 1790 + 17B6 (most Arabic ccmp	

feature)	
uni179117B6 It might be two unicodes: 1791 + 17B6 (most Arabic ccmp feature)	
uni179217B6 It might be two unicodes: 1792 + 17B6 (most Arabic ccmp feature)	
uni179317B6 It might be two unicodes: 1793 + 17B6 (most Arabic ccmp feature)	
uni179417B6 It might be two unicodes: 1794 + 17B6 (most Arabic ccmp feature)	
uni179517B6 It might be two unicodes: 1795 + 17B6 (most Arabic ccmp feature)	
uni179617B6 It might be two unicodes: 1796 + 17B6 (most Arabic ccmp feature)	
uni179717B6 It might be two unicodes: 1797 + 17B6 (most Arabic ccmp feature)	
uni179817B6 It might be two unicodes: 1798 + 17B6 (most Arabic ccmp feature)	
uni179917B6 It might be two unicodes: 1799 + 17B6 (most Arabic ccmp feature)	
uni179A17B6 It might be two unicodes: 179A + 17B6 (most Arabic ccmp feature)	
uni179B17B6 It might be two unicodes: 179B + 17B6 (most Arabic ccmp feature)	
uni179C17B6 It might be two unicodes: 179C + 17B6 (most Arabic ccmp feature)	
uni179D17B6 It might be two unicodes: 179D + 17B6 (most Arabic ccmp feature)	
uni179E17B6 It might be two unicodes: 179E + 17B6 (most Arabic ccmp feature)	
uni179F17B6 It might be two unicodes: 179F + 17B6 (most Arabic ccmp feature)	
uni17A017B6 It might be two unicodes: 17A0 + 17B6 (most Arabic ccmp feature)	
uni17A117B6 It might be two unicodes: 17A1 + 17B6 (most Arabic ccmp feature)	□□ ŞN
uni17A217B6 It might be two unicodes: 17A2 + 17B6 (most Arabic ccmp feature)	<b>ा</b> जिस
uni17D2178317B6 "Uni" in name but missing unicode: uni17D2178317B6	
uni17D2178817B6 "Uni" in name but missing unicode: uni17D2178817B6	
:170217001700	

uni17D2178D17B6

"Uni" in name but missing unicode: uni17D2178D17B6	<b>*</b>
uni17D2179417B6 "Uni" in name but missing unicode: uni17D2179417B6	
uni17D2179917B6 "Uni" in name but missing unicode: uni17D2179917B6	<b>V</b>
uni17D2179F17B6 "Uni" in name but missing unicode: uni17D2179F17B6	<b>*</b>
uni178917B6.alt Ending "alt" ≠ OT Feature (cannot display this character) feature	
uni178017C5 It might be two unicodes: 1780 + 17C5 (most Arabic ccmp feature)	
uni178117C5 It might be two unicodes: 1781 + 17C5 (most Arabic ccmp feature)	624
uni178217C5 It might be two unicodes: 1782 + 17C5 (most Arabic ccmp feature)	<u>ା</u> କୌ
uni178317C5 It might be two unicodes: 1783 + 17C5 (most Arabic ccmp feature)	□□ เน <mark>ป</mark>
uni178417C5 It might be two unicodes: 1784 + 17C5 (most Arabic ccmp feature)	<u>□</u> □ ເລ
uni178517C5 It might be two unicodes: 1785 + 17C5 (most Arabic ccmp feature)	
uni178617C5 It might be two unicodes: 1786 + 17C5 (most Arabic ccmp feature)	□□ ED
uni178717C5 It might be two unicodes: 1787 + 17C5 (most Arabic ccmp feature)	□□ ជោ
uni178817C5 It might be two unicodes: 1788 + 17C5 (most Arabic ccmp feature)	
uni178917C5 It might be two unicodes: 1789 + 17C5 (most Arabic ccmp feature)	
uni178A17C5 It might be two unicodes: 178A + 17C5 (most Arabic ccmp feature)	<u>□</u>
uni178B17C5 It might be two unicodes: 178B + 17C5 (most Arabic ccmp feature)	
uni178C17C5 It might be two unicodes: 178C + 17C5 (most Arabic ccmp feature)	
uni178D17C5 It might be two unicodes: 178D + 17C5 (most Arabic ccmp feature)	
uni178E17C5 It might be two unicodes: 178E + 17C5 (most Arabic ccmp feature)	□□ ബേ
uni178F17C5 It might be two unicodes: 178F + 17C5 (most Arabic ccmp feature)	□□ ଗୌ
uni179017C5 It might be two unicodes: 1790 + 17C5 (most Arabic ccmp	

feature)	
uni179117C5 It might be two unicodes: 1791 + 17C5 (most Arabic ccmp feature)	
uni179217C5 It might be two unicodes: 1792 + 17C5 (most Arabic ccmp feature)	
uni179317C5 It might be two unicodes: 1793 + 17C5 (most Arabic ccmp feature)	
uni179417C5 It might be two unicodes: 1794 + 17C5 (most Arabic ccmp feature)	
uni179517C5 It might be two unicodes: 1795 + 17C5 (most Arabic ccmp feature)	
uni179617C5 It might be two unicodes: 1796 + 17C5 (most Arabic ccmp feature)	
uni179717C5 It might be two unicodes: 1797 + 17C5 (most Arabic ccmp feature)	
uni179817C5 It might be two unicodes: 1798 + 17C5 (most Arabic ccmp feature)	□□ (Fi
uni179917C5 It might be two unicodes: 1799 + 17C5 (most Arabic ccmp feature)	
uni179A17C5 It might be two unicodes: 179A + 17C5 (most Arabic ccmp feature)	
uni179B17C5 It might be two unicodes: 179B + 17C5 (most Arabic ccmp feature)	
uni179C17C5 It might be two unicodes: 179C + 17C5 (most Arabic ccmp feature)	
uni179D17C5 It might be two unicodes: 179D + 17C5 (most Arabic ccmp feature)	
uni179E17C5 It might be two unicodes: 179E + 17C5 (most Arabic ccmp feature)	<b>□</b> □ 6 <i>G</i> (
uni179F17C5 It might be two unicodes: 179F + 17C5 (most Arabic ccmp feature)	
uni17A017C5 It might be two unicodes: 17A0 + 17C5 (most Arabic ccmp feature)	
uni17A117C5 It might be two unicodes: 17A1 + 17C5 (most Arabic ccmp feature)	□□ e & lo
uni17A217C5 It might be two unicodes: 17A2 + 17C5 (most Arabic ccmp feature)	[ 6 St)
uni17D2178317C5 "Uni" in name but missing unicode: uni17D2178317C5	•
uni17D2178817C5 "Uni" in name but missing unicode: uni17D2178817C5	
uni17D2178D17C5 "Uni" in name but missing unicode: uni17D2178D17C5	
uni17D2179417C5 "Uni" in name but missing unicode: uni17D2179417C5	



uni17D21795.lig1 Ending "lig1" ≠ OT Feature (cannot display this character) feature	
uni17D21796.lig1 Ending "lig1" $\neq$ OT Feature (cannot display this character) feature	
uni17D21797.lig1 Ending "lig1" ≠ OT Feature (cannot display this character) feature	
uni17D21798.lig1 Ending "lig1" ≠ OT Feature (cannot display this character) feature	
uni17D2179B.lig1 Ending "lig1" ≠ OT Feature (cannot display this character) feature	
uni17D2179C.lig1 Ending "lig1" $\neq$ OT Feature (cannot display this character) feature	
uni17D217A0.lig1 Ending "lig1" $\neq$ OT Feature (cannot display this character) feature	
uni17D217A2.lig1 Ending "lig1" $\neq$ OT Feature (cannot display this character) feature	
uni17D2178A.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17D21797.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17D21798.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17B7.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	_
uni17B8.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17B9.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17BA.ro Ending "ro" $\neq$ OT Feature (cannot display this character) feature	
uni17C6.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17C9.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17CD.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	
uni17B717CD.ro Ending "ro" ≠ OT Feature (cannot display this character) feature	€.
uni17B717CD It might be two unicodes: 17B7 + 17CD (most Arabic ccmp feature)	
uni17D2178A.lig2 Ending "lig2" ≠ OT Feature (cannot display this character) feature	

uni17D2178B.lig2

Ending "lig2" ≠ OT Feature (cannot display this character) feature	
uni17D2178C.lig2 Ending "lig2" $\neq$ OT Feature (cannot display this character) feature	
uni17D2178E.lig2 Ending "lig2" $\neq$ OT Feature (cannot display this character) feature	
uni17D217A0.lig2 Ending "lig2" $\neq$ OT Feature (cannot display this character) feature	
uni17BB.178E Ending "178E" ≠ OT Feature (cannot display this character) feature	
uni17BC.178E Ending "178E" $\neq$ OT Feature (cannot display this character) feature	
uni17BD.178E Ending "178E" $\neq$ OT Feature (cannot display this character) feature	
uni17BB.178E.sec feature	
uni17BC.178E.sec feature	
uni17BD.178E.sec feature	
uni17BF.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17C0.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17D21783.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17D21788.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17D2178D.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17D21794.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17D21799.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17D2179A.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature	
uni17D2179F.sec Ending "sec" ≠ OT Feature (cannot display this character) feature	
uni17B7.sec Ending "sec" ≠ OT Feature (cannot display this character) feature	
uni17B8.sec Ending "sec" ≠ OT Feature (cannot display this character) feature	

(	)	
uni17D217A0.sec Ending "sec" $\neq$ OT Feature (cannot display this character) feature		-
uni17D21798.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17CE.lig Ending "lig" ≠ OT Feature (cannot display this character) feature		
uni17CC.lig Ending "lig" ≠ OT Feature (cannot display this character) feature		
uni17CA.lig Ending "lig" ≠ OT Feature (cannot display this character) feature		
uni17C9.lig Ending "lig" ≠ OT Feature (cannot display this character) feature		
uni17BD.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17BC.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17BB.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17D0.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17CE.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17C6.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17BA.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		
uni17B9.sec Ending "sec" ≠ OT Feature (cannot display this character) feature		















