2020-09-26 - 14:54.40
14:54.41

Print this page

	Noto Sans Khmer SemiCondens	Noto Sans Khmer SemiCondens	Noto Sans Khmer SemiCondens	Noto Sans Khmer SemiCondens	Noto Sans Khmer SemiCondens	Noto Sans Khmer SemiCondens	**Noto Sans Khmer SemiCond**	Noto Sans Khmer SemiCondens	Noto Sans Khmer SemiCondens
uni0000	?	?	?	?	?	?	?	?	?	?
uni000D										
SPACE uni0020										
EXCLAMATION MARK uni0021	!	!	!	!	!	!	!	!	!	!
QUOTATION MARK uni0022	"	"	"	"	"	"	"	"	"	"
APOSTROPHE uni0027	'	'	'	'	'	'	'	'	'	'
LEFT PARENTHESIS uni0028	(	(	(	(	(	(	(	(	(	(
RIGHT PARENTHESIS uni0029	)	)	)	)	)	)	)	)	)	)
COMMA uni002C	,	,	,	,	,	,	,	,	,	,
HYPHEN-MINUS uni002D	-	-	-	-	-	-	-	-	-	-
FULL STOP uni002E	.	.	.	.	.	.	.	.	.	.
SOLIDUS uni002F	/	/	/	/	/	/	/	/	/	/
COLON uni003A	:	:	:	:	:	:	:	:	:	:
SEMICOLON uni003B	;	;	;	;	;	;	;	;	;	;
QUESTION MARK uni003F	?	?	?	?	?	?	?	?	?	?
NO-BREAK SPACE uni00A0										

LEFT-POINTING DOUBLE ANGLE QUOTATION MARK uni00AB	«	«	«	«	«	«	«	«	«	«
SOFT HYPHEN uni00AD										
RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK uni00BB	»	»	»	»	»	»	»	»	»	»
KHMER LETTER KA uni1780	□	ក	ក	ក	ក	ក	ក	ក	ក	ក
KHMER LETTER KHA uni1781	□	ខ	ខ	ខ	ខ	ខ	ខ	ខ	ខ	ខ
KHMER LETTER KO uni1782	□	គ	គ	គ	គ	គ	គ	គ	គ	គ
KHMER LETTER KHO uni1783	□	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ	ឃ
KHMER LETTER NGO uni1784	□	ង	ង	ង	ង	ង	ង	ង	ង	ង
KHMER LETTER CA uni1785	□	ច	ច	ច	ច	ច	ច	ច	ច	ច
KHMER LETTER CHA uni1786	□	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ	ឆ
KHMER LETTER CO uni1787	□	ជ	ជ	ជ	ជ	ជ	ជ	ជ	ជ	ជ
KHMER LETTER CHO uni1788	□	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ	ឈ
KHMER LETTER NYO uni1789	□	ញ	ញ	ញ	ញ	ញ	ញ	ញ	ញ	ញ
KHMER LETTER DA uni178A	□	ដ	ដ	ដ	ដ	ដ	ដ	ដ	ដ	ដ
KHMER LETTER TTHA uni178B	□	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ	ឋ
KHMER LETTER DO uni178C	□	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ	ឌ
KHMER LETTER TTHO uni178D	□	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ	ឍ
KHMER LETTER NNO uni178E	□	ណ	ណ	ណ	ណ	ណ	ណ	ណ	ណ	ណ
KHMER LETTER TA uni178F	□	ត	ត	ត	ត	ត	ត	ត	ត	ត
KHMER LETTER THA uni1790	□	ថ	ថ	ថ	ថ	ថ	ថ	ថ	ថ	ថ
KHMER LETTER TO uni1791	□	ទ	ទ	ទ	ទ	ទ	ទ	ទ	ទ	ទ
KHMER LETTER THO uni1792	□	ធ	ធ	ធ	ធ	ធ	ធ	ធ	ធ	ធ
KHMER LETTER NO uni1793	□	ន	ន	ន	ន	ន	ន	ន	ន	ន
KHMER LETTER BA uni1794	□	ប	ប	ប	ប	ប	ប	ប	ប	ប
KHMER LETTER PHA uni1795	□	ផ	ផ	ផ	ផ	ផ	ផ	ផ	ផ	ផ
KHMER LETTER PO uni1796	□	ព	ព	ព	ព	ព	ព	ព	ព	ព
KHMER LETTER PHO uni1797	□	ភ	ភ	ភ	ភ	ភ	ភ	ភ	ភ	ភ
KHMER LETTER MO uni1798	□	ម	ម	ម	ម	ម	ម	ម	ម	ម

KHMER LETTER YO uni1799	□	យ	យ	យ	យ	យ	យ	យ	យ	យ
KHMER LETTER RO uni179A	□	រ	រ	រ	រ	រ	រ	រ	រ	រ
KHMER LETTER LO uni179B	□	ល	ល	ល	ល	ល	ល	ល	ល	ល
KHMER LETTER VO uni179C	□	វ	វ	វ	វ	វ	វ	វ	វ	វ
KHMER LETTER SHA uni179D	□	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ	ឝ
KHMER LETTER SSO uni179E	□	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ	ឞ
KHMER LETTER SA uni179F	□	ស	ស	ស	ស	ស	ស	ស	ស	ស
KHMER LETTER HA uni17A0	□	ហ	ហ	ហ	ហ	ហ	ហ	ហ	ហ	ហ
KHMER LETTER LA uni17A1	□	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ	ឡ
KHMER LETTER QA uni17A2	□	អ	អ	អ	អ	អ	អ	អ	អ	អ
KHMER INDEPENDENT VOWEL QAQ uni17A3	□	អ	អ	អ	អ	អ	អ	អ	អ	អ
KHMER INDEPENDENT VOWEL QAA uni17A4	□	អា	អា	អា	អា	អា	អា	អា	អា	អា
KHMER INDEPENDENT VOWEL QI uni17A5	□	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ	ឥ
KHMER INDEPENDENT VOWEL QII uni17A6	□	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ
KHMER INDEPENDENT VOWEL QU uni17A7	□	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ	ឧ
KHMER INDEPENDENT VOWEL QUK uni17A8	□	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ	ឩ
KHMER INDEPENDENT VOWEL QUU uni17A9	□	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ	ឪ
KHMER INDEPENDENT VOWEL QUUV uni17AA	□	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ	ឫ
KHMER INDEPENDENT VOWEL RY uni17AB	□	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ	ឬ
KHMER INDEPENDENT VOWEL RYY uni17AC	□	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ	ឭ
KHMER INDEPENDENT VOWEL LY uni17AD	□	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ	ឮ
KHMER INDEPENDENT VOWEL LYY uni17AE	□	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ	ឯ
KHMER INDEPENDENT VOWEL QE uni17AF	□	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ	ឰ
KHMER INDEPENDENT VOWEL QAI uni17B0	□	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ	ឱ
KHMER INDEPENDENT VOWEL QOO TYPE ONE uni17B1	□	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ	ឲ
KHMER INDEPENDENT VOWEL QOO TYPE TWO uni17B2	□	ឳ	ឳ	ឳ	ឳ	ឳ	ឳ	ឳ	ឳ	ឳ

KHMER INDEPENDENT VOWEL QAU uni17B3	□	ឥ	ឥ	ឥ	ឦ	ឦ	ឦ	ឦ	ឦ	ឦ
KHMER VOWEL INHERENT AQ uni17B4										
KHMER VOWEL INHERENT AA uni17B5										
KHMER VOWEL SIGN AA uni17B6	□	◌า	◌า	◌า	◌า	◌า	◌า	◌า	◌า	◌า
KHMER VOWEL SIGN I uni17B7		◌ิ	◌ิ	◌ิ	◌ิ	◌ิ	◌ิ	◌ิ	◌ิ	◌ิ
KHMER VOWEL SIGN II uni17B8		◌ี	◌ี	◌ี	◌ี	◌ี	◌ี	◌ี	◌ี	◌ี
KHMER VOWEL SIGN Y uni17B9		◌ึ	◌ึ	◌ึ	◌ึ	◌ึ	◌ึ	◌ึ	◌ึ	◌ึ
KHMER VOWEL SIGN YY uni17BA		◌ื	◌ื	◌ื	◌ื	◌ื	◌ื	◌ื	◌ื	◌ื
KHMER VOWEL SIGN U uni17BB		◌ุ	◌ุ	◌ุ	◌ุ	◌ุ	◌ุ	◌ุ	◌ุ	◌ุ
KHMER VOWEL SIGN UU uni17BC		◌ู	◌ู	◌ู	◌ู	◌ู	◌ู	◌ู	◌ู	◌ู
KHMER VOWEL SIGN UA uni17BD		◌ួ	◌ួ	◌ួ	◌ួ	◌ួ	◌ួ	◌ួ	◌ួ	◌ួ
KHMER VOWEL SIGN OE uni17BE	□	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ	◌ើ
KHMER VOWEL SIGN YA uni17BF	□	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ	◌ឿ
KHMER VOWEL SIGN IE uni17C0	□	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ	◌ៀ
KHMER VOWEL SIGN E uni17C1	□	◌េ	◌េ	◌េ	◌េ	◌េ	◌េ	◌េ	◌េ	◌េ
KHMER VOWEL SIGN AE uni17C2	□	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ	◌ែ
KHMER VOWEL SIGN AI uni17C3	□	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ	◌ៃ
KHMER VOWEL SIGN OO uni17C4	□	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ	◌ោ
KHMER VOWEL SIGN AU uni17C5	□	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ	◌ៅ
KHMER SIGN NIKAHIT uni17C6		◌ं	◌ं	◌ं	◌ं	◌ं	◌ं	◌ं	◌ं	◌ं
KHMER SIGN REAHMUK uni17C7	□	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः
KHMER SIGN YUUKALEAPINTU uni17C8	□	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः	◌ः
KHMER SIGN MUUSIKATOAN uni17C9		◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ
KHMER SIGN TRIISAP uni17CA		◌ॆ	◌ॆ	◌ॆ	◌ॆ	◌ॆ	◌ॆ	◌ॆ	◌ॆ	◌ॆ
KHMER SIGN BANTOC uni17CB		◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ
KHMER SIGN ROBAT uni17CC		◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ
KHMER SIGN TOANDAKHIAT uni17CD		◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ
KHMER SIGN KAKABAT uni17CE		◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ	◌ॅ

KHMER SIGN AHSDA uni17CF		◌ᩕ	◌ᩕ	◌ᩕ	◌ᩕ	◌ᩕ	◌ᩕ	◌ᩕ	◌ᩕ	◌ᩕ
KHMER SIGN SAMYOK SANNYA uni17D0		◌ᩖ	◌ᩖ	◌ᩖ	◌ᩖ	◌ᩖ	◌ᩖ	◌ᩖ	◌ᩖ	◌ᩖ
KHMER SIGN VIRIAM uni17D1		◌ᩗ	◌ᩗ	◌ᩗ	◌ᩗ	◌ᩗ	◌ᩗ	◌ᩗ	◌ᩗ	◌ᩗ
KHMER SIGN COENG uni17D2		◌ᩘ	◌ᩘ	◌ᩘ	◌ᩘ	◌ᩘ	◌ᩘ	◌ᩘ	◌ᩘ	◌ᩘ
KHMER SIGN BATHAMASAT uni17D3		◌ᩙ	◌ᩙ	◌ᩙ	◌ᩙ	◌ᩙ	◌ᩙ	◌ᩙ	◌ᩙ	◌ᩙ
KHMER SIGN KHAN uni17D4	□	ᩚ	ᩚ	ᩚ	ᩚ	ᩚ	ᩚ	ᩚ	ᩚ	ᩚ
KHMER SIGN BARIYOOSAN uni17D5	□	ᩛ	ᩛ	ᩛ	ᩛ	ᩛ	ᩛ	ᩛ	ᩛ	ᩛ
KHMER SIGN CAMNUC PII KUUH uni17D6	□	ᩜ	ᩜ	ᩜ	ᩜ	ᩜ	ᩜ	ᩜ	ᩜ	ᩜ
KHMER SIGN LEK TOO uni17D7	□	ᩝ	ᩝ	ᩝ	ᩝ	ᩝ	ᩝ	ᩝ	ᩝ	ᩝ
KHMER SIGN BEYYAL uni17D8	□	ᩞ	ᩞ	ᩞ	ᩞ	ᩞ	ᩞ	ᩞ	ᩞ	ᩞᩚ
KHMER SIGN PHNAEK MUAN uni17D9	□	᩟	᩟	᩟	᩟	᩟	᩟	᩟	᩟	᩟
KHMER SIGN KOOMUUT uni17DA	□	᩠	᩠	᩠	᩠	᩠	᩠	᩠	᩠	᩠
KHMER CURRENCY SYMBOL RIEL uni17DB	□	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ	ᩡ
KHMER SIGN AVAKRAHASANYA uni17DC	□	ᩢ	ᩢ	ᩢ	ᩢ	ᩢ	ᩢ	ᩢ	ᩢ	ᩢ
KHMER SIGN ATTHACAN uni17DD		◌ᩣ	◌ᩣ	◌ᩣ	◌ᩣ	◌ᩣ	◌ᩣ	◌ᩣ	◌ᩣ	◌ᩣ
KHMER DIGIT ZERO uni17E0	□	ᩤ	ᩤ	ᩤ	ᩤ	ᩤ	ᩤ	ᩤ	ᩤ	ᩤ
KHMER DIGIT ONE uni17E1	□	ᩥ	ᩥ	ᩥ	ᩥ	ᩥ	ᩥ	ᩥ	ᩥ	ᩥ
KHMER DIGIT TWO uni17E2	□	ᩦ	ᩦ	ᩦ	ᩦ	ᩦ	ᩦ	ᩦ	ᩦ	ᩦ
KHMER DIGIT THREE uni17E3	□	ᩧ	ᩧ	ᩧ	ᩧ	ᩧ	ᩧ	ᩧ	ᩧ	ᩧ
KHMER DIGIT FOUR uni17E4	□	ᩨ	ᩨ	ᩨ	ᩨ	ᩨ	ᩨ	ᩨ	ᩨ	ᩨ
KHMER DIGIT FIVE uni17E5	□	ᩩ	ᩩ	ᩩ	ᩩ	ᩩ	ᩩ	ᩩ	ᩩ	ᩩ
KHMER DIGIT SIX uni17E6	□	ᩪ	ᩪ	ᩪ	ᩪ	ᩪ	ᩪ	ᩪ	ᩪ	ᩪ
KHMER DIGIT SEVEN uni17E7	□	ᩫ	ᩫ	ᩫ	ᩫ	ᩫ	ᩫ	ᩫ	ᩫ	ᩫ
KHMER DIGIT EIGHT uni17E8	□	ᩬ	ᩬ	ᩬ	ᩬ	ᩬ	ᩬ	ᩬ	ᩬ	ᩬ
KHMER DIGIT NINE uni17E9	□	ᩭ	ᩭ	ᩭ	ᩭ	ᩭ	ᩭ	ᩭ	ᩭ	ᩭ
KHMER SYMBOL LEK ATTAK SON uni17F0	□	ᩮ	ᩮ	ᩮ	ᩮ	ᩮ	ᩮ	ᩮ	ᩮ	ᩮ
KHMER SYMBOL LEK ATTAK MUOY uni17F1	□	ᩯ	ᩯ	ᩯ	ᩯ	ᩯ	ᩯ	ᩯ	ᩯ	ᩯ
KHMER SYMBOL LEK ATTAK PII uni17F2	□	ᩰ	ᩰ	ᩰ	ᩰ	ᩰ	ᩰ	ᩰ	ᩰ	ᩰ

KHMER SYMBOL LEK ATTAK BEI uni17F3	□	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ	ᠳ
KHMER SYMBOL LEK ATTAK BUON uni17F4	□	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ	ᠴ
KHMER SYMBOL LEK ATTAK PRAM uni17F5	□	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ	ᠵ
KHMER SYMBOL LEK ATTAK PRAM-MUOY uni17F6	□	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ	ᠶ
KHMER SYMBOL LEK ATTAK PRAM-PII uni17F7	□	ᠷ	ᠷ	ᠷ	ᠷ	ᠷ	ᠷ	ᠷ	ᠷ	ᠷ
KHMER SYMBOL LEK ATTAK PRAM-BEI uni17F8	□	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ	ᠸ
KHMER SYMBOL LEK ATTAK PRAM-BUON uni17F9	□	ᠹ	ᠹ	ᠹ	ᠹ	ᠹ	ᠹ	ᠹ	ᠹ	ᠹ
KHMER SYMBOL PATHAMASAT uni19E0		᧠	᧠	᧠	᧠	᧠	᧠	᧠	᧠	᧠
KHMER SYMBOL MUOY KOET uni19E1		᧡᧢	᧡᧢	᧡᧢	᧡᧢	᧡᧢	᧡᧢	᧡᧢	᧡᧢	᧡᧢
KHMER SYMBOL PII KOET uni19E2		᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢
KHMER SYMBOL BEI KOET uni19E3		᧣᧢	᧣᧢	᧣᧢	᧣᧢	᧣᧢	᧣᧢	᧣᧢	᧣᧢	᧣᧢
KHMER SYMBOL BUON KOET uni19E4		᧤᧢	᧤᧢	᧤᧢	᧤᧢	᧤᧢	᧤᧢	᧤᧢	᧤᧢	᧤᧢
KHMER SYMBOL PRAM KOET uni19E5		᧥᧢	᧥᧢	᧥᧢	᧥᧢	᧥᧢	᧥᧢	᧥᧢	᧥᧢	᧥᧢
KHMER SYMBOL PRAM-MUOY KOET uni19E6		᧦᧢	᧦᧢	᧦᧢	᧦᧢	᧦᧢	᧦᧢	᧦᧢	᧦᧢	᧦᧢
KHMER SYMBOL PRAM-PII KOET uni19E7		᧧᧢	᧧᧢	᧧᧢	᧧᧢	᧧᧢	᧧᧢	᧧᧢	᧧᧢	᧧᧢
KHMER SYMBOL PRAM-BEI KOET uni19E8		᧨᧢	᧨᧢	᧨᧢	᧨᧢	᧨᧢	᧨᧢	᧨᧢	᧨᧢	᧨᧢
KHMER SYMBOL PRAM-BUON KOET uni19E9		᧩᧢	᧩᧢	᧩᧢	᧩᧢	᧩᧢	᧩᧢	᧩᧢	᧩᧢	᧩᧢
KHMER SYMBOL DAP KOET uni19EA		᧪᧢	᧪᧢	᧪᧢	᧪᧢	᧪᧢	᧪᧢	᧪᧢	᧪᧢	᧪᧢
KHMER SYMBOL DAP-MUOY KOET uni19EB		᧫᧢	᧫᧢	᧫᧢	᧫᧢	᧫᧢	᧫᧢	᧫᧢	᧫᧢	᧫᧢
KHMER SYMBOL DAP-PII KOET uni19EC		᧬᧢	᧬᧢	᧬᧢	᧬᧢	᧬᧢	᧬᧢	᧬᧢	᧬᧢	᧬᧢
KHMER SYMBOL DAP-BEI KOET uni19ED		᧭᧢	᧭᧢	᧭᧢	᧭᧢	᧭᧢	᧭᧢	᧭᧢	᧭᧢	᧭᧢
KHMER SYMBOL DAP-BUON KOET uni19EE		᧮᧢	᧮᧢	᧮᧢	᧮᧢	᧮᧢	᧮᧢	᧮᧢	᧮᧢	᧮᧢
KHMER SYMBOL DAP-PRAM KOET uni19EF		᧯᧢	᧯᧢	᧯᧢	᧯᧢	᧯᧢	᧯᧢	᧯᧢	᧯᧢	᧯᧢
KHMER SYMBOL TUTEYASAT uni19F0		᧰᧠	᧰᧠	᧰᧠	᧰᧠	᧰᧠	᧰᧠	᧰᧠	᧰᧠	᧰᧠
KHMER SYMBOL MUOY ROC uni19F1		᧢᧡	᧢᧡	᧢᧡	᧢᧡	᧢᧡	᧢᧡	᧢᧡	᧢᧡	᧢᧡
KHMER SYMBOL PII ROC uni19F2		᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢	᧢᧢
KHMER SYMBOL BEI ROC uni19F3		᧢᧣	᧢᧣	᧢᧣	᧢᧣	᧢᧣	᧢᧣	᧢᧣	᧢᧣	᧢᧣
KHMER SYMBOL BUON ROC										

uni19F4		᧤᧤	᧤᧤	᧤᧤	᧤᧤	᧤᧤	᧤᧤	᧤᧤	᧤᧤	᧤᧤
KHMER SYMBOL PRAM ROC uni19F5		᧤᧥	᧤᧥	᧤᧥	᧤᧥	᧤᧥	᧤᧥	᧤᧥	᧤᧥	᧤᧥
KHMER SYMBOL PRAM-MUOY ROC uni19F6		᧤᧦	᧤᧦	᧤᧦	᧤᧦	᧤᧦	᧤᧦	᧤᧦	᧤᧦	᧤᧦
KHMER SYMBOL PRAM-PII ROC uni19F7		᧤᧧	᧤᧧	᧤᧧	᧤᧧	᧤᧧	᧤᧧	᧤᧧	᧤᧧	᧤᧧
KHMER SYMBOL PRAM-BEI ROC uni19F8		᧤᧨	᧤᧨	᧤᧨	᧤᧨	᧤᧨	᧤᧨	᧤᧨	᧤᧨	᧤᧨
KHMER SYMBOL PRAM-BUON ROC uni19F9		᧤᧩	᧤᧩	᧤᧩	᧤᧩	᧤᧩	᧤᧩	᧤᧩	᧤᧩	᧤᧩
KHMER SYMBOL DAP ROC uni19FA		᧤᧪	᧤᧪	᧤᧪	᧤᧪	᧤᧪	᧤᧪	᧤᧪	᧤᧪	᧤᧪
KHMER SYMBOL DAP-MUOY ROC uni19FB		᧤᧫	᧤᧫	᧤᧫	᧤᧫	᧤᧫	᧤᧫	᧤᧫	᧤᧫	᧤᧫
KHMER SYMBOL DAP-PII ROC uni19FC		᧤᧬	᧤᧬	᧤᧬	᧤᧬	᧤᧬	᧤᧬	᧤᧬	᧤᧬	᧤᧬
KHMER SYMBOL DAP-BEI ROC uni19FD		᧤᧭	᧤᧭	᧤᧭	᧤᧭	᧤᧭	᧤᧭	᧤᧭	᧤᧭	᧤᧭
KHMER SYMBOL DAP-BUON ROC uni19FE		᧤᧮	᧤᧮	᧤᧮	᧤᧮	᧤᧮	᧤᧮	᧤᧮	᧤᧮	᧤᧮
KHMER SYMBOL DAP-PRAM ROC uni19FF		᧤᧯	᧤᧯	᧤᧯	᧤᧯	᧤᧯	᧤᧯	᧤᧯	᧤᧯	᧤᧯
ZERO WIDTH SPACE uni200B										
ZERO WIDTH NON-JOINER uni200C										
ZERO WIDTH JOINER uni200D										
HYPHEN uni2010	‐	‐	‐	‐	‐	‐	‐	‐	‐	‐
LEFT SINGLE QUOTATION MARK uni2018	‘	‘	‘	‘	‘	‘	‘	‘	‘	‘
RIGHT SINGLE QUOTATION MARK uni2019	’	’	’	’	’	’	’	’	’	’
LEFT DOUBLE QUOTATION MARK uni201C	“	“	“	“	“	“	“	“	“	“
RIGHT DOUBLE QUOTATION MARK uni201D	”	”	”	”	”	”	”	”	”	”
HORIZONTAL ELLIPSIS uni2026	…	…	…	…	…	…	…	…	…	…
DOTTED CIRCLE uni25CC	◌	◌	◌	◌	◌	◌	◌	◌	◌	◌

uni1789.a Ending "a" ≠ OT Feature (cannot display this character) feature										
uni1794.a Ending "a" ≠ OT Feature (cannot display this character) feature										
uni1794.a2 Ending "a2" ≠ OT Feature (cannot display this character) feature										

uni17B7.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B717CD
It might be two unicodes: 17B7 + 17CD (most Arabic ccmp feature)

uni17B717CD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B8.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17B9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17BA.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17BB.b
Ending "b" ≠ OT Feature (cannot display this character)
feature

uni17BC.b
Ending "b" ≠ OT Feature (cannot display this character)
feature

uni17BD.b
Ending "b" ≠ OT Feature (cannot display this character)
feature

uni17BF.right1
Ending "right1" ≠ OT Feature (cannot display this character)
feature

uni17BF.right2
Ending "right2" ≠ OT Feature (cannot display this character)
feature

uni17BF.right3
Ending "right3" ≠ OT Feature (cannot display this character)
feature

uni17C0.right1
Ending "right1" ≠ OT Feature (cannot display this character)
feature

uni17C0.right1.high
feature

uni17C0.right2
Ending "right2" ≠ OT Feature (cannot display this character)
feature

uni17C0.right3
Ending "right3" ≠ OT Feature (cannot display this character)
feature

uni17C5.right
Ending "right" ≠ OT Feature (cannot display this character)
feature

uni17C6.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17C9.a
Ending "a" ≠ OT Feature (cannot display this character)
feature

uni17C9.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CA.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CB.r
Ending "r" ≠ OT Feature (cannot display this character)

feature

uni17CC.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CE.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17CF.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D1.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D3.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17DD.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D21780
It might be two unicodes: 17D2 + 1780 (most Arabic ccmp feature)

uni17D21781
It might be two unicodes: 17D2 + 1781 (most Arabic ccmp feature)

uni17D21782
It might be two unicodes: 17D2 + 1782 (most Arabic ccmp feature)

uni17D21783
It might be two unicodes: 17D2 + 1783 (most Arabic ccmp feature)

uni17D21783.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D21784
It might be two unicodes: 17D2 + 1784 (most Arabic ccmp feature)

uni17D21785
It might be two unicodes: 17D2 + 1785 (most Arabic ccmp feature)

uni17D21786
It might be two unicodes: 17D2 + 1786 (most Arabic ccmp feature)

uni17D21787
It might be two unicodes: 17D2 + 1787 (most Arabic ccmp feature)

uni17D21788
It might be two unicodes: 17D2 + 1788 (most Arabic ccmp feature)

uni17D21788.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D21789
It might be two unicodes: 17D2 + 1789 (most Arabic ccmp feature)

uni17D21789.a
Ending "a" ≠ OT Feature (cannot display this character)
feature

uni17D2178A
It might be two unicodes: 17D2 + 178A (most Arabic ccmp

feature)

uni17D2178A.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D2178B
It might be two unicodes: 17D2 + 178B (most Arabic ccmp feature)

uni17D2178C
It might be two unicodes: 17D2 + 178C (most Arabic ccmp feature)

uni17D2178D
It might be two unicodes: 17D2 + 178D (most Arabic ccmp feature)

uni17D2178D.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2178E
It might be two unicodes: 17D2 + 178E (most Arabic ccmp feature)

uni17D2178E.alt
Ending "alt" ≠ OT Feature (cannot display this character)
feature

uni17D2178F
It might be two unicodes: 17D2 + 178F (most Arabic ccmp feature)

uni17D2178F.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D21790
It might be two unicodes: 17D2 + 1790 (most Arabic ccmp feature)

uni17D21791
It might be two unicodes: 17D2 + 1791 (most Arabic ccmp feature)

uni17D21792
It might be two unicodes: 17D2 + 1792 (most Arabic ccmp feature)

uni17D21793
It might be two unicodes: 17D2 + 1793 (most Arabic ccmp feature)

uni17D21794
It might be two unicodes: 17D2 + 1794 (most Arabic ccmp feature)

uni17D21794.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D21795
It might be two unicodes: 17D2 + 1795 (most Arabic ccmp feature)

uni17D21796
It might be two unicodes: 17D2 + 1796 (most Arabic ccmp feature)

uni17D21797
It might be two unicodes: 17D2 + 1797 (most Arabic ccmp feature)

uni17D21797.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D21798
It might be two unicodes: 17D2 + 1798 (most Arabic ccmp feature)

uni17D21798.r
Ending "r" ≠ OT Feature (cannot display this character)
feature

uni17D21799
It might be two unicodes: 17D2 + 1799 (most Arabic ccmp feature)

uni17D21799.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179A
It might be two unicodes: 17D2 + 179A (most Arabic ccmp feature)

uni17D2179A.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179B
It might be two unicodes: 17D2 + 179B (most Arabic ccmp feature)

uni17D2179C
It might be two unicodes: 17D2 + 179C (most Arabic ccmp feature)

uni17D2179D
It might be two unicodes: 17D2 + 179D (most Arabic ccmp feature)

uni17D2179E
It might be two unicodes: 17D2 + 179E (most Arabic ccmp feature)

uni17D2179E.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179F
It might be two unicodes: 17D2 + 179F (most Arabic ccmp feature)

uni17D2179F.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D217A0
It might be two unicodes: 17D2 + 17A0 (most Arabic ccmp feature)

uni17D217A1
It might be two unicodes: 17D2 + 17A1 (most Arabic ccmp feature)

uni17D217A2
It might be two unicodes: 17D2 + 17A2 (most Arabic ccmp feature)

uni17D217A7
It might be two unicodes: 17D2 + 17A7 (most Arabic ccmp feature)

uni17D217AB
It might be two unicodes: 17D2 + 17AB (most Arabic ccmp feature)

uni17D217AC
It might be two unicodes: 17D2 + 17AC (most Arabic ccmp feature)

uni17D217AF
It might be two unicodes: 17D2 + 17AF (most Arabic ccmp feature)

uni178017B6
It might be two unicodes: 1780 + 17B6 (most Arabic ccmp feature)

uni178017C5
It might be two unicodes: 1780 + 17C5 (most Arabic ccmp feature)

uni178117B6
It might be two unicodes: 1781 + 17B6 (most Arabic ccmp feature)

uni178117C5
It might be two unicodes: 1781 + 17C5 (most Arabic ccmp feature)

uni178217B6
It might be two unicodes: 1782 + 17B6 (most Arabic ccmp feature)

uni178217C5
It might be two unicodes: 1782 + 17C5 (most Arabic ccmp feature)

uni178317B6
It might be two unicodes: 1783 + 17B6 (most Arabic ccmp feature)

uni178317C5
It might be two unicodes: 1783 + 17C5 (most Arabic ccmp feature)

uni178417B6
It might be two unicodes: 1784 + 17B6 (most Arabic ccmp feature)

uni178417C5
It might be two unicodes: 1784 + 17C5 (most Arabic ccmp feature)

uni178517B6
It might be two unicodes: 1785 + 17B6 (most Arabic ccmp feature)

uni178517C5
It might be two unicodes: 1785 + 17C5 (most Arabic ccmp feature)

uni178617B6
It might be two unicodes: 1786 + 17B6 (most Arabic ccmp feature)

uni178617C5
It might be two unicodes: 1786 + 17C5 (most Arabic ccmp feature)

uni178717B6
It might be two unicodes: 1787 + 17B6 (most Arabic ccmp feature)

uni178717C5
It might be two unicodes: 1787 + 17C5 (most Arabic ccmp feature)

uni178817B6
It might be two unicodes: 1788 + 17B6 (most Arabic ccmp feature)

uni178817C5
It might be two unicodes: 1788 + 17C5 (most Arabic ccmp feature)

uni178917B6
It might be two unicodes: 1789 + 17B6 (most Arabic ccmp feature)

uni178917C5
It might be two unicodes: 1789 + 17C5 (most Arabic ccmp feature)

uni178917B6.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni178917C5.a
Ending "a" ≠ OT Feature (cannot display this character) feature

uni178A17B6
It might be two unicodes: 178A + 17B6 (most Arabic ccmp feature)

uni178A17C5
It might be two unicodes: 178A + 17C5 (most Arabic ccmp feature)

uni178B17B6
It might be two unicodes: 178B + 17B6 (most Arabic ccmp feature)

uni178B17C5
It might be two unicodes: 178B + 17C5 (most Arabic ccmp feature)

uni178C17B6
It might be two unicodes: 178C + 17B6 (most Arabic ccmp feature)

uni178C17C5
It might be two unicodes: 178C + 17C5 (most Arabic ccmp feature)

uni178D17B6
It might be two unicodes: 178D + 17B6 (most Arabic ccmp feature)

uni178D17C5
It might be two unicodes: 178D + 17C5 (most Arabic ccmp feature)

uni178E17B6
It might be two unicodes: 178E + 17B6 (most Arabic ccmp feature)

uni178E17C5
It might be two unicodes: 178E + 17C5 (most Arabic ccmp feature)

uni178F17B6
It might be two unicodes: 178F + 17B6 (most Arabic ccmp feature)

uni178F17C5
It might be two unicodes: 178F + 17C5 (most Arabic ccmp feature)

uni179017B6
It might be two unicodes: 1790 + 17B6 (most Arabic ccmp feature)

uni179017C5
It might be two unicodes: 1790 + 17C5 (most Arabic ccmp feature)

uni179117B6
It might be two unicodes: 1791 + 17B6 (most Arabic ccmp feature)

uni179117C5
It might be two unicodes: 1791 + 17C5 (most Arabic ccmp feature)

uni179217B6
It might be two unicodes: 1792 + 17B6 (most Arabic ccmp feature)

uni179217C5
It might be two unicodes: 1792 + 17C5 (most Arabic ccmp feature)

uni179317B6
It might be two unicodes: 1793 + 17B6 (most Arabic ccmp feature)

uni179317C5
It might be two unicodes: 1793 + 17C5 (most Arabic ccmp feature)

uni179417B6
It might be two unicodes: 1794 + 17B6 (most Arabic ccmp feature)

uni179417B6.high
Ending "high" ≠ OT Feature (cannot display this character) feature

uni179417C5

It might be two unicodes: 1794 + 17C5 (most Arabic ccmp feature)

uni179417C5.high
Ending "high" ≠ OT Feature (cannot display this character) feature

uni179517B6
It might be two unicodes: 1795 + 17B6 (most Arabic ccmp feature)

uni179517C5
It might be two unicodes: 1795 + 17C5 (most Arabic ccmp feature)

uni179617B6
It might be two unicodes: 1796 + 17B6 (most Arabic ccmp feature)

uni179617C5
It might be two unicodes: 1796 + 17C5 (most Arabic ccmp feature)

uni179717B6
It might be two unicodes: 1797 + 17B6 (most Arabic ccmp feature)

uni179717C5
It might be two unicodes: 1797 + 17C5 (most Arabic ccmp feature)

uni179817B6
It might be two unicodes: 1798 + 17B6 (most Arabic ccmp feature)

uni179817C5
It might be two unicodes: 1798 + 17C5 (most Arabic ccmp feature)

uni179917B6
It might be two unicodes: 1799 + 17B6 (most Arabic ccmp feature)

uni179917C5
It might be two unicodes: 1799 + 17C5 (most Arabic ccmp feature)

uni179A17B6
It might be two unicodes: 179A + 17B6 (most Arabic ccmp feature)

uni179A17C5
It might be two unicodes: 179A + 17C5 (most Arabic ccmp feature)

uni179B17B6
It might be two unicodes: 179B + 17B6 (most Arabic ccmp feature)

uni179B17C5
It might be two unicodes: 179B + 17C5 (most Arabic ccmp feature)

uni179C17B6
It might be two unicodes: 179C + 17B6 (most Arabic ccmp feature)

uni179C17C5
It might be two unicodes: 179C + 17C5 (most Arabic ccmp feature)

uni179D17B6
It might be two unicodes: 179D + 17B6 (most Arabic ccmp feature)

uni179D17C5
It might be two unicodes: 179D + 17C5 (most Arabic ccmp feature)

uni179E17B6
It might be two unicodes: 179E + 17B6 (most Arabic ccmp feature)

uni179E17C5
It might be two unicodes: 179E + 17C5 (most Arabic ccmp feature)

uni179F17B6
It might be two unicodes: 179F + 17B6 (most Arabic ccmp feature)

uni179F17C5
It might be two unicodes: 179F + 17C5 (most Arabic ccmp feature)

uni17A017B6
It might be two unicodes: 17A0 + 17B6 (most Arabic ccmp feature)

uni17A017C5
It might be two unicodes: 17A0 + 17C5 (most Arabic ccmp feature)

uni17A117B6
It might be two unicodes: 17A1 + 17B6 (most Arabic ccmp feature)

uni17A117C5
It might be two unicodes: 17A1 + 17C5 (most Arabic ccmp feature)

uni17A217B6
It might be two unicodes: 17A2 + 17B6 (most Arabic ccmp feature)

uni17A217C5
It might be two unicodes: 17A2 + 17C5 (most Arabic ccmp feature)

uni17D2178317B6
"Uni" in name but missing unicode: uni17D2178317B6

uni17D2178317B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178317C5
"Uni" in name but missing unicode: uni17D2178317C5

uni17D2178317C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178817B6
"Uni" in name but missing unicode: uni17D2178817B6

uni17D2178817B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178817C5
"Uni" in name but missing unicode: uni17D2178817C5

uni17D2178817C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178D17B6
"Uni" in name but missing unicode: uni17D2178D17B6

uni17D2178D17B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2178D17C5
"Uni" in name but missing unicode: uni17D2178D17C5

uni17D2178D17C5.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179417B6
"Uni" in name but missing unicode: uni17D2179417B6

uni17D2179417B6.low
Ending "low" ≠ OT Feature (cannot display this character) feature

uni17D2179417C5

"Uni" in name but missing unicode: uni17D2179417C5

uni17D2179417C5.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2179917B6
"Uni" in name but missing unicode: uni17D2179917B6

uni17D2179917B6.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2179917C5
"Uni" in name but missing unicode: uni17D2179917C5

uni17D2179917C5.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2179E17B6
"Uni" in name but missing unicode: uni17D2179E17B6

uni17D2179E17B6.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2179E17C5
"Uni" in name but missing unicode: uni17D2179E17C5

uni17D2179E17C5.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2179F17B6
"Uni" in name but missing unicode: uni17D2179F17B6

uni17D2179F17B6.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni17D2179F17C5
"Uni" in name but missing unicode: uni17D2179F17C5

uni17D2179F17C5.low
Ending "low" ≠ OT Feature (cannot display this character)
feature

uni25CC.dot
Ending "dot" ≠ OT Feature (cannot display this character)
feature

uni17B6.long
Ending "long" ≠ OT Feature (cannot display this character)
feature

uni17C5.right.long
feature

topout.alt
Ending "alt" ≠ OT Feature (cannot display this character)
feature

rovoloop
Cannot display because feature tag is missing in name.

ab.below
Ending "below" ≠ OT Feature (cannot display this character)
feature

ac.below
Ending "below" ≠ OT Feature (cannot display this character)
feature