

```

1  ⊕ ---
2  ⊕ // _____
3  ⊕ //  AuthButton – Sign in with Google / signed-in state / sign out.
4  ⊕ //
5  ⊕ //  STAGE A: proves a real person can sign in and the site knows
6  ⊕ //  who they are. No forum logic yet.
7  ⊕ //
8  ⊕ //  The script block below runs entirely in the browser.
9  ⊕ // _____
10 ⊕ ---
11 ⊕
12 ⊕ <div class="auth" data-auth-root>
13 ⊕   <!-- signed-out view -->
14 ⊕   <button class="auth-btn" data-auth-signin hidden>
15 ⊕     <span class="g" aria-hidden="true">G</span>
16 ⊕     Sign in with Google
17 ⊕   </button>
18 ⊕
19 ⊕   <!-- signed-in view -->
20 ⊕   <div class="auth-in" data-auth-user hidden>
21 ⊕     <span class="who">
22 ⊕       <span class="who-label">signed in as</span>
23 ⊕       <span class="who-name" data-auth-name>—</span>
24 ⊕     </span>
25 ⊕     <button class="auth-out" data-auth-signout>Sign out</button>
26 ⊕   </div>
27
28 ⊕   <!-- while we check the session -->
29 ⊕   <span class="auth-wait" data-auth-loading>…</span>
30 </div>
31
32 <script>
33   import { supabase } from "../lib/supabase";
34
35   const root      = document.querySelector("[data-auth-root]");
36   const signInEl  = root.querySelector("[data-auth-signin]");
37   const userEl    = root.querySelector("[data-auth-user]");
38   const nameEl    = root.querySelector("[data-auth-name]");
39   const outEl     = root.querySelector("[data-auth-signout]");
40   const waitEl    = root.querySelector("[data-auth-loading]");
41
42   // Show the right view for the current session.
43   function render(session) {
44     waitEl.hidden = true;
45     if (session?.user) {
46       const u = session.user;
47       // Prefer the person's name; fall back to email.
48       nameEl.textContent =

```

```

49      u.user_metadata?.full_name || u.user_metadata?.name || u.email ||
"friend";
50      userEl.hidden = false;
51      signInEl.hidden = true;
52    } else {
53      userEl.hidden = true;
54      signInEl.hidden = false;
55    }
56  }
57
58  // Check session on load.
59  const { data } = await supabase.auth.getSession();
60  render(data.session);
61
62  // React to sign in / sign out as it happens.
63  supabase.auth.onAuthStateChange((_event, session) => render(session));
64
65  // Sign in – sends the person to Google, then back here.
66  signInEl.addEventListener("click", async () => {
67    const { error } = await supabase.auth.signInWithOAuth({
68      provider: "google",
69      options: { redirectTo: window.location.origin + window.location.pathname
},
70    });
71    if (error) console.error("[auth] sign-in failed:", error.message);
72  });
73
74  // Sign out.
75  outEl.addEventListener("click", async () => {
76    const { error } = await supabase.auth.signOut();
77    if (error) console.error("[auth] sign-out failed:", error.message);
78  });
79 </script>
80
81 <style>
82   .auth {
83     display: flex;
84     align-items: center;
85     gap: 0.7rem;
86     font-family: var(--mono);
87     font-size: 0.7rem;
88     letter-spacing: 0.08em;
89   }
90
91   .auth-btn {
92     display: inline-flex;
93     align-items: center;
94     gap: 0.55rem;

```

```
95     font-family: var(--mono);
96     font-size: 0.7rem;
97     letter-spacing: 0.1em;
98     text-transform: uppercase;
99     color: var(--snowmelt);
100    background: transparent;
101    border: 1px solid var(--line);
102    border-radius: 3px;
103    padding: 0.5rem 0.9rem;
104    cursor: pointer;
105    transition: border-color 0.2s ease, background 0.2s ease;
106  }
107  .auth-btn:hover { border-color: var(--oxide); background: rgba(192, 90, 46,
108  0.06); }
109  .g {
110    font-family: var(--display);
111    font-size: 0.95rem;
112    color: var(--oxide);
113    line-height: 1;
114  }
115
116  .auth-in { display: flex; align-items: center; gap: 0.8rem; }
117  .who { display: flex; align-items: baseline; gap: 0.4rem; }
118  .who-label { color: var(--sage); text-transform: uppercase; font-size:
119  0.62rem; }
120
121  .who-name { color: var(--snowmelt); font-size: 0.76rem; }
122
123  .auth-out {
124    font-family: var(--mono);
125    font-size: 0.62rem;
126    letter-spacing: 0.1em;
127    text-transform: uppercase;
128    color: var(--sage);
129    background: transparent;
130    border: none;
131    border-bottom: 1px solid transparent;
132    padding: 0.1rem 0;
133    cursor: pointer;
134  }
135  .auth-out:hover { color: var(--oxide); border-bottom-color: var(--oxide); }
136  .auth-wait { color: var(--sage); opacity: 0.6; }
137 </style>
```