Examples: ABJM Theory

John D Mangual

There's not a whole lot to say until we write the formula:

$$\int \left(\prod_{i} e^{ik\pi(\theta_{i}^{2} - \phi^{2})} \right) \times \frac{\prod_{i \neq j} \left(2\sinh \pi(\theta_{i} - \theta_{j}) 2\sinh \pi(\phi_{i} - \phi_{i}) \right)}{\prod_{i,j} (2\cosh \pi(\theta_{i} - \phi_{j}))^{2}}$$

This integral could possibly be over $[0, 2\pi]^2$ but I am expecting it's over the real numbers:

$$(\theta, \phi) \in \mathbb{R}^N \times \mathbb{R}^N$$

since this the domain of integration of the reals. Here is the simplest one:

$$\int_{-\infty}^{\infty} d\theta \ e^{ik\pi\theta^2} = \sqrt{\frac{\pi}{8}}(1+i)$$

I have not done that yet. If we set N=1 or N=2 and this integral is totally feasible.

ABJM theory could refer to two things:

- The $U(N) \times U(N)$ Chern-Simons-matter theory with $\mathcal{N}=6$ superconformal symmetry. The first U(N) is at level k and the second U(N) is at level -k.
- ullet The U(N) imes U(N) Gaussian matrix integral the CS-theory localizes to.

Both of these are called **ABJM theory**. This is rather confusing.

Here is another Chern-Simons formula:

$$Z_{CS}(N,k) = \frac{1}{\sqrt{N+k}} \prod_{\alpha > 0} 2\sin\frac{\pi \alpha \cdot \rho}{k+N}$$

where $\alpha_{ij}=e_i-e_j\in\mathbb{C}^N$ are vectors¹ and

$$\rho = \frac{1}{2} \sum_{\alpha > 0} \alpha = \sum_{i=1}^{N} \left(\frac{N+1}{2} - i \right) e_i$$

and also $k \in \mathbb{Z}$ is a positive integer, and so is $n \in \mathbb{Z}$.

Therefore our Chern-Simons partition function Z_{CS} should be a number.

¹This is called the **Cartan subalgebra** a term which should mean nothing right now.

References

- (1) Anton Kapustin, Brian Willett, Itamar Yaakov. **Exact Results for Wilson Loops in Superconformal Chern-Simons Theories with Matter** https://terrytao.wordpress.com/2009/08/23/determinantal-processes/
- (2) Ofer Aharony, Oren Bergman, Daniel Louis Jafferis, Juan Maldacena **N=6 superconformal Chern-Simons-matter theories, M2-branes and their gravity duals** arXiv:0806.1218v4