



Form QAAC-1

Quality and Safety Department
Revision: Original

Project Quality Assurance Audit Checklist

Week 1

Task Card Title:	Aircraft Painting (Monster Cub)	Date of Inspection:	
Time Started/Ended:	____ / ____	Quality Inspector:	

Form Code: QS-1 | Revision: Original | Date: 03/11/25 | Audited Departments: Maintenance Department, Safety Department, Engineering Department

Item	Quality Audit Checkpoint / Criteria	Dept	Pass	Fail	Remarks / Non-Compliance Findings
I. PRE-OPERATIONAL PHASE (BEFORE)					
1	Verify that Task Card 2 for Aircraft Painting is fully approved, officially signed off, and explicitly cross-referenced with approved technical data (FAA AC 43.13-1B/2B, Poly-Fiber Manual, CC11-160 AMM) and verified compatibility with the fabric covering.	ALL	[]	[]	
2	Audit painting environment to ensure it is clean, properly organized (5S), dust-free, well-ventilated, and entirely free of open flames or sparks.	ALL	[]	[]	
3	Verify that all required painting equipment are available and verified operational (HVLSP Spray Gun, Air Compressor, Paint Mixing Container, Stirring Stick, Paint Strainer, Sanding Block, Flashlight).	ALL	[]	[]	



DPR AVIATION COLLEGE

Aircraft Maintenance Technology

dpr-pats.edu.ph

Form QAAC-1

Quality and Safety Department
Revision: Original

Project Quality Assurance Audit Checklist

Week 1

Item	Quality Audit Checkpoint / Criteria	Dept	Pass	Fail	Remarks / Non-Compliance Findings
4	Inspect raw materials and consumables against certification specifications (Aircraft Polyurethane Primer, Aircraft Polyurethane Topcoat Paint, Approved Reducer/Thinner, Hardener/Catalyst, Lint-Free Cloth, Masking Tape, Masking Paper, Fine Sandpaper 320-400 grit, Wax and Grease Remover, Approved Aircraft Fabric Cleaner).	MX	[]	[]	
5	Confirm that the cured, doped fabric surface has been inspected for defects (dust, pinholes, cracks, runs, surface contamination) prior to executing paint operations.	MX	[]	[]	
6	Verify safety briefings have been conducted regarding toxic fumes, flammability hazards, and that safety risk assessments are formally active.	ALL	[]	[]	
7	Confirm that emergency fire suppression equipment (Fire Extinguisher) is present, unexpired, and accessible within the painting work zone.	ALL	[]	[]	

Project Quality Assurance Audit Checklist

Week 1

Item	Quality Audit Checkpoint / Criteria	Dept	Pass	Fail	Remarks / Non-Compliance Findings
8	Verify 100% personnel compliance regarding mandatory PPE (Hard hat, Reflective vest, chemical gloves, respirator, safety goggles/eyewear, earplugs).	ALL	[]	[]	
9	Ensure official technical drawings, gloss references, and reference manuals are deployed and accessible at the station.	EG	[]	[]	
II. OPERATIONAL PHASE (DURING)					
1	Monitor surface preparation including light sanding with fine sandpaper, dust removal via tack cloth, and cleaning with approved wax and grease remover.	MX	[]	[]	
2	Verify all adjacent areas are securely masked using masking tape and masking paper to prevent any paint overspray.	MX	[]	[]	
3	Evaluate the paint mixing sequence to ensure the aircraft primer or paint is mixed with approved reducer and hardener exactly per manufacturer instructions.	MX	[]	[]	



DPR AVIATION COLLEGE

Aircraft Maintenance Technology

dpr-pats.edu.ph

Form QAAC-1

Quality and Safety Department
Revision: Original

Project Quality Assurance Audit Checklist

Week 1

Item	Quality Audit Checkpoint / Criteria	Dept	Pass	Fail	Remarks / Non-Compliance Findings
4	Audit the application of a light tack coat followed by monitoring recommended flash-off and curing times between succeeding coats.	MX	[]	[]	
5	Monitor primer and topcoat application to ensure uniform coverage and check that paint thickness limits are maintained to avoid excess aircraft weight.	ALL	[]	[]	
6	Audit the curing environment to prevent dust, moisture, insects, and environmental contaminants from contacting the painted surface during curing.	ALL	[]	[]	
7	Verify active, uninterrupted safety officer surveillance is maintained during high-risk spray painting and chemical handling operations.	EG	[]	[]	
8	Confirm that specific task assignments match technician capabilities and that paint coats align with blueprint finish requirements.	EG	[]	[]	



DPR AVIATION COLLEGE

Aircraft Maintenance Technology

dpr-pats.edu.ph

Form QAAC-1

Quality and Safety Department
Revision: Original

Project Quality Assurance Audit Checklist

Week 1

Item	Quality Audit Checkpoint / Criteria	Dept	Pass	Fail	Remarks / Non-Compliance Findings
9	Audit the continuous recording of process adjustments, temperature/humidity conditions, paint batch numbers, and engineering variations.				
III. POST-OPERATIONAL PHASE (AFTER)					
1	Perform rigorous visual inspection on the completed painted structure to check for uniform color, gloss, adhesion, complete coverage, and absence of defects (runs, orange peel, dry spray).	ALL	[]	[]	
2	Verify tool accountability; confirm all HVLP spray guns, mixing sticks, and equipment are accounted for, cleaned with solvent, and returned to secure storage.	ALL	[]	[]	
3	Confirm the post-operational cleanup is complete; all masking materials, paper, hazardous paint scrap, and chemical waste must be removed.	ALL	[]	[]	

Project Quality Assurance Audit Checklist

Week 1

Item	Quality Audit Checkpoint / Criteria	Dept	Pass	Fail	Remarks / Non-Compliance Findings
4	Verify that Task Card 2 maintenance documentation is completely filled out with accurate, legible technical sign-offs and inspection records.	EG	[]	[]	
5	Conduct a final inspection to verify that the completed aircraft finish complies with blueprint specifications and structural aesthetic standards.	EG	[]	[]	

Department Performance Evaluation Matrix

Evaluation Scale: (S) - Satisfactory | (A) - Average | (R) - Repeat

Maintenance Dept:
[] S [] A [] R

Safety Dept:
[] S [] A [] R

Engineering Dept:
[] S [] A [] R

Corrective Actions / Quality Recommendations:

Quality Head|

Capt. James Daniel Santos
AMT Quality Department Officer

Mr. Carmelo Pio Emmanuel Ocampo
AMT Quality Department Officer