Supplementary Information

Distal Chemical Shift Perturbations Reveal That Ligand Induced Reshaping of Protein Conformational Landscapes is Ubiquitous

Tiburon L. Benavides[1], Theresa A. Ramelot[2], and Gaetano T. Montelione[2]

[1]Department of Biology, Center for Biotechnology and Interdisciplinary Sciences, Rensselaer Polytechnic Institute, Troy, NY 12180 USA

[2]Department of Chemistry and Chemical Biology, Center for Biotechnology and Interdisciplinary Sciences, Rensselaer Polytechnic Institute, Troy, NY 12180 USA

Tiburon L. Benavides	orcid: 0000-0002-5795-4273	email: benavt@rpi.edu
Theresa A. Ramelot	orcid: 0000-0002-0335-1573	email: ramelot@rpi.edu
Gaetano T. Montelione	orcid: 0000-0002-9440-3059	email: monteg3@rpi.edu

Supplementary Information

Table of Contents

Supplementary Text

The CSPdb
NMR ring-current contributions to chemical shift perturbations
NMR electric-field induced chemical shift perturbations
Case Studies Figure Format

Supplementary Tables

SI Table S1. Data for all receptors in this study
SI Table S2. Hydrolase receptors
SI Table S3. Transferase receptors
SI Table S4. All-α receptors
SI Table S5. All-β receptors
SI Table S6. $\alpha + \beta$ (a+b) receptors
SI Table S7. BET-ET domain receptors
SI Table S8. Ubiquitin domain receptors
SI Table S9. Dissimilar apo/holo experimental conditions

Supplementary Figures

SI Fig. S1. Confusion histograms — hydrolases
SI Fig. S2. Confusion histograms — transferases
SI Fig. S3. Confusion histograms — all-α proteins
SI Fig. S4. Confusion histograms — all-β proteins
SI Fig. S5. Confusion histograms — $\alpha + \beta$ (a+b) proteins
SI Fig. S6. Confusion histograms — BET-ET domains
SI Fig. S7. Confusion histograms — ubiquitin domains
SI Fig. S8. Dissimilar apo/holo conditions ($n = 108$)
SI Fig. S9. Figure 3 for same-author/same-study subset ($n = 32$)
SI Fig. S10. Confusion histograms calculated with Eqn. 2 ($n = 121$)
SI Fig. S11. Confusion histograms calculated with Eqn. 3 ($n = 101$)
SI Fig. S12. F1 for Eqn. 1 CSPs vs Eqn. 2 CSPs ($n = 121$)
SI Fig. S13. Confusion by closest interchain N–N distance ($n = 135$)
SI Fig. S14. Confusion by closest interchain any-atom distance ($n = 135$)
SI Fig. S15. 1D H/N/Cα/Hα F1 boxplots ($n = 101$)
SI Fig. S16. FP/(TP+FP) distributions under max(cleaned mean, 0.05 ppm) ($n = 83/52/135/243$)
SI Fig. S17. CSP magnitude, interchain distance, and binding-site localization ($n = 135$)
SI Fig. S18. Case study — 2FIN / apo BMRB 6809
SI Fig. S19. PDB Advanced Search Settings
SI Fig. S20. Buffer pH/temperature threshold sweep
SI Fig. S21. Ideal N/H and HA/CA chemical-shift offset grids ($n = 135/101$)
SI Fig. S22. Terminal-anchor vs global offsets (HSQC overlays and CSP bars)

SI Fig. S23. CSP significance threshold distribution ($n = 135$)
SI Fig. S24. Figure 3 under alternate CSP significance thresholds ($n = 135$)
SI Fig. S25. Apo–apo control studies
S25A. BMRB 52080 / BMRB 52079
S25B. BMRB 28070 / BMRB 28071
S25C. BMRB 34000 / BMRB 34001
S25D. BMRB 34394 / BMRB 6354
S25E. BMRB 17769 / BMRB 51725
SI Fig. S26. F1 vs MCC ($n = 135$ buffer-similar)

Supplementary Equations

SI Equation S1. Combined HN chemical-shift perturbation
SI Equation S2. Combined HN+Cα chemical-shift perturbation
SI Equation S3. Combined Hα+Cα chemical-shift perturbation

References

References cited in this Supplementary Information

All Case Studies

Case studies for all $n = 243$ CSPdb targets (one page per target), appended after the References

Supplementary Text

The CSPdb

The CSPdb includes receptors that regulate diverse biological processes, including cell cycle progression (e.g., MAD2: 1KLQ), transcriptional control (e.g., Nrd1: 2MOW, 6GC3), translational regulation, autophagy, apoptosis (e.g., BCL-XL family: 2M04, 2LP8), and cell adhesion (e.g., tensin: 2LOZ). Disease-relevant targets address mechanisms in leukemia and other cancers, Alzheimer's disease (e.g., amyloid precursor protein-binding proteins: 2ROZ), and infectious diseases from viruses and bacteria, such as anthrax (2RUI), chikungunya (5I22), SARS-CoV-2 (7PKU), HIV (2L6E), and Ebola (2KQ0).

The CSPdb features several recurring protein domains that exhibit notable conformational changes upon ligand binding. For instance, it includes 23 interactions involving calmodulin (CaM) or CaM-like proteins with peptides (e.g., PDB IDs: 1SY9, 2JZI; full list in **SI Table S1**), which often involve substantial rearrangements upon binding described in detail elsewhere[1]. Other receptors known for binding-induced conformational shifts or folding include the G protein Cdc42 (1CF4), the metaphase chromosome spindle checkpoint protein MAD2 (1KLQ), the KIX domain (2LXS), and CREB-binding proteins (e.g., 1R8U, 1L8C).

Additional recurring domains include the extra-terminal (ET) domains of bromodomain proteins BRD3 and BRD4 (e.g., 2NCZ, 2ND0; full list in **SI Table S7**, **SI Fig. S6**), which bind intrinsically-disordered regions of viral integrase or chromatin regulator proteins. These interactions trigger subtle changes distal from the binding site, including the formation of a stabilizing secondary structure that reorients two allosteric helices[2, 3]. Similarly, the PDZ2 domain (e.g., 1D5G, 1VJ6, 2M0V) shows distal effects mediated by the $\beta2$–$\beta3$ loop during peptide recognition[4].

Nine entries involve the PH domain of the TFIIH transcription initiation factor subunit Tfb1 (e.g., 2LOX, 2M14; full list in **SI Table S8**, **SI Fig. S7**). In these complexes, the ligand is often modeled as a helical polypeptide bound orthogonally to an extended β-sheet, resulting in signal propagation via hydrogen-bond rearrangements. Other targets which involve hydrogen bond rearrangement in β-sheets include the Cdc42 (1CF4), Cyclophilin A (2MS4), and SH3 domain (e.g., 2OJ2, 2ROL; full list in **SI Table S1**). An additional eight entries use ubiquitin or ubiquitin-like (e.g. SUMO and NEDD8) protein receptors. Ubiquitin has been used as a model system for NMR studies[5] and for studying allostery[6] (e.g., 2KWV, 2MUR; full list in **SI Table S9**, **SI Fig. S8**).

NMR ring-current contributions to chemical shift perturbations

Based on the r^{-3} distance dependence of aromatic ring-current effects and established ring-current parameters for aromatic amino acids, the theoretical maximum distance for a ≥ 0.05-ppm HN ring-current shift is approximately 10 Å for Phe/Tyr and 12 Å for Trp under idealized geometry[7, 8].

Estimated maximum distance for a ≥ 0.05-ppm amide ^{1}H ring-current shift.

Aromatic ring-current contributions to ^{1}H chemical shifts can be approximated using the equivalent-dipole model,

$$\Delta\delta_{\mathrm{RC}} = \mu \frac{(3\cos^2\theta - 1)}{r^3},$$

where r is the distance from the proton to the aromatic ring center, θ is the angle between this vector and the normal to the ring plane, and μ is the effective ring-current constant. Abraham et al. determined $\mu = 26.2\,\mathrm{ppm\,Å^3}$ for benzene[7]. The maximum absolute effect occurs at $\theta = 0°$ or 180° corresponding to the proton lying along the normal above or below the aromatic ring plane, where the angular term has a magnitude of 2. Using the 0.05-ppm significance threshold gives

$$r_{\max} = \left(\frac{2\mu}{0.05}\right)^{1/3} = 10.2\,\text{Å}.$$

Thus, even under idealized geometry, a Phe/Tyr-like aromatic ring would need to be within approximately 10 Å of an amide proton to produce a significant ring-current effect. For Trp, the contributions from its two aromatic rings are summed; using the relative ring-current intensities reported by Perkins et al. gives an idealized upper-bound estimate of approximately 12 Å.

NMR electric-field induced chemical shift perturbations

Based on the r^{-2} distance dependence of electric-field effects and experimentally determined parameters for protein amide chemical shifts, a one-unit charge change is estimated to produce a ≥ 0.05-ppm HN shift only within approximately 6–8 Å under idealized conditions[9, 10].

Estimated maximum distance for a ≥ 0.05-ppm amide ^{1}H electric-field induced shift.

Electric-field-induced amide chemical shifts can be approximated using the Buckingham treatment,

$$|\Delta\delta_{\mathrm{HN}}| = |A|\,|E|\,|\cos\beta|,$$

where A is the HN shielding polarizability, E is the change in electric field at the amide proton, and β is the angle between these vectors. Using $|A| = 21\,\mathrm{ppm\,\AA^2}/e$ for backbone amide protons[10] and approximating the electric field from a point-charge change using Coulomb's law gives

$$|\Delta\delta_{\mathrm{HN}}| = \frac{21\,|\Delta q|}{\epsilon_{\mathrm{eff}}\,r^2}\,|\cos\beta|.$$

For a one-unit charge change ($|\Delta q| = 1e$), optimal orientation ($|\cos\beta| = 1$), and the 0.05-ppm significance threshold,

$$r_{\mathrm{max}} = \left[\frac{21}{0.05\,\epsilon_{\mathrm{eff}}}\right]^{1/2}.$$

Experimentally derived effective dielectric constants for proteins are approximately 6–13; values of ∼6.5–7 and 8.6 ± 0.8 have been obtained from protein CSP measurements[9, 10]. These values correspond to idealized maximum distances of approximately 6–8 Å for a ≥ 0.05-ppm ^{1}HN shift from a one-unit charge change.

Unlike aromatic ring-current effects, a universal distance cutoff cannot be assigned to electrostatic CSPs because their magnitude depends on charge, orientation, dielectric environment, and screening. Small electric-field-induced ^{1}HN CSPs have been experimentally detected > 12 Å from a charge perturbation, although these were below the 0.05-ppm significance threshold used here[10]. Although our apo and holo datasets were matched for pH, ligand binding itself may alter protein ionization states and thereby generate electric-field-induced CSPs.

Case Studies Figure Format

Following the References, this document appends a concise case-study summary for each of the 243 targets in the CSPdb. Each case study contains the following panels: A) a ^{15}N/^{1}H HSQC scatterplot overlaying the apo and holo assigned spectra with the optimal N/H offset applied; B) Calculated CSPs for receptor residues along the sequence, bars colored by confusion matrix classification; C) the mask of significant CSPs; D) the mask of binding-site residues; E) the confusion matrix classification projected onto the structure: distal CSPs are purple (FP), CSPs in the binding site are green (TP), non-CSPs in the binding site are orange (FN), and non-CSPs outside of the binding site are blue (TN). Residues without CSP measurements are shown in gray; ligands are colored cyan.

SI Table S1. Data for all receptors in this study

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	1YWI	6558	6559	0.78	0.72		2KC8	16066	16065	0.52	0.25
	2MCN	16641	19447	0.79	0.71		2KYL	15972	16967	0.42	0.25
	2N9P	25913	25914	0.72	0.57		6U19	16620	27875	0.46	0.24
	2L5E	50148	17270	0.58	0.54		7PKU	50446	34661	0.42	0.24
	6RH6	34394	34395	0.56	0.53		2LGK	17813	17812	0.52	0.24
	6GC3	17173	34260	0.52	0.52		2K7L	27288	15919	0.39	0.24
	2M0G	18802	18808	0.48	0.52		1H8B	17627	4453	0.33	0.24
	2PLD	5318	5310	0.59	0.52		6H8C	18827	34307	0.31	0.23
	2ROL	15710	11040	0.52	0.52		1KLQ	52275	5299	0.33	0.23
	2LI5	16835	17879	0.57	0.51		2MUR	25229	25230	0.57	0.23
	5I22	4871	30010	0.56	0.50		2L4T	17254	17255	0.31	0.22
	2ROZ	10235	10236	0.59	0.50		2N3A	34537	25639	0.37	0.22
7JMY	7JYZ	30782	30791	0.56	0.48		2JZI	51289	15624	0.43	0.22
	6IVU	36220	36221	0.67	0.48		2CZY	27227	6749	0.38	0.21
	2LBM	15001	17569	0.60	0.45		2IPA	6075	15028	0.19	0.21
	2K7A	5461	16809	0.50	0.45		7SFT	36097	30958	0.41	0.21
	2KSP	15279	16671	0.53	0.44		2KZU	17018	17019	0.25	0.20
2LSY	2N1G	18455	25559	0.53	0.44		2RR4	11362	11115	0.40	0.20
	6FDP	19757	34223	0.48	0.43		2YS5	11095	11094	0.30	0.20
	2MOW	17173	19954	0.41	0.43		2LOZ	10318	17364	0.31	0.19
2LSY	2LSK	18455	18434	0.48	0.43		2FIN	6809	7024	0.19	0.19
	2L6E	16555	17307	0.55	0.43	1U2N	1R8U	6268	5987	0.56	0.19
	2YKA	16697	17693	0.43	0.42	6VED	2L3R	30703	17200	0.31	0.18
2JNS	6BNH	15125	30373	0.53	0.42		2JW1	15503	15504	0.29	0.18
7JMY	7JQ8	30782	30786	0.54	0.41		5J8H	51289	30063	0.43	0.17
	1N7T	18785	5631	0.45	0.40		2LP8	18250	18238	0.20	0.17
	2LVO	18581	18582	0.56	0.40		2NMB	4683	4263	0.19	0.17
7JMY	7JYN	30782	30790	0.51	0.40		2LXS	6095	18694	0.32	0.17
	2JXC	4184	15554	0.60	0.39		1VJ6	5131	6060	0.30	0.16
	6FDT	19757	34224	0.42	0.38		1PD7	6899	5808	0.38	0.16
	2OJ2	4122	6581	0.42	0.37		8SG2	27579	31080	0.37	0.16
	2N8T	25866	25865	0.61	0.37		2LE8	16396	17702	0.22	0.15
1MM2	2L75	5555	17344	0.65	0.36		2L0Y	15763	17067	0.30	0.15
	6OQJ	30599	30605	0.48	0.36		1ONV	27288	5685	0.35	0.14
	6G04	34247	34248	0.44	0.35		2M0K	51289	17771	0.42	0.14
	1DDM	4683	4263	0.33	0.35		2HUG	6592	7241	0.38	0.14
2JNS	2NCZ	15125	26041	0.46	0.35		5U5S	50149	30206	0.24	0.14
	2KPL	6911	16559	0.43	0.35	1V49	2N9X	5958	25919	0.28	0.13
	7X5C	51441	36473	0.42	0.35	2KQ3	2KHS	16585	15357	0.34	0.13
	9QLM	15670	34986	0.60	0.34		2KTB	51472	16694	0.20	0.13
	2LP0	25142	17407	0.43	0.34		6QXZ	27250	27251	0.42	0.13
	2MC6	19428	19429	0.46	0.33		2KWI	15524	15525	0.40	0.13
	2M0G	19034	18808	0.44	0.33		2RUI	16811	11570	0.17	0.10
1W1F	1WA7	6261	6456	0.48	0.32		6U4N	17827	30659	0.15	0.10
	2RQG	4915	10019	0.44	0.32		5MF9	34068	34067	0.21	0.09
	9R3Y	26643	34992	0.47	0.31		2KOH	27205	16507	0.26	0.06
	2FFK	6809	7024	0.30	0.31		2MJV	15057	19738	0.29	0.06
	2B0F	5659	6823	0.31	0.31		1SY9	51289	5480	0.36	0.06
	2M0U	18824	18825	0.35	0.31		2N80	25883	25829	0.27	0.04
	2BN5	6691	6690	0.28	0.30		2G35	15792	7061	0.17	0.04
	2L29	17128	17127	0.27	0.30		2JMX	6564	15072	0.08	0.04
	2MUR	17769	25230	0.40	0.30		2MNZ	19913	19914	0.47	0.04
	6E5N	25544	30500	0.40	0.30	2JNS	2ND0	15125	26042	0.12	0.03
1SSF	2MWO	5878	25347	0.30	0.29		2M0J	51289	17771	0.35	0.02
	2KGI	16209	16210	0.62	0.29	2JNS	2ND1	15125	26043	0.11	0.02
2JNS	6BGG	30782	30367	0.32	0.29		2LGG	17813	17808	0.38	-0.03
	2N3K	15125	25649	0.43	0.29		2I94	5332	7293	0.15	-0.04
1SSF	2LVM	5878	18579	0.33	0.28		2MES	51289	19238	0.30	-0.05
	2M5B	50942	19045	0.32	0.28		2KVM	15674	16778	0.33	-0.07
	7KLR	30808	30809	0.55	0.28		5OEO	51289	34161	0.17	-0.07
	7S5J	30926	30950	0.40	0.27		2K8F	34231	15944	0.16	-0.08
1SSF	2MWP	5878	25348	0.27	0.27		2LSP	15057	18439	0.14	-0.08
	6R5G	28070	34384	0.40	0.27		2LGF	51289	17807	0.28	-0.10
	5VF0	17769	30276	0.31	0.27		2N55	52209	25694	0.24	-0.12
	2K6Q	5958	15877	0.37	0.26		9C5E	18642	31177	0.22	-0.17
	2K17	15670	15671	0.54	0.26		2JMF	6262	15016	0.00	-0.19
7QCX	1D5G	34688	4516	0.27	0.26		2K6D	52081	15866	0.08	-0.19
	2LXM	18681	18682	0.28	0.26						

SI Table S2. Data for Hydrolase Receptors

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	6GC3	17173	34260	0.52	0.52		2KYL	15972	16967	0.42	0.25
	2PLD	5318	5310	0.59	0.52		2K7L	27288	15919	0.39	0.24
	2LBM	15001	17569	0.60	0.45		2JZI	51289	15624	0.43	0.22
	6FDP	19757	34223	0.48	0.43		2LOZ	10318	17364	0.31	0.19
1MM2	2L75	5555	17344	0.65	0.36		1VJ6	5131	6060	0.30	0.16
	6OQJ	30599	30605	0.48	0.36		2LE8	16396	17702	0.22	0.15
	2RQG	4915	10019	0.44	0.32		1ONV	27288	5685	0.35	0.14
2JNS	6BGG	30782	30367	0.32	0.29		2HUG	6592	7241	0.38	0.14
	6R5G	28070	34384	0.40	0.27	2KQ3	2KHS	16585	15357	0.34	0.13
7QCX	1D5G	34688	4516	0.27	0.26		2KWI	15524	15525	0.40	0.13
	2KC8	16066	16065	0.52	0.25						



SI Fig. S1. Confusion Matrix Histograms for Hydrolase Receptors ($n = 21$)

SI Table S3. Data for Transferase Receptors

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	2N9P	25913	25914	0.72	0.57		2LGK	17813	17812	0.52	0.24
	2PLD	5318	5310	0.59	0.52		2YS5	11095	11094	0.30	0.20
	2K7A	5461	16809	0.50	0.45	1U2N	1R8U	6268	5987	0.56	0.19
2LSY	2N1G	18455	25559	0.53	0.44	6VED	2L3R	30703	17200	0.31	0.18
	2MOW	17173	19954	0.41	0.43		5J8H	51289	30063	0.43	0.17
2LSY	2LSK	18455	18434	0.48	0.43		2LXS	6095	18694	0.32	0.17
	2LVO	18581	18582	0.56	0.40		8SG2	27579	31080	0.37	0.16
7JMY	7JYN	30782	30790	0.51	0.40		6QXZ	27250	27251	0.42	0.13
	2OJ2	4122	6581	0.42	0.37		2G35	15792	7061	0.17	0.04
	2N8T	25866	25865	0.61	0.37	2JNS	2ND1	15125	26043	0.11	0.02
2JNS	2NCZ	15125	26041	0.46	0.35		2LGG	17813	17808	0.38	-0.03
	2MC6	19428	19429	0.46	0.33		2I94	5332	7293	0.15	-0.04
1W1F	1WA7	6261	6456	0.48	0.32		2K8F	34231	15944	0.16	-0.08
	5VF0	17769	30276	0.31	0.27		9C5E	18642	31177	0.22	-0.17
	2KYL	15972	16967	0.42	0.25		2JMF	6262	15016	0.00	-0.19
	6U19	16620	27875	0.46	0.24						



SI Fig. S2. Confusion Matrix Histograms for Transferase Receptors ($n = 31$)

SI Table S4. Data for All Alpha Receptors

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	2KSP	15279	16671	0.53	0.44		2LXS	6095	18694	0.32	0.17
	6FDP	19757	34223	0.48	0.43		1PD7	6899	5808	0.38	0.16
	2L6E	16555	17307	0.55	0.43		1ONV	27288	5685	0.35	0.14
	2JXC	4184	15554	0.60	0.39		2M0K	51289	17771	0.42	0.14
	6FDT	19757	34224	0.42	0.38		2KTB	51472	16694	0.20	0.13
	2LP0	25142	17407	0.43	0.34		1SY9	51289	5480	0.36	0.06
	2RQG	4915	10019	0.44	0.32		2N80	25883	25829	0.27	0.04
	1H8B	17627	4453	0.33	0.24		2M0J	51289	17771	0.35	0.02
	2JZI	51289	15624	0.43	0.22		2I94	5332	7293	0.15	-0.04
	5J8H	51289	30063	0.43	0.17		2MES	51289	19238	0.30	-0.05



SI Fig. S3. Confusion Matrix Histograms for All Alpha Receptors ($n = 20$)

SI Table S5. Data for All Beta Receptors

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	1YWI	6558	6559	0.78	0.72	7QCX	1D5G	34688	4516	0.27	0.26
	2MCN	16641	19447	0.79	0.71		2L4T	17254	17255	0.31	0.22
	5I22	4871	30010	0.56	0.50		2LOZ	10318	17364	0.31	0.19
	2ROZ	10235	10236	0.59	0.50		2FIN	6809	7024	0.19	0.19
	1N7T	18785	5631	0.45	0.40		2NMB	4683	4263	0.19	0.17
	1DDM	4683	4263	0.33	0.35		1VJ6	5131	6060	0.30	0.16
	2KPL	6911	16559	0.43	0.35		2HUG	6592	7241	0.38	0.14
1W1F	1WA7	6261	6456	0.48	0.32	2KQ3	2KHS	16585	15357	0.34	0.13
	2FFK	6809	7024	0.30	0.31		2KOH	27205	16507	0.26	0.06
	2M0U	18824	18825	0.35	0.31		2G35	15792	7061	0.17	0.04
	2L29	17128	17127	0.27	0.30		2KVM	15674	16778	0.33	-0.07
1SSF	2LVM	5878	18579	0.33	0.28		2JMF	6262	15016	0.00	-0.19



SI Fig. S4. Confusion Matrix Histograms for All Beta Receptors $(n = 24)$

SI Table S6. Data for Alpha and Beta (a+b) Receptors

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	2M0G	18802	18808	0.48	0.52		2K6Q	5958	15877	0.37	0.26
	2PLD	5318	5310	0.59	0.52		6H8C	18827	34307	0.31	0.23
	2LI5	16835	17879	0.57	0.51		1KLQ	52275	5299	0.33	0.23
	2K7A	5461	16809	0.50	0.45		2MUR	25229	25230	0.57	0.23
	2M0G	19034	18808	0.44	0.33		2N55	52209	25694	0.24	-0.12
	2MUR	17769	25230	0.40	0.30		2K6D	52081	15866	0.08	-0.19
	5VF0	17769	30276	0.31	0.27						



SI Fig. S5. Confusion Matrix Histograms for Alpha and Beta (a+b) Receptors ($n = 13$)

SI Table S7. Data for BET-ET Domain Receptors

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
7JMY	7JYZ	30782	30791	0.56	0.48	2JNS	2NCZ	15125	26041	0.46	0.35
2JNS	6BNH	15125	30373	0.53	0.42	2JNS	6BGG	30782	30367	0.32	0.29
7JMY	7JQ8	30782	30786	0.54	0.41	2JNS	2ND0	15125	26042	0.12	0.03
7JMY	7JYN	30782	30790	0.51	0.40	2JNS	2ND1	15125	26043	0.11	0.02



SI Fig. S6. Confusion Matrix Histograms for BET-ET Domain Receptors $(n = 8)$

SI Table S8. Data for Ubiquitin Domain Receptors

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	2MUR	17769	25230	0.40	0.30		2MUR	25229	25230	0.57	0.23
	5VF0	17769	30276	0.31	0.27						



SI Fig. S7. Confusion Matrix Histograms for Ubiquitin Domain Receptors $(n = 3)$

SI Table S9. Data for targets with dissimilar apo/holo experimental conditions

apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC	apo_pdb	holo_pdb	apo_bmrb	holo_bmrb	F1	MCC
	2MCN	6457	19447	0.76	0.67		1I5H	26698	4963	0.40	0.20
	6K5R	6801	36259	0.62	0.55		6FGP	16803	34232	0.38	0.20
	2LZ6	6457	18737	0.62	0.54	1N3H	2L1C	5566	17080	0.37	0.19
	2AFF	5959	6748	0.67	0.53	2GS0	5URN	6225	30243	0.27	0.19
	2MPM	4155	19989	0.59	0.50		2JQR	4566	15301	0.09	0.18
2GS0	2LOX	6225	18229	0.55	0.49	2L0I	5LVF	17044	34041	0.28	0.18
5AHT	2KPZ	25349	16574	0.61	0.48		2RSE	50325	11471	0.10	0.18
2GS0	2N0Y	6225	25540	0.50	0.47	2KJD	2M0V	16637	18826	0.21	0.17
	7ZEY	16983	34727	0.67	0.46		2LL7	51289	18028	0.33	0.17
1XWH	2KE1	6374	16510	0.68	0.45		5GOW	4901	36013	0.39	0.17
2AWT	2N9E	6801	25901	0.40	0.43		2MPS	6612	18876	0.33	0.17
	2G3Q	4769	7002	0.46	0.43		2L1R	30966	17103	0.35	0.15
2GS0	2M14	6225	18842	0.41	0.42	5YDY	2LAW	36115	17538	0.42	0.15
2GS0	2N23	6225	25584	0.40	0.42		5XV8	4901	36101	0.40	0.15
	2C52	15398	6874	0.56	0.41		2MV7	18094	19516	0.38	0.14
2RQT	2RQU	11081	11082	0.60	0.41		1LXF	30966	5386	0.37	0.14
	2KID	4879	16270	0.39	0.40		5JYV	30092	30093	0.31	0.13
2KM4	2L0I	16411	17044	0.41	0.39		2KNE	51289	16465	0.36	0.13
	7OVC	6546	34638	0.47	0.39	1V49	2LUE	5958	18518	0.23	0.12
	2MRE	6457	25070	0.45	0.39		2H7D	15792	7150	0.25	0.12
	2KWU	17769	16880	0.42	0.39		2KA6	4789	16015	0.52	0.11
2LSG	2LSJ	18431	18433	0.36	0.37		2LL6	51289	18027	0.32	0.11
2LD9	2MBH	15410	19399	0.43	0.36		2M86	15945	19230	0.25	0.10
2LPC	2M04	18250	18793	0.47	0.35		2MGU	51289	19604	0.42	0.09
2JQ6	2KFH	15279	16181	0.42	0.35		2MZP	30966	25495	0.18	0.07
	6K5T	25299	36260	0.48	0.35		2KJE	4789	16318	0.48	0.07
	2LTO	10276	18490	0.27	0.34	2M03	6IJQ	18792	36133	0.13	0.06
	2M5A	5656	19043	0.53	0.33		2L53	51289	17264	0.28	0.06
	2MS4	2208	25104	0.33	0.33		2KFT	6374	16878	0.24	0.05
	1CF4	18251	4700	0.52	0.32		2MMA	19849	19850	0.18	0.05
	2KWV	17769	16885	0.38	0.32	2E5E	2L7U	7364	17378	0.15	0.05
	1M4P	50765	5532	0.29	0.32		2MZD	34231	25484	0.34	0.04
	2KVQ	15490	16788	0.27	0.31		6BUT	51289	27095	0.25	0.03
5AHT	2KQ0	25349	16575	0.52	0.31		2RMK	5511	11010	0.18	0.03
	2KJ4	4276	16311	0.35	0.30		7F7X	17769	36427	0.19	0.03
	2RUK	4901	11578	0.44	0.30		2RS9	19125	11463	0.11	0.03
	2N4Q	18094	25677	0.40	0.30		2RSY	7141	11508	0.28	0.03
1U2N	1L8C	6268	5327	0.63	0.30		6XMN	30316	50331	0.37	0.02
	2LY4	11532	18709	0.40	0.30		6B1G	27072	30345	0.27	0.02
	2MBB	15410	19394	0.45	0.29		2N1A	6304	25553	0.07	0.01
2GS0	2MKR	6225	19791	0.30	0.29		5J7J	51289	30062	0.34	0.01
	9C5E	6457	31177	0.33	0.28		2MKP	25495	19789	0.24	0.01
	6CO4	30824	25979	0.33	0.28		5TP6	51289	30196	0.23	-0.01
	7ZEY	34724	34727	0.39	0.28		2N8J	51289	25852	0.19	-0.01
	2MG5	51289	19586	0.44	0.27	5YDX	2LAY	36114	17540	0.30	-0.02
	2MZW	17503	25504	0.38	0.27		2M55	51289	19036	0.21	-0.03
	2M3M	17373	17942	0.44	0.26		2N83	25883	25833	0.28	-0.05
	2KNH	7396	16467	0.27	0.25		2LV6	51289	18556	0.36	-0.06
2L0I	5M9D	17044	34058	0.35	0.25		2LAS	50128	25553	0.11	-0.07
	2RVB	4901	11594	0.45	0.23		2NBV	30824	25995	0.11	-0.07
	5IAY	30703	30019	0.23	0.23		1NPQ	4232	5738	0.23	-0.07
	7L8V	26682	27692	0.30	0.23		2MNU	4283	19906	0.15	-0.09
1U2N	2KA4	6268	16014	0.58	0.22		7NQC	51289	34608	0.14	-0.11
	2MH0	34231	19610	0.35	0.21		2MWN	15792	25343	0.00	-0.13



SI Fig. S8. Confusion Matrix Histograms for targets with dissimilar apo/holo experimental conditions ($n = 108$). The $n = 108$ subset for SI Fig. S8 and SI Table S9 come from the subset of targets from the complete $n = 243$ CSPdb with a pH difference between apo and holo experiments > 0.5 units or temperature difference > 5°C.



SI Fig. S9. Figure 3 histograms for the same-author/same-study subset. Targets are the curated pairs in `CSP_UBQ_ph0.5_temp5C_same_author_list.csv` ($n = 32$ with pipeline outputs of 33 curated pairs): buffer-similar apo/holo systems that share a study or last author between apo and holo chemical-shift depositions. **A.** significant-CSP TP vs FP by minimum Cα distance to the interface; **B.** full confusion-matrix stacks (TN/FP/FN/TP). This figure reports results on a very high-fidelity subset, and the results are very similar to those reported in Figure 3: 67.0% of CSPs are distal vs 69.4% of CSPs are distal in the $n = 135$ subset reported in Figure 3.



SI Fig. S10. Confusion histograms calculated with Eqn. 2 for the $n = 121$ buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` with CA row coverage $> 50\%$. These results are very similar to CSPs calculated using SI Equation S1. 72.2% of CSPs using SI Equation S2 are distant from the binding site compared to 69.4% using SI Equation S1.



SI Fig. S11. Confusion histograms calculated with Eqn. 3 for the buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` that also have Hα and Cα shifts in both apo and holo experiments ($n = 101$). These results are very similar to CSPs calculated using SI Equation S1. 72.2% of CSPs using SI Equation S3 are distant from the binding site compared to 69.4% using SI Equation S1.



SI Fig. S12. F1 for Eqn. 1 CSPs vs Eqn. 2 CSPs ($n = 121$ buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` with CA row coverage $> 50\%$). F1 scores on the y axis use SI Equation S2 (combined HN+Cα); F1 scores on the x axis use SI Equation S1 (combined HN). The F1 scores here demonstrate that per-target there are very few differences in the distribution of CSPs distant from the binding site across the $n = 121$ subset of targets with CA CSPs and similar experimental conditions.



SI Fig. S13. Confusion histograms by closest interchain N–N distance (n = 135 buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` with pipeline outputs).



SI Fig. S14. Confusion histograms by closest interchain any-atom distance ($n = 135$ buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` with pipeline outputs).



SI Fig. S15. Per-target F1 scores for 1D H/N/Cα/Hα CSPs ($n = 101$ buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` with paired H/N/CA/HA F1 scores). Boxes show the per-target F1 distribution for 1D CSPs of each nucleus. Pairwise comparisons are two-sided Wilcoxon signed-rank tests for all unordered atom pairs, with Holm–Bonferroni adjustment of p-values. After Holm–Bonferroni adjustment, H, N, and Cα F1 scores do not differ (all adjusted $p > 0.05$). Cα versus Hα is the exception (Holm-adjusted $p = 0.0017$): median per-target F1 is 0.38 for Cα and 0.40 for Hα. Distal CSPs still occur for every nucleus at a similar frequency. Apo/holo offsets for 1D CSPs are chosen independently for each nucleus by a 1D grid search on unreferenced shifts, using the same bounds as the joint searches (^{1}H$_{\mathrm{N}}$ $\pm$0.2 ppm, step 0.01 ppm; ^{15}N $\pm$1.5 ppm, step 0.05 ppm; ^{13}Cα $\pm$2 ppm, step 0.05 ppm; ^{1}Hα $\pm$0.12 ppm, step 0.01 ppm). The CSPs calculated to retrieve an F1 score per target are calculated as $(\mathrm{dd}\langle\mathrm{Shift}\rangle^2)^{1/2}$ and the threshold for significance is set as the max of the cleaned mean and 0.05 ppm, for all 1D CSPs shown in this figure.



SI Fig. S16. Per-target false-positive rates under the primary CSP cutoff max(cleaned mean, 0.05 ppm). **A.** ideal sequence match ($n = 83$); **B.** non-ideal sequence match ($n = 52$); **C.** pH/temp matched ($n = 135$); **D.** full CSPdb ($n = 243$). For each cohort, panels report $100 \times \mathrm{FP}/(\mathrm{TP} + \mathrm{FP})$ among significant CSPs. This figure shows per-target false positive rates across four subsets, and reveals there are minimal differences between these four subsets.



SI Fig. S17. CSPs and structural binding-site localization. All panels use 135 pH- and temperature-matched apo/holo targets. The per-target cutoff is max(cleaned mean HN CSP, 0.05 ppm). **A.** Percentage of residues with a significant HN CSP among those with a recorded CSP in each 1 Å bin of minimum interchain C_α–C_α distance. Stacks partition the significant fraction by CSP z-score. **B.** Per-residue CSP z-score versus nearest interchain atom–atom distance. For residue i, $z_i = (\mathrm{CSP}_i - \mu_{\mathrm{clean}})/\sigma_{\mathrm{clean}}$, where μ_{clean} and σ_{clean} are the mean and population standard deviation of the target's HN CSP list after iterative removal of high outliers. Colors indicate true positives (TP), false positives (FP), true negatives (TN), and false negatives (FN) relative to the structural binding-site definition. Dashed lines mark $z = 3$ and $d = 10$ Å. The 172 annotated FPs exceed both thresholds. **C.** Receiver operating characteristic (ROC) curves across HN CSP thresholds for 12,267 eligible residues. Gray curves show individual targets, blue shows the pooled ROC using CSP divided by the target-specific cutoff, and the black dashed curve shows the equal-target mean ROC. The pooled area under the curve (AUC) is 0.704 (95% CI 0.682–0.728), and the mean per-target AUC is 0.728 (95% CI 0.707–0.750). The band shows the pointwise 95% interval for the mean ROC. Intervals use 2,000 whole-target bootstrap replicates. The gray diagonal indicates chance, and the star marks the pooled operating point from the saved primary significance calls. **D.** HN CSP magnitudes for 1,331 significant binding-site residues (TP, green) and 3,023 significant distal residues (FP, purple) under the saved primary rule, pooled across targets. Scott-bandwidth kernel densities are estimated and normalized to equal area in $\log_{10}$ CSP space and bounded by the observed ranges. White dots mark medians and black bars mark interquartile ranges. The y-axis is linear (ppm). The symmetric Kullback–Leibler divergence was 0.0941 nats (20 shared log-spaced bins, 0.5 pseudocount per bin), with $p = 1.0 \times 10^{-5}$ from 99,999 within-target label permutations.



SI Fig. S18. Case study for holo 2FIN / apo BMRB 6809 (holo BMRB 7024). **A.** ^{15}N/^{1}H HSQC scatterplot overlaying the apo and holo assigned spectra with the optimal N/H offset applied. **B.** Calculated CSPs for receptor residues along the sequence, bars colored by confusion matrix classification. **C.** The mask of significant CSPs. **D.** The mask of binding-site residues. **E.** The confusion matrix classification projected onto the structure: distal CSPs are purple (FP), CSPs in the binding site are green (TP), non-CSPs in the binding site are orange (FN), and non-CSPs outside of the binding site are blue (TN). Residues without CSP measurements are shown in gray; ligands are colored cyan. **F.** CSP z versus nearest interchain atom–atom distance. Dashed lines mark $z = 3$ and $d = 10$ Å; the annotation counts false positives with $d > 10$ Å and $z > 3$. This plot shows monotonic decay of CSPs with increasing nearest interchain atom–atom distance. Residues in a set of β sheets further away from the ligand with significant shifts have lower CSPs than those closer to the binding site.



SI Fig. S19. PDB Advanced Search Settings. For the subset of targets manually scraped from the PDB, we restrict our analysis to these settings: entries resolved by Solution NMR, with two and only two distinct protein chains. At the time of curation, this advanced search resulted in 720 hits on the RCSB PDB. From this list of 720, entries were included in the CSP DB if there were N and H chemical shifts deposited in the BMRB for an identical sequence which was evaluated in both apo and holo experiments.



SI Fig. S20. Buffer pH/temperature threshold sweep. A. Number of apo/holo pairs retained as $|\Delta\text{pH}|$ and $|\Delta T|$ thresholds are tightened. **B.** Mean FP/(TP+FP) (percent distal CSPs) in the same subsets. This figure reveals the mean per-target false positive rate changes only slightly across all thresholds in apo/holo experimental condition differences from a minimum of 63.6% to a maximum of 68.3%.



SI Fig. S21. Ideal chemical-shift offset grids for buffer-similar systems in `CSP_UBQ_ph0.5_temp5C.csv` with pipeline outputs. **A.** H/N referencing ($n = 135$): a grid search selects the H/N offsets that maximize aligned HN peak counts under the pipeline CSP criterion; the heatmap aggregates those optimal ($\Delta\delta_N$, $\Delta\delta_H$) pairs (color = number of targets). Marginal histograms show the one-dimensional distributions of best H (left) and N (bottom) offsets. **B.** HA/CA referencing ($n = 101$ systems with HA/CA grid-search CSVs): the same layout for offsets that maximize aligned HA/CA peak counts, with HA (left) and CA (bottom) marginals. Both nuclei pairs are peaked near zero. On the Cα window of ± 2 ppm, 87 of 101 Cα offsets lie within 0.2 ppm of zero and 5 have $|\text{offset}| \geq 1.5$ ppm, so most apo/holo pairs still require only small referencing corrections.



SI Fig. S22. Terminal-anchor vs global offsets: HSQC overlays and CSP classification bars for four targets (2KZU/17018, 1YWI/6658, 2RR4/11361, 2K17/15670). For each target (rows A.–D.): left pair shows apo (grey) vs offset holo (red) HSQC overlays using terminal-anchor RMSD offsets vs the global CSP-count grid; right pair shows corresponding CSP classification bars (TP/FP/TN/FN) under the primary significance threshold. Green markers denote terminal-anchor residues. This figure reveals an alternative approach to referencing apo and holo shift lists would be an appropriate solution to the problem, but is not generalizeable across the dataset. These results further demonstrate our approach of global optimization described in the Methods is an appropriate generalizeable solution to this problem.



SI Fig. S23. Distribution of CSP significance thresholds (primary cutoff max(cleaned mean, 0.05 ppm); $n = 135$ buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` with pipeline outputs). Mean = 0.0804 ppm. This figure shows our mean CSP threshold is 0.08 ppm, corresponding to ∼50 Hz at 600 MHz, which is 2–5× larger than the corresponding proton resonance linewidths.



SI Fig. S24. Figure 3-style CA-distance histograms under alternate HN CSP significance thresholds ($n = 135$ buffer-similar systems from `CSP_UBQ_ph0.5_temp5C.csv` with pipeline outputs). Each column is a 3a (TP/FP among significant CSPs) | 3b (full confusion) pair. Thresholds (left to right, then continuing as labeled on the figure): **primary** max(cleaned mean, 0.05 ppm) after iterative outlier removal; **cleaned mean** +1 **SD** and +2 **SD**; **top 10%** and **top 5%** of HN CSP values; fixed cutoffs **0.03**, **0.05**, and **0.10 ppm**; **raw mean**, **raw mean** +1 **SD**, and **raw mean** +2 **SD** (no outlier removal); and **cleaned mean** without the 0.05 ppm floor. This figure reveals our results are relatively stable if we use other reasonable thresholds of what is considered a significant CSP. Some thresholds from this figure we determine are too high (e.g. Raw mean + 1 SD, Raw mean + 2 SD, Top 10%, Top 5%) which results in less distal CSPs than is expected from the other thresholding approaches. SI Fig. S17C shows the continuous ROC analysis, and SI Fig. S17D shows the significant-CSP magnitude distributions.



SI Fig. S25A. Apo vs apo control study for BMRB 52080 and 52079. This case involves the CIN85 SH3B–SH3C linker (residues 163–333). There is a sequence mismatch at R227A (BMRB 52080 is the R229A variant; BMRB 52079 is R227A/R229A); BMRB 52079 also has an extra N-terminal Gly. 99.3% of the CSPs for this control are below 0.05 ppm.



SI Fig. S25B. Apo vs apo control study for BMRB 28070 and 28071. This case involves the SH2 domains of SHP2. BMRB 28071 is the tandem nSH2–cSH2 construct and includes a large N-terminal region (the nSH2 domain and inter-SH2 linker, ∼100 residues) that is absent from the isolated cSH2 entry (BMRB 28070). 95.4% of the CSPs for this control are below 0.05 ppm.



SI Fig. S25C. Apo vs apo control study for BMRB 34000 and 34001. This case involves insulin-like growth factor II (IGF-II). BMRB 34001 is the [S39_PQ]-IGF-II variant and contains a two-residue Pro–Gln insertion after Ser39 relative to wild-type IGF-II (BMRB 34000). 90.6% of the CSPs for this control are below 0.05 ppm.



SI Fig. S25D. Apo vs apo control study for BMRB 34394 and 6354. This case involves the NECAP1 PHear domain. BMRB 34394 has a five-residue N-terminal extension (GSPNS) relative to BMRB 6354, plus substitutions T8A and K59I and short internal insertions (Pro28 and Ala31–Ser32) in the 34394 construct. 83.2% of the CSPs for this control are below 0.05 ppm.



SI Fig. S25E. Apo vs apo control study for BMRB 17769 and 51725. This case involves ubiquitin. There is a sequence mismatch at position 12 (T12C; wild-type Thr in BMRB 17769, Cys in BMRB 51725). 81.2% of the CSPs for this control are below 0.05 ppm.



SI Fig. S26. F1 vs MCC across the $n = 135$ buffer-similar systems in `CSP_UBQ_ph0.5_temp5C.csv` with pipeline outputs. This figure reveals a strong correlation between F1 and MCC measures against the $n = 135$ subset. F1 and MCC are both useful metrics to gauge at a glance the extent of distal CSPs are present in the receptor-ligand system[11].

$$\mathrm{CSP} = \sqrt{\tfrac{1}{2}\left(\Delta\delta_{\mathrm{H}}^2 + (0.14\,\Delta\delta_{\mathrm{N}})^2\right)}$$

SI Equation S1. Combined HN chemical-shift perturbation

$$\mathrm{CSP} = \sqrt{\tfrac{1}{3}\left(\Delta\delta_{\mathrm{H}}^2 + (0.14\,\Delta\delta_{\mathrm{N}})^2 + (0.3\,\Delta\delta_{\mathrm{C}\alpha})^2\right)}$$

SI Equation S2. Combined HN+Cα chemical-shift perturbation

$$\mathrm{CSP} = \sqrt{\tfrac{1}{2}\left(\Delta\delta_{\mathrm{H}\alpha}^2 + (0.3\,\Delta\delta_{\mathrm{C}\alpha})^2\right)}$$

SI Equation S3. Combined Hα+Cα chemical-shift perturbation

References

1. N. Juranic, et al., Calmodulin wraps around its binding domain in the plasma membrane Ca^{2+} pump anchored by a novel 18-1 motif. *J. Biol. Chem.* **285**, 4015–4024 (2010).
2. A. Mondal, et al., Structure determination of challenging protein–peptide complexes combining NMR chemical shift data and molecular dynamics simulations. *J. Chem. Inf. Model.* **63**, 2058–2072 (2023).
3. G. Alvarez, et al., Loop plasticity drives paralog-specific recognition in BET ET domains. *J. Chem. Inf. Model.* **66**, 4685–4695 (2026).
4. S. Gianni, et al., Demonstration of long-range interactions in a PDZ domain by NMR, kinetics, and protein engineering. *Structure* **14**, 1801–1809 (2006).
5. R. Agrata, D. Komander, Ubiquitin—a structural perspective. *Mol. Cell* **85**, 323–346 (2025).
6. A. Hacisuleyman, B. Erman, Entropy transfer between residue pairs and allostery in proteins: quantifying allosteric communication in ubiquitin. *PLOS Comput. Biol.* **13**, e1005319 (2017).
7. R. J. Abraham, M. Canton, M. Reid, L. Griffiths, Proton chemical shifts in NMR. Part 14. Proton chemical shifts, ring currents and π electron effects in condensed aromatic hydrocarbons and substituted benzenes. *J. Chem. Soc. Perkin Trans. 2*, 803–812 (2000).
8. S. J. Perkins, S. K. Dower, P. Gettins, S. Wain-Hobson, R. A. Dwek, Application of ring-current theory based on the Johnson–Bovey equation to the aromatic amino acids. *Biochem. J.* **165**, 223–225 (1977).
9. P. Kukic, D. Farrell, L. P. McIntosh, et al., Protein dielectric constants determined from NMR chemical shift perturbations. *J. Am. Chem. Soc.* **135**, 16968–16976 (2013).
10. L. An, Y. Wang, N. Zhang, et al., Protein apparent dielectric constant and its temperature dependence from remote chemical shift effects. *J. Am. Chem. Soc.* **136**, 12816–12819 (2014).
11. D. Chicco, M. J. Warrens, G. Jurman, The Matthews Correlation Coefficient (MCC) is more informative than Cohen's Kappa and Brier Score in binary classification assessment. *IEEE Access* **9**, 78368–78381 (2021).

holo_pdb: 1CF4 | apo_pdb: N/A | apo_bmrb: 18251 | holo_bmrb: 4700

Apo BMRB 18251 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Cdc42Hs

Components: (none)

Holo BMRB 4700 | PDB 1CF4

pH=5.5 T=25 °C

Entities: Cdc42; p21 activated kinase

Components: (none)













holo_pdb: 1D5G | apo_pdb: 7QCX | apo_bmrb: 34688 | holo_bmrb: 4516

Apo BMRB 34688 | PDB 7QCX

pH=6.8 T=25 °C pressure=1 atm

Entities: entity_1

Components: PDZ2 domain from hPTP1E 2 mM

Holo BMRB 4516 | PDB 1D5G

pH=6.8 T=20 °C pressure=1 atm

Entities: HUMAN PHOSPHATASE HPTP1E;

peptide

Components: (none)













holo_pdb: 1L8C | apo_pdb: 1U2N | apo_bmrb: 6268 | holo_bmrb: 5327

Apo BMRB 6268 | PDB 1U2N

pH=6.9 T=25 °C

Entities: CBP TAZ1 domain; ZN (ZINC ION)

Components: (none)

Holo BMRB 5327 | PDB 1L8C

pH=6.1 T=25 °C

Entities: hypoxia induced factor 1 alpha;
CREB-binding protein; ZN (ZINC ION)

Components: (none)













holo_pdb: 1R8U | apo_pdb: 1U2N | apo_bmrb: 6268 | holo_bmrb: 5987

Apo BMRB 6268 | PDB 1U2N

pH=6.9 T=25 °C

Entities: CBP TAZ1 domain; ZN (ZINC ION)

Components: (none)

Holo BMRB 5987 | PDB 1R8U

pH=6.8 T=25 °C

Entities: CITED2 C-terminal activation domain; CBP TAZ1 domain; ZN (ZINC ION)

Components: (none)













holo_pdb: 1SY9 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 5480

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;
CaCl2 1 mM

Holo BMRB 5480 | PDB 1SY9

pH=6.7 T=35 °C

Entities: Calmodulin; olfactory channel
peptide

Components: (none)













holo_pdb: 1VJ6 | apo_pdb: N/A | apo_bmrb: 5131 | holo_bmrb: 6060

Apo BMRB 5131 | PDB N/A

pH=6.3 T=25 °C pressure=1 atm

Entities: Protein Tyrosine Phosphatase-BAS Like

Components: (none)

Holo BMRB 6060 | PDB 1VJ6

pH=6.8 T=25 °C pressure=1 atm

Entities: Second PDZ domain from PTP-BL; C-terminus from APC

Components: (none)













holo_pdb: 1WA7 | apo_pdb: 1W1F | apo_bmrb: 6261 | holo_bmrb: 6456

Apo BMRB 6261 | PDB 1W1F

pH=6.4 T=25 °C

Entities: SH3 domain of the Lyn kinase

Components: (none)

Holo BMRB 6456 | PDB 1WA7

pH=6.4 T=25 °C

Entities: SH3 domain of the Lyn kinase;

Tyrosine kinase interacting protein

Components: (none)













holo_pdb: 2AFF | apo_pdb: N/A | apo_bmrb: 5959 | holo_bmrb: 6748

Apo BMRB 5959 | PDB N/A

pH=8.4 T=17 °C

Entities: Antigen Ki-67

Components: (none)

Holo BMRB 6748 | PDB 2AFF

pH=7.4 T=17 °C

Entities: Ki67FHA; hNIFK

Components: (none)













holo_pdb: 2G3Q | apo_pdb: N/A | apo_bmrb: 4769 | holo_bmrb: 7002

Apo BMRB 4769 | PDB N/A

pH=7.5 T=30 °C

Entities: yeast ubiquitin

Components: (none)

Holo BMRB 7002 | PDB 2G3Q

pH=6 T=n/a °C

Entities: Ubiquitin; Ede1 UBA

Components: (none)













holo_pdb: 2HUG | apo_pdb: N/A | apo_bmrb: 6592 | holo_bmrb: 7241

Apo BMRB 6592 | PDB N/A

pH=6.4 T=25 °C

Entities: Chromo 2 domain

Components: (none)

Holo BMRB 7241 | PDB 2HUG

pH=6.5 T=25 °C

Entities: CD2 of cpSRP43; cpSRP54 peptide

Components: (none)

Apo/Holo HSQC Offset



CSP Classification



CSP Mask



Binding Site Mask



Confusion Matrix Classification



Apo / Holo CS-list Seq_ID alignment



holo_pdb: 2JW1 | apo_pdb: N/A | apo_bmrb: 15503 | holo_bmrb: 15504

Apo BMRB 15503 | PDB N/A

pH=6.5 T=15 °C pressure=1 atm

Entities: MxiM(28-142)

Components: (none)

Holo BMRB 15504 | PDB 2JW1

pH=6.5 T=15 °C pressure=1 atm

Entities: MxiM(28-142); MxiD(553-570)

Components: (none)













holo_pdb: 2JZI | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 15624

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 15624 | PDB 2JZI

pH=6.5 T=37 °C

Entities: Calmodulin;

Calmodulin_binding_domain_of_Calcineurin

Components: (none)













holo_pdb: 2K7L | apo_pdb: N/A | apo_bmrb: 27288 | holo_bmrb: 15919

Apo BMRB 27288 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: RAP74-CTD

Components: (none)

Holo BMRB 15919 | PDB 2K7L

pH=6.5 T=27 °C pressure=1 atm

Entities: centFCP1-T584P04; cterRAP74

Components: (none)













holo_pdb: 2KA4 | apo_pdb: 1U2N | apo_bmrb: 6268 | holo_bmrb: 16014

Apo BMRB 6268 | PDB 1U2N

pH=6.9 T=25 °C

Entities: CBP TAZ1 domain; ZN (ZINC ION)

Components: (none)

Holo BMRB 16014 | PDB 2KA4

pH=6.8 T=32 °C pressure=1 atm

Entities: TAZ1; STAT2; ZN (ZINC ION)

Components: (none)











holo_pdb: 2KA6 | apo_pdb: N/A | apo_bmrb: 4789 | holo_bmrb: 16015

Apo BMRB 4789 | PDB N/A

pH=5.8 T=25 °C pressure=1 atm

Entities: CBP TAZ2 domain; ZN (ZINC ION)

Components: (none)

Holo BMRB 16015 | PDB 2KA6

pH=6.8 T=17 °C pressure=1 atm

Entities: TAZ2; STAT1; ZN (ZINC ION)

Components: (none)













holo_pdb: 2KE1 | apo_pdb: 1XWH | apo_bmrb: 6374 | holo_bmrb: 16510

Apo BMRB 6374 | PDB 1XWH

pH=n/a T=22 °C

Entities: first PHD finger of AIRE1; ZN (ZINC ION)

Components: (none)

Holo BMRB 16510 | PDB 2KE1

pH=6.3 T=22 °C pressure=1 atm

Entities: first PHD finger; histone H3 tail; ZN (ZINC ION)

Components: (none)













holo_pdb: 2KFH | apo_pdb: 2JQ6 | apo_bmrb: 15279 | holo_bmrb: 16181

Apo BMRB 15279 | PDB 2JQ6

pH=7 T=25 °C pressure=1 atm

Entities: EH domain of EHD1; CA (CALCIUM ION)

Components: (none)

Holo BMRB 16181 | PDB 2KFH

pH=n/a T=25 °C pressure=1 atm

Entities: EH_domain_of_EHD1; Rab11-FIP2_GPF_peptide; CA2

Components: (none)













holo_pdb: 2KHS | apo_pdb: 2KQ3 | apo_bmrb: 16585 | holo_bmrb: 15357

Apo BMRB 16585 | PDB 2KQ3

pH=5 T=27 °C pressure=1 atm

Entities: SNase140

Components: (none)

Holo BMRB 15357 | PDB 2KHS

pH=5 T=27 °C pressure=1 atm

Entities: SNase complex -subdomain

Components: (none)













holo_pdb: 2KJE | apo_pdb: N/A | apo_bmrb: 4789 | holo_bmrb: 16318

Apo BMRB 4789 | PDB N/A

pH=5.8 T=25 °C pressure=1 atm

Entities: CBP TAZ2 domain; ZN (ZINC ION)

Components: (none)

Holo BMRB 16318 | PDB 2KJE

pH=6.8 T=25 °C pressure=1 atm

Entities: CBP_TAZ2; E1A; ZINC ION

Components: (none)













holo_pdb: 2KNE | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 16465

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;
CaCl2 1 mM

Holo BMRB 16465 | PDB 2KNE

pH=7.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; CA (CALCIUM
ION)

Components: (none)













holo_pdb: 2KPZ | apo_pdb: 5AHT | apo_bmrb: 25349 | holo_bmrb: 16574

Apo BMRB 25349 | PDB 5AHT

pH=6.5 T=25 °C pressure=1 atm

Entities: E3_ubiquitin-protein_ligase_Nedd4

Components: (none)

Holo BMRB 16574 | PDB 2KPZ

pH=7 T=15 °C pressure=1 atm

Entities: PROTEIN; PEPTIDE

Components: (none)













holo_pdb: 2KQ0 | apo_pdb: 5AHT | apo_bmrb: 25349 | holo_bmrb: 16575

Apo BMRB 25349 | PDB 5AHT

pH=6.5 T=25 °C pressure=1 atm

Entities: E3_ubiquitin-protein_ligase_Nedd4

Components: (none)

Holo BMRB 16575 | PDB 2KQ0

pH=7 T=15 °C pressure=1 atm

Entities: NEDD4-WW3; ILPTAPPEYMEA

Components: (none)













holo_pdb: 2KWU | apo_pdb: N/A | apo_bmrb: 17769 | holo_bmrb: 16880

Apo BMRB 17769 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Ubiquitin

Components: (none)

Holo BMRB 16880 | PDB 2KWU

pH=6 T=15 °C pressure=1 atm

Entities: DNA_polymerase_iota_UBM2;

Ubiquitin

Components: (none)













holo_pdb: 2KWV | apo_pdb: N/A | apo_bmrb: 17769 | holo_bmrb: 16885

Apo BMRB 17769 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Ubiquitin

Components: (none)

Holo BMRB 16885 | PDB 2KWV

pH=6 T=15 °C pressure=1 atm

Entities: DNA_polymerase_iota_UBM1;

Ubiquitin

Components: (none)









holo_pdb: 2L0I | apo_pdb: 2KM4 | apo_bmrb: 16411 | holo_bmrb: 17044

Apo BMRB 16411 | PDB 2KM4

pH=6.8 T=25 °C pressure=1 atm

Entities: Rtt103 CTD interacting domain

Components: (none)

Holo BMRB 17044 | PDB 2L0I

pH=7.4 T=25 °C pressure=1 atm

Entities: Rtt103; CTD

Components: (none)













holo_pdb: 2L1C | apo_pdb: 1N3H | apo_bmrb: 5566 | holo_bmrb: 17080

Apo BMRB 5566 | PDB 1N3H

pH=6.5 T=35 °C

Entities: Phosphotyrosine Binding Domain

Components: (none)

Holo BMRB 17080 | PDB 2L1C

pH=6.5 T=0 °C pressure=1 atm

Entities: Shc-PTB; Integrin_beta3

Components: (none)













holo_pdb: 2L3R | apo_pdb: 6VED | apo_bmrb: 30703 | holo_bmrb: 17200

Apo BMRB 30703 | PDB 6VED

pH=7.5 T=30 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 17200 | PDB 2L3R

pH=7 T=25 °C pressure=1 atm

Entities: UHRF1 Tandem Tudor Domains;

Histone H3

Components: (none)

A.



B.



C.



D.



E.





holo_pdb: 2L53 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 17264

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 17264 | PDB 2L53

pH=6.3 T=25 °C pressure=1 atm

Entities: calmodulin; IQ_motif

Components: (none)













holo_pdb: 2L6E | apo_pdb: N/A | apo_bmrb: 16555 | holo_bmrb: 17307

Apo BMRB 16555 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: HIV-1_Capsid_Protein

Components: (none)

Holo BMRB 17307 | PDB 2L6E

pH=7 T=25 °C pressure=1 atm

Entities: Capsid_protein_p24;

NYAD-13_Peptide_Inhibitor

Components: (none)













holo_pdb: 2L75 | apo_pdb: 1MM2 | apo_bmrb: 5555 | holo_bmrb: 17344

Apo BMRB 5555 | PDB 1MM2

pH=7.5 T=25 °C pressure=1 atm

Entities: PHD; ZN (ZINC ION)

Components: (none)

Holo BMRB 17344 | PDB 2L75

pH=7 T=25 °C pressure=1 atm

Entities: CHD4-PHD2; H3K9me3; ZN (ZINC ION)

Components: (none)













holo_pdb: 2L7U | apo_pdb: 2E5E | apo_bmrb: 7364 | holo_bmrb: 17378

Apo BMRB 7364 | PDB 2E5E

pH=7.5 T=25 °C pressure=1 atm

Entities:

Advanced_glycosylation_end_product-specific_receptor

Components: (none)

Holo BMRB 17378 | PDB 2L7U

pH=6.5 T=25 °C pressure=1 atm

Entities: V_domain; CEL-PEP; MCL

Components: (none)













holo_pdb: 2LAS | apo_pdb: N/A | apo_bmrb: 50128 | holo_bmrb: 25553

Apo BMRB 50128 | PDB N/A

pH=6.4 T=17 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 25553 | PDB 2LAS

pH=6 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; ZN_1

Components: (none)













holo_pdb: 2LAW | apo_pdb: 5YDY | apo_bmrb: 36115 | holo_bmrb: 17538

Apo BMRB 36115 | PDB 5YDY

pH=6 T=25 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 17538 | PDB 2LAW

pH=7 T=12 °C pressure=1 atm

Entities: second WW domain from human YAP;

human Smad1 derived peptide

Components: (none)













holo_pdb: 2LAY | apo_pdb: 5YDX | apo_bmrb: 36114 | holo_bmrb: 17540

Apo BMRB 36114 | PDB 5YDX

pH=6 T=25 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 17540 | PDB 2LAY

pH=7 T=12 °C pressure=1 atm

Entities: human Yap; human Smad1 derived peptide

Components: (none)













holo_pdb: 2LGF | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 17807

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM; CaCl2 1 mM

Holo BMRB 17807 | PDB 2LGF

pH=6.8 T=30 °C pressure=1 atm

Entities: Calmodulin; L-selectin binding domain peptide

Components: (none)











Apo / Holo CS-list Seq_ID alignment

```
Apo   * Q L T E E Q I A E F K E A F S L F D K D G D G T I T T K E L G T V M R S L G Q N P T E A E L Q D M I N E V D A D G N G  60
Holo  * Q L T E E Q I A E F K E A F S L F D K D G D G T I T T K E L G T V M R S L G Q N P T E A E L Q D M I N E V D A D G N G  60

Apo   T I D F P E F L T M M A R K M K D T D S E E E I R E A F R V F D K D G N G Y I S A A E L R H V M T N L G E K L T D E E V  120
Holo  T I D F P E F L T M M A R K M K D T D S E E E I R E A F R V F D K D G N G Y I S A A E L R H V M T N L G E K L T D E E V  120

Apo   D E M I R E A D I D G D G Q V N Y E E F V Q M M T A K                                                                147
Holo  D E M I R E A D I D G D G Q V N Y E E F V Q M M T A K                                                                147
```

holo_pdb: 2LGG | apo_pdb: N/A | apo_bmrb: 17813 | holo_bmrb: 17808

Apo BMRB 17813 | PDB N/A

pH=7 T=20 °C pressure=1 atm

Entities: entity_1; ZN (ZINC ION)

Components: (none)

Holo BMRB 17808 | PDB 2LGG

pH=7.4 T=20 °C pressure=1 atm

Entities: E3_ubiquitin-protein_ligase_UHRF1; entity_2; ZN (ZINC ION)

Components: (none)













holo_pdb: 2LGK | apo_pdb: N/A | apo_bmrb: 17813 | holo_bmrb: 17812

Apo BMRB 17813 | PDB N/A

pH=7 T=20 °C pressure=1 atm

Entities: entity_1; ZN (ZINC ION)

Components: (none)

Holo BMRB 17812 | PDB 2LGK

pH=7 T=19.98 °C pressure=1 atm

Entities: entity_1; entity_2; ZN (ZINC ION)

Components: (none)













holo_pdb: 2LL6 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 18027

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 18027 | PDB 2LL6

pH=6 T=25 °C pressure=1 atm

Entities: CaM; iNOS

Components: (none)













holo_pdb: 2LL7 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 18028

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 18028 | PDB 2LL7

pH=6 T=25 °C pressure=1 atm

Entities: CaM; eNOS

Components: (none)













holo_pdb: 2LOX | apo_pdb: 2GS0 | apo_bmrb: 6225 | holo_bmrb: 18229

Apo BMRB 6225 | PDB 2GS0

pH=n/a T=27 °C

Entities: Yeast Tfb1

Components: (none)

Holo BMRB 18229 | PDB 2LOX

pH=6.5 T=27 °C pressure=1 atm

Entities: Tfb1; Rad2

Components: (none)













holo_pdb: 2LSJ | apo_pdb: 2LSG | apo_bmrb: 18431 | holo_bmrb: 18433

Apo BMRB 18431 | PDB 2LSG

pH=7 T=25 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 18433 | PDB 2LSJ

pH=7 T=37 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2LSK | apo_pdb: 2LSY | apo_bmrb: 18455 | holo_bmrb: 18434

Apo BMRB 18455 | PDB 2LSY

pH=7 T=0 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 18434 | PDB 2LSK

pH=7 T=0 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)











holo_pdb: 2LSP | apo_pdb: N/A | apo_bmrb: 15057 | holo_bmrb: 18439

Apo BMRB 15057 | PDB N/A

pH=6 T=20 °C pressure=1 atm

Entities: Bromodomain-containing_protein_4

Components: (none)

Holo BMRB 18439 | PDB 2LSP

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2LUE | apo_pdb: 1V49 | apo_bmrb: 5958 | holo_bmrb: 18518

Apo BMRB 5958 | PDB 1V49

pH=7 T=25 °C

Entities: microtubule-associated protein light chain-3

Components: (none)

Holo BMRB 18518 | PDB 2LUE

pH=6.8 T=15 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2LV6 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 18556

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;
CaCl2 1 mM

Holo BMRB 18556 | PDB 2LV6

pH=6.5 T=0 °C pressure=1 atm

Entities: Calmodulin; ssMLCK; entity_CA
(CALCIUM ION)

Components: (none)













holo_pdb: 2LVM | apo_pdb: 1SSF | apo_bmrb: 5878 | holo_bmrb: 18579

Apo BMRB 5878 | PDB 1SSF

pH=7.1 T=27 °C

Entities: p53 Binding Protein 1

Components: (none)

Holo BMRB 18579 | PDB 2LVM

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2M04 | apo_pdb: 2LPC | apo_bmrb: 18250 | holo_bmrb: 18793

Apo BMRB 18250 | PDB 2LPC

pH=7.3 T=25 °C pressure=1 atm

Entities: BCL-XL

Components: (none)

Holo BMRB 18793 | PDB 2M04

pH=7 T=0 °C pressure=1 atm

Entities: BCL-xL_comp; PUMA_BH3

Components: (none)













holo_pdb: 2M0J | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 17771

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 17771 | PDB 2M0J

pH=6.7 T=37 °C

Entities: Calmodulin; OLFp

Components: (none)













holo_pdb: 2M0K | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 17771

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 17771 | PDB 2M0K

pH=6.7 T=37 °C

Entities: Calmodulin; OLFp

Components: (none)













holo_pdb: 2M0V | apo_pdb: 2KJD | apo_bmrb: 16637 | holo_bmrb: 18826

Apo BMRB 16637 | PDB 2KJD

pH=7.5 T=30 °C pressure=1 atm

Entities: PDZ2-270

Components: (none)

Holo BMRB 18826 | PDB 2M0V

pH=7.5 T=15 °C pressure=1 atm

Entities: PDZ2; CFTR

Components: (none)













holo_pdb: 2M14 | apo_pdb: 2GS0 | apo_bmrb: 6225 | holo_bmrb: 18842

Apo BMRB 6225 | PDB 2GS0

pH=n/a T=27 °C

Entities: Yeast Tfb1

Components: (none)

Holo BMRB 18842 | PDB 2M14

pH=6.5 T=27 °C pressure=1 atm

Entities: Tfb1; Rad4

Components: (none)













holo_pdb: 2M55 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 19036

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;
CaCl2 1 mM

Holo BMRB 19036 | PDB 2M55

pH=6.36 T=37 °C pressure=1 atm

Entities: calmodulin; peptide; ACETYL
GROUP; CALCIUM ION_1

Components: (none)













holo_pdb: 2MBB | apo_pdb: N/A | apo_bmrb: 15410 | holo_bmrb: 19394

Apo BMRB 15410 | PDB N/A

pH=4.6 T=25 °C pressure=1 atm

Entities: Ubi

Components: (none)

Holo BMRB 19394 | PDB 2MBB

pH=7 T=25 °C pressure=1 atm

Entities: GB1-UBM1; ubiquitin

Components: (none)













holo_pdb: 2MBH | apo_pdb: 2LD9 | apo_bmrb: 15410 | holo_bmrb: 19399

Apo BMRB 15410 | PDB 2LD9

pH=4.6 T=25 °C pressure=1 atm

Entities: Ubi

Components: (none)

Holo BMRB 19399 | PDB 2MBH

pH=6.5 T=27 °C

Entities: EKLF; Ubiquitin

Components: (none)











holo_pdb: 2MES | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 19238

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM; CaCl2 1 mM

Holo BMRB 19238 | PDB 2MES

pH=7 T=37 °C pressure=1 atm

Entities:

Calmodulin_prototypical_calcium_sensor; PSD95_N-terminal_peptide

Components: (none)











Apo / Holo CS-list Seq_ID alignment

```
Apo   * Q L T E E Q I A E F K E A F S L F D K D G D G T I T T K E L G T V M R S L G Q N P T E A E L Q D M I N E V D A D G N G  60
Holo  * Q L T E E Q I A E F K E A F S L F D K D G D G T I T T K E L G T V M R S L G Q N P T E A E L Q D M I N E V D A D G N G  60

Apo   T I D F P E F L T M M A R K M K  D  T D S E E E I R E A F R V F D K D G N G Y I S A A E L R H V M T N L G E K L T D E E V  120
Holo  T I D F P E F L T M M A R K M K  *  T D S E E E I R E A F R V F D K D G N G Y I S A A E L R H V M T N L G E K L T D E E V  120

Apo   D E M I R E A D I D G D G Q V N Y E E F V Q M M T A K                                                                  147
Holo  D E M I R E A D I D G D G Q V N Y E E F V Q M M T A K                                                                  147
```

holo_pdb: 2MG5 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 19586

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 19586 | PDB 2MG5

pH=6 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2MGU | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 19604

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM; CaCl2 1 mM

Holo BMRB 19604 | PDB 2MGU

pH=6.3 T=35 °C pressure=1 atm

Entities: calmodulin; MA8-43; CALCIUM ION_1

Components: (none)













holo_pdb: 2MJV | apo_pdb: N/A | apo_bmrb: 15057 | holo_bmrb: 19738

Apo BMRB 15057 | PDB N/A

pH=6 T=20 °C pressure=1 atm

Entities: Bromodomain-containing_protein_4

Components: (none)

Holo BMRB 19738 | PDB 2MJV

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2MKP | apo_pdb: N/A | apo_bmrb: 25495 | holo_bmrb: 19789

Apo BMRB 25495 | PDB N/A

pH=6.1 T=30 °C pressure=1 atm

Entities: cNTnC; cTnIA162H; entity_CA

(CALCIUM ION)

Components: (none)

Holo BMRB 19789 | PDB 2MKP

pH=6 T=0 °C pressure=1 atm

Entities: cNTnC; sTnI(115-131); entity_CA

Components: (none)













holo_pdb: 2MKR | apo_pdb: 2GS0 | apo_bmrb: 6225 | holo_bmrb: 19791

Apo BMRB 6225 | PDB 2GS0

pH=n/a T=27 °C

Entities: Yeast Tfb1

Components: (none)

Holo BMRB 19791 | PDB 2MKR

pH=6.5 T=27 °C pressure=1 atm

Entities: Tfb1; EBNA2

Components: (none)













holo_pdb: 2MNU | apo_pdb: N/A | apo_bmrb: 4283 | holo_bmrb: 19906

Apo BMRB 4283 | PDB N/A

pH=7.5 T=n/a °C

Entities: fibronectin extra domain B

Components: (none)

Holo BMRB 19906 | PDB 2MNU

pH=6 T=0 °C pressure=1 atm

Entities: EDB; APT

Components: (none)

A.



B.



C.



D.



E.





holo_pdb: 2MPS | apo_pdb: N/A | apo_bmrb: 6612 | holo_bmrb: 18876

Apo BMRB 6612 | PDB N/A

pH=7.3 T=15 °C

Entities: Ubiquitin-protein ligase E3 Mdm2

(E.C.6.3.2.-)

Components: (none)

Holo BMRB 18876 | PDB 2MPS

pH=6.5 T=10 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2MS4 | apo_pdb: N/A | apo_bmrb: 2208 | holo_bmrb: 25104

Apo BMRB 2208 | PDB N/A

pH=6.5 T=20 °C

Entities: cyclophilin

Components: (none)

Holo BMRB 25104 | PDB 2MS4

pH=6.8 T=32 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)











holo_pdb: 2MUR | apo_pdb: N/A | apo_bmrb: 17769 | holo_bmrb: 25230

Apo BMRB 17769 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Ubiquitin

Components: (none)

Holo BMRB 25230 | PDB 2MUR

pH=7 T=25 °C pressure=1 atm

Entities: UBZ; Ubiquitin; entity_ZN (ZINC ION)

Components: (none)













holo_pdb: 2MWO | apo_pdb: 1SSF | apo_bmrb: 5878 | holo_bmrb: 25347

Apo BMRB 5878 | PDB 1SSF

pH=7.1 T=27 °C

Entities: p53 Binding Protein 1

Components: (none)

Holo BMRB 25347 | PDB 2MWO

pH=7.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2MWP | apo_pdb: 1SSF | apo_bmrb: 5878 | holo_bmrb: 25348

Apo BMRB 5878 | PDB 1SSF

pH=7.1 T=27 °C

Entities: p53 Binding Protein 1

Components: (none)

Holo BMRB 25348 | PDB 2MWP

pH=7.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2N0Y | apo_pdb: 2GS0 | apo_bmrb: 6225 | holo_bmrb: 25540

Apo BMRB 6225 | PDB 2GS0

pH=n/a T=27 °C

Entities: Yeast Tfb1

Components: (none)

Holo BMRB 25540 | PDB 2N0Y

pH=6.5 T=27 °C pressure=1 atm

Entities: RNA_polymerase_II_transcription_ factor_B_subunit_1; Non- structural_protein_NS-S

Components: (none)













holo_pdb: 2N1A | apo_pdb: N/A | apo_bmrb: 6304 | holo_bmrb: 25553

Apo BMRB 6304 | PDB N/A

pH=6.5 T=17 °C

Entities: SUMO-1

Components: (none)

Holo BMRB 25553 | PDB 2N1A

pH=6 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; ZN_1

Components: (none)













holo_pdb: 2N1G | apo_pdb: 2LSY | apo_bmrb: 18455 | holo_bmrb: 25559

Apo BMRB 18455 | PDB 2LSY

pH=7 T=0 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 25559 | PDB 2N1G

pH=7 T=0 °C pressure=1 atm

Entities: Rev1-CT; PolD3

Components: (none)











holo_pdb: 2N23 | apo_pdb: 2GS0 | apo_bmrb: 6225 | holo_bmrb: 25584

Apo BMRB 6225 | PDB 2GS0

pH=n/a T=27 °C

Entities: Yeast Tfb1

Components: (none)

Holo BMRB 25584 | PDB 2N23

pH=6.5 T=27 °C pressure=1 atm

Entities: RNA_polymerase_II_transcription_factor_B_subunit_1; N-terminal_transactivation_domain_of_Kruppel-like_factor_1

Components: (none)













holo_pdb: 2N8J | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 25852

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 25852 | PDB 2N8J

pH=7.2 T=25 °C pressure=1 atm

Entities: CaM; eNOS

Components: (none)













holo_pdb: 2N9E | apo_pdb: 2AWT | apo_bmrb: 6801 | holo_bmrb: 25901

Apo BMRB 6801 | PDB 2AWT

pH=6 T=30 °C

Entities: human SUMO-2

Components: (none)

Holo BMRB 25901 | PDB 2N9E

pH=7.3 T=0 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2N9X | apo_pdb: 1V49 | apo_bmrb: 5958 | holo_bmrb: 25919

Apo BMRB 5958 | PDB 1V49

pH=7 T=25 °C

Entities: microtubule-associated protein light chain-3

Components: (none)

Holo BMRB 25919 | PDB 2N9X

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2NCZ | apo_pdb: 2JNS | apo_bmrb: 15125 | holo_bmrb: 26041

Apo BMRB 15125 | PDB 2JNS

pH=7 T=25 °C pressure=1 atm

Entities: Brd4-ET domain

Components: (none)

Holo BMRB 26041 | PDB 2NCZ

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2ND0 | apo_pdb: 2JNS | apo_bmrb: 15125 | holo_bmrb: 26042

Apo BMRB 15125 | PDB 2JNS

pH=7 T=25 °C pressure=1 atm

Entities: Brd4-ET domain

Components: (none)

Holo BMRB 26042 | PDB 2ND0

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2ND1 | apo_pdb: 2JNS | apo_bmrb: 15125 | holo_bmrb: 26043

Apo BMRB 15125 | PDB 2JNS

pH=7 T=25 °C pressure=1 atm

Entities: Brd4-ET domain

Components: (none)

Holo BMRB 26043 | PDB 2ND1

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2NMB | apo_pdb: N/A | apo_bmrb: 4683 | holo_bmrb: 4263

Apo BMRB 4683 | PDB N/A

pH=6.5 T=30 °C

Entities: dNumb PTB

Components: (none)

Holo BMRB 4263 | PDB 2NMB

pH=6 T=30 °C pressure=1 bar

Entities: PTB domain of Drosophila Numb protein; GPpY peptide

Components: (none)













holo_pdb: 2OJ2 | apo_pdb: N/A | apo_bmrb: 4122 | holo_bmrb: 6581

Apo BMRB 4122 | PDB N/A

pH=6.2 T=25 °C pressure=1 atm

Entities: Hematopoietic cell kinase

Components: (none)

Holo BMRB 6581 | PDB 2OJ2

pH=6.7 T=25 °C pressure=1 atm

Entities: hematopoetic cell kinase SH3 domain; PD1 peptide

Components: (none)













holo_pdb: 2RQU | apo_pdb: 2RQT | apo_bmrb: 11081 | holo_bmrb: 11082

Apo BMRB 11081 | PDB 2RQT

pH=7.2 T=25 °C pressure=1 atm

Entities: DDEF1 SH3

Components: (none)

Holo BMRB 11082 | PDB 2RQU

pH=7.2 T=5 °C pressure=1 atm

Entities: DDEF1 SH3; APC SAMP1

Components: (none)













holo_pdb: 2RS9 | apo_pdb: N/A | apo_bmrb: 19125 | holo_bmrb: 11463

Apo BMRB 19125 | PDB N/A

pH=6.8 T=25 °C pressure=1 atm

Entities: BRPF1_bromodomain

Components: (none)

Holo BMRB 11463 | PDB 2RS9

pH=6.5 T=15 °C pressure=1 atm

Entities: An_acetylated-lysine_5_of_histone_4_peptide; Bromodomain

Components: (none)













holo_pdb: 2RUK | apo_pdb: N/A | apo_bmrb: 4901 | holo_bmrb: 11578

Apo BMRB 4901 | PDB N/A

pH=7.4 T=20 °C pressure=1 atm

Entities: human TFIIH p62 subunit

Components: (none)

Holo BMRB 11578 | PDB 2RUK

pH=6.8 T=32 °C pressure=1 atm

Entities: p53_TAD2; TFIIH_p62_PH_domain

Components: (none)











holo_pdb: 2RVB | apo_pdb: N/A | apo_bmrb: 4901 | holo_bmrb: 11594

Apo BMRB 4901 | PDB N/A

pH=7.4 T=20 °C pressure=1 atm

Entities: human TFIIH p62 subunit

Components: (none)

Holo BMRB 11594 | PDB 2RVB

pH=6.8 T=32 °C pressure=1 atm

Entities: XPC_acidic_domain;

TFIIH_p62_PH_domain

Components: (none)

A.



B.



C.



D.

E.





holo_pdb: 5J7J | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 30062

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;

CaCl2 1 mM

Holo BMRB 30062 | PDB 5J7J

pH=7 T=45 °C pressure=1 atm

Entities: Calmodulin; CALCIUM ION;

PHOSPHOTHREONINE, 1

Components: (none)











holo_pdb: 5J8H | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 30063

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;
CaCl2 1 mM

Holo BMRB 30063 | PDB 5J8H

pH=6.8 T=35 °C pressure=1 atm

Entities: Calmodulin; Eukaryotic
elongation factor 2 kinase; CALCIUM ION

Components: (none)













holo_pdb: 5LVF | apo_pdb: 2L0I | apo_bmrb: 17044 | holo_bmrb: 34041

Apo BMRB 17044 | PDB 2L0I

pH=7.4 T=25 °C pressure=1 atm

Entities: Rtt103; CTD

Components: (none)

Holo BMRB 34041 | PDB 5LVF

pH=6.8 T=20 °C pressure=760 mmHg

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 5M9D | apo_pdb: 2L0I | apo_bmrb: 17044 | holo_bmrb: 34058

Apo BMRB 17044 | PDB 2L0I

pH=7.4 T=25 °C pressure=1 atm

Entities: Rtt103; CTD

Components: (none)

Holo BMRB 34058 | PDB 5M9D

pH=6.8 T=25 °C pressure=760 mmHg

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 5OEO | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 34161

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;
CaCl2 1 mM

Holo BMRB 34161 | PDB 5OEO

pH=7.4 T=35 °C pressure=1 atm

Entities: entity_1; entity_2; entity_CA
(CALCIUM ION)

Components: (none)









holo_pdb: 5TP6 | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 30196

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM;
CaCl2 1 mM

Holo BMRB 30196 | PDB 5TP6

pH=6 T=25 °C pressure=1 atm

Entities: Calmodulin; Nitric oxide
synthase, inducible

Components: (none)

A.



B.



C.



D.



E.





holo_pdb: 5URN | apo_pdb: 2GS0 | apo_bmrb: 6225 | holo_bmrb: 30243

Apo BMRB 6225 | PDB 2GS0

pH=n/a T=27 °C

Entities: Yeast Tfb1

Components: (none)

Holo BMRB 30243 | PDB 5URN

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 5VF0 | apo_pdb: N/A | apo_bmrb: 17769 | holo_bmrb: 30276

Apo BMRB 17769 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Ubiquitin

Components: (none)

Holo BMRB 30276 | PDB 5VF0

pH=6 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; entity_ZN

(ZINC ION)

Components: (none)













holo_pdb: 5XV8 | apo_pdb: N/A | apo_bmrb: 4901 | holo_bmrb: 36101

Apo BMRB 4901 | PDB N/A

pH=7.4 T=20 °C pressure=1 atm

Entities: human TFIIH p62 subunit

Components: (none)

Holo BMRB 36101 | PDB 5XV8

pH=6.8 T=32 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)







holo_pdb: 6BGG | apo_pdb: 2JNS | apo_bmrb: 30782 | holo_bmrb: 30367

Apo BMRB 30782 | PDB 2JNS

pH=7 T=25 °C pressure=1 atm

Entities: entity_1

Components: Brd3 ET Domain 0.5 mM; sodium chloride 100 mM; Na3PO4 20 mM; 2-mercapto ethanol 2 mM

Holo BMRB 30367 | PDB 6BGG

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6BNH | apo_pdb: 2JNS | apo_bmrb: 15125 | holo_bmrb: 30373

Apo BMRB 15125 | PDB 2JNS

pH=7 T=25 °C pressure=1 atm

Entities: Brd4-ET domain

Components: (none)

Holo BMRB 30373 | PDB 6BNH

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6BUT | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 27095

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM; CaCl2 1 mM

Holo BMRB 27095 | PDB 6BUT

pH=6.5 T=25 °C pressure=1 atm

Entities: Calmodulin; Voltage-gated_sodium_channel_NaV1-2_IQ_motif_peptide

Components: (none)











holo_pdb: 6H8C | apo_pdb: N/A | apo_bmrb: 18827 | holo_bmrb: 34307

Apo BMRB 18827 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: GABARAPL2

Components: (none)

Holo BMRB 34307 | PDB 6H8C

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)











holo_pdb: 6IJQ | apo_pdb: 2M03 | apo_bmrb: 18792 | holo_bmrb: 36133

Apo BMRB 18792 | PDB 2M03

pH=7 T=0 °C pressure=1 atm

Entities: BCL-xL_apo

Components: (none)

Holo BMRB 36133 | PDB 6IJQ

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6R5G | apo_pdb: N/A | apo_bmrb: 28070 | holo_bmrb: 34384

Apo BMRB 28070 | PDB N/A

pH=6.8 T=25 °C pressure=1 atm

Entities: cSH2

Components: (none)

Holo BMRB 34384 | PDB 6R5G

pH=6.8 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 7L8V | apo_pdb: N/A | apo_bmrb: 26682 | holo_bmrb: 27692

Apo BMRB 26682 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: CaM12

Components: (none)

Holo BMRB 27692 | PDB 7L8V

pH=7.5 T=30 °C pressure=1 atm

Entities: Calmodulin

Components: (none)









holo_pdb: 7NQC | apo_pdb: N/A | apo_bmrb: 51289 | holo_bmrb: 34608

Apo BMRB 51289 | PDB N/A

pH=7 T=35 °C pressure=1 atm

Entities: entity_1; entity_CA

Components: Calmodulin 0.5 mM; TRIS 20 mM; CaCl2 1 mM

Holo BMRB 34608 | PDB 7NQC

pH=6.7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; entity_CA; entity_ULW

Components: Calmodulin 0.8 mM; RalA HVR 0.8 mM; NaCl 100 mM; CaCl2 8 mM; MgCl2 1 mM













holo_pdb: 7OVC | apo_pdb: N/A | apo_bmrb: 6546 | holo_bmrb: 34638

Apo BMRB 6546 | PDB N/A
pH=6.5 T=25 °C
Entities: human protein CGI-126: NESGC target HR41
Components: (none)

Holo BMRB 34638 | PDB 7OVC
pH=7.5 T=25 °C pressure=1 atm
Entities: entity_1; entity_2
Components: Ubiquitin-fold modifier-conjugating enzyme 1 1 mM; Ubiquitin-like modifier-activating enzyme 5 1 mM; TRIS 50 mM; sodium chloride 100 mM; TCEP 2 mM; AEBSF protease inhibitor 5 mM; DSS 0.15 mM













holo_pdb: 7JYZ | apo_pdb: 7JMY | apo_bmrb: 30782 | holo_bmrb: 30791

Apo BMRB 30782 | PDB 7JMY

pH=7 T=25 °C pressure=1 atm

Entities: entity_1

Components: Brd3 ET Domain 0.5 mM; sodium chloride 100 mM; Na3PO4 20 mM; 2-mercapto ethanol 2 mM

Holo BMRB 30791 | PDB 7JYZ

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: Brd3 ET 0.25 mM; MLV-IN-CTD 0.25 mM; sodium phosphate 20 mM; sodium chloride 100 mM; 2-mercaptoethanol 2 mM













holo_pdb: 7JQ8 | apo_pdb: 7JMY | apo_bmrb: 30782 | holo_bmrb: 30786

Apo BMRB 30782 | PDB 7JMY

pH=7 T=25 °C pressure=1 atm

Entities: entity_1

Components: Brd3 ET Domain 0.5 mM; sodium chloride 100 mM; Na3PO4 20 mM; 2-mercapto ethanol 2 mM

Holo BMRB 30786 | PDB 7JQ8

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: MLV IN TP 0.5 mM; sodium chloride 100 mM; sodium phosphate 20 mM; 2-mercaptoethanol 2 mM













holo_pdb: 7JYN | apo_pdb: 7JMY | apo_bmrb: 30782 | holo_bmrb: 30790

Apo BMRB 30782 | PDB 7JMY

pH=7 T=25 °C pressure=1 atm

Entities: entity_1

Components: Brd3 ET Domain 0.5 mM; sodium chloride 100 mM; Na3PO4 20 mM; 2-mercapto ethanol 2 mM

Holo BMRB 30790 | PDB 7JYN

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: NSD3(148-184) 0.5 mM; sodium chloride 100 mM; sodium phosphate 20 mM; 2-mercaptoethanol 2 mM













holo_pdb: 6XMN | apo_pdb: N/A | apo_bmrb: 30316 | holo_bmrb: 50331

Apo BMRB 30316 | PDB N/A

pH=7.3 T=40 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 50331 | PDB 6XMN

pH=6 T=30 °C pressure=1 atm

Entities: entity_1; entity_2

Components: CXCL8 0.5 mM; CXCL1 0.5 mM;
sodium phosphate 50 mM; sodium azide
0.01 %

A.



B.



C.



D.



E.





holo_pdb: 6FGP | apo_pdb: N/A | apo_bmrb: 16803 | holo_bmrb: 34232

Apo BMRB 16803 | PDB N/A

pH=3.8 T=37 °C pressure=1 atm

Entities: RANTES-E66S

Components: (none)

Holo BMRB 34232 | PDB 6FGP

pH=4.8 T=37 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2N55 | apo_pdb: N/A | apo_bmrb: 52209 | holo_bmrb: 25694

Apo BMRB 52209 | PDB N/A

pH=7.3 T=25 °C pressure=1 atm

Entities: entity_1

Components: CXCL12-LM 0.1 mM; sodium phosphate 20 mM; sodium chloride 150 mM; D2O 10 %; DSS 0.15 mM

Holo BMRB 25694 | PDB 2N55

pH=6.8 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2M0U | apo_pdb: N/A | apo_bmrb: 18824 | holo_bmrb: 18825

Apo BMRB 18824 | PDB N/A

pH=7.5 T=15 °C pressure=1 atm

Entities: PDZ1

Components: (none)

Holo BMRB 18825 | PDB 2M0U

pH=7.5 T=15 °C pressure=1 atm

Entities: PDZ1; CFTR

Components: (none)













holo_pdb: 2NBV | apo_pdb: N/A | apo_bmrb: 30824 | holo_bmrb: 25995

Apo BMRB 30824 | PDB N/A

pH=6.5 T=10 °C pressure=1 atm

Entities: entity_1; entity_XAY

Components: 13C_protein 0.4 mM; ligand 0.48 mM

Holo BMRB 25995 | PDB 2NBV

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2FIN | apo_pdb: N/A | apo_bmrb: 6809 | holo_bmrb: 7024

Apo BMRB 6809 | PDB N/A

pH=7 T=37 °C

Entities: vCCI

Components: (none)

Holo BMRB 7024 | PDB 2FIN

pH=7 T=37 °C

Entities: human MIP-1b; rabbitpox vCCI

Components: (none)













holo_pdb: 2I94 | apo_pdb: N/A | apo_bmrb: 5332 | holo_bmrb: 7293

Apo BMRB 5332 | PDB N/A

pH=6.7 T=37 °C

Entities: Recoverin; MYRISTIC ACID

Components: (none)

Holo BMRB 7293 | PDB 2I94

pH=7 T=37 °C

Entities: recoverin; rk25; CALCIUM (II)

ION 1

Components: (none)













holo_pdb: 2MPM | apo_pdb: N/A | apo_bmrb: 4155 | holo_bmrb: 19989

Apo BMRB 4155 | PDB N/A

pH=5 T=30 °C pressure=1 atm

Entities: Eotaxin

Components: (none)

Holo BMRB 19989 | PDB 2MPM

pH=7 T=40 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 7F7X | apo_pdb: N/A | apo_bmrb: 17769 | holo_bmrb: 36427

Apo BMRB 17769 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Ubiquitin

Components: (none)

Holo BMRB 36427 | PDB 7F7X

pH=7.4 T=25 °C pressure=1 bar

Entities: entity_1; entity_2

Components: Polyubiquitin-B 0.75 mM;

Ubiquilin-2 0.5 mM; HEPES 20 mM; sodium

chloride 0.15 M; H2O 90 %; D2O 10 %













holo_pdb: 7SFT | apo_pdb: N/A | apo_bmrb: 36097 | holo_bmrb: 30958

Apo BMRB 36097 | PDB N/A

pH=6.2 T=25 °C pressure=1 atm

Entities: FLN IG21 domain

Components: (none)

Holo BMRB 30958 | PDB 7SFT

pH=6.4 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: filamin Ig21 1 mM; Integrin alpha-IIb light chain 2 mM













holo_pdb: 2L29 | apo_pdb: N/A | apo_bmrb: 17128 | holo_bmrb: 17127

Apo BMRB 17128 | PDB N/A

pH=4.2 T=0 °C pressure=1 atm

Entities: domain_11

Components: (none)

Holo BMRB 17127 | PDB 2L29

pH=4.2 T=0 °C pressure=1 atm

Entities: HD11; IGF2

Components: (none)













holo_pdb: 2ROL | apo_pdb: N/A | apo_bmrb: 15710 | holo_bmrb: 11040

Apo BMRB 15710 | PDB N/A

pH=7.5 T=25 °C pressure=1 atm

Entities: Eps8L1SH3

Components: (none)

Holo BMRB 11040 | PDB 2ROL

pH=7.5 T=25 °C pressure=1 atm

Entities: Eps8L1SH3; CD3e peptide

Components: (none)













holo_pdb: 6FDT | apo_pdb: N/A | apo_bmrb: 19757 | holo_bmrb: 34224

Apo BMRB 19757 | PDB N/A

pH=6.4 T=20 °C pressure=1 atm

Entities: rpap3(281-396)

Components: (none)

Holo BMRB 34224 | PDB 6FDT

pH=6.4 T=20 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2PLD | apo_pdb: N/A | apo_bmrb: 5318 | holo_bmrb: 5310

Apo BMRB 5318 | PDB N/A

pH=6.4 T=30 °C

Entities: PLCC SH2

Components: (none)

Holo BMRB 5310 | PDB 2PLD

pH=6.4 T=30 °C

Entities: PLCC SH2; PDGFR-derived

phosphopeptide, residues 1018 to 1029

Components: (none)













holo_pdb: 1H8B | apo_pdb: N/A | apo_bmrb: 17627 | holo_bmrb: 4453

Apo BMRB 17627 | PDB N/A

pH=6.6 T=27 °C pressure=1 atm

Entities: Act2-EF34

Components: (none)

Holo BMRB 4453 | PDB 1H8B

pH=6.6 T=27 °C

Entities: alpha-actinin C-terminal EF-hands; titin Z-repeat 7

Components: (none)

A.



B.



C.



D.



E.





holo_pdb: 2RMK | apo_pdb: N/A | apo_bmrb: 5511 | holo_bmrb: 11010

Apo BMRB 5511 | PDB N/A

pH=6.8 T=25 °C
Entities: Rac1; GDP
(GUANOSINE-5'-DIPHOSPHATE); MG
(MAGNESIUM ION)
Components: (none)

Holo BMRB 11010 | PDB 2RMK

pH=7.4 T=25 °C pressure=1 atm
Entities: Rac1; PRK1_HR1b;
PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE
ESTER
Components: (none)













holo_pdb: 1I5H | apo_pdb: N/A | apo_bmrb: 26698 | holo_bmrb: 4963

Apo BMRB 26698 | PDB N/A

pH=7.5 T=0 °C pressure=1 atm

Entities: Nedd4_WW3

Components: (none)

Holo BMRB 4963 | PDB 1I5H

pH=6.5 T=30 °C pressure=1.013 atm

Entities: rat Nedd4 WWIII domain; rat epithelial Na+ Channel, bP2 region

Components: (none)













holo_pdb: 2MZD | apo_pdb: N/A | apo_bmrb: 34231 | holo_bmrb: 25484

Apo BMRB 34231 | PDB N/A

pH=6.3 T=30 °C pressure=1 mbar

Entities: entity_1; entity_ZN (ZINC ION)

Components: (none)

Holo BMRB 25484 | PDB 2MZD

pH=6.3 T=0 °C pressure=1 atm

Entities: Taz2_domain_of_Histone_Acetyltransferase_p300; TAD2_sub-domain_of_Cellular_Tumor_Antigen_p53

Components: (none)













holo_pdb: 2N8T | apo_pdb: N/A | apo_bmrb: 25866 | holo_bmrb: 25865

Apo BMRB 25866 | PDB N/A

pH=7.5 T=25 °C pressure=1 atm

Entities: rNedd4_WW2

Components: (none)

Holo BMRB 25865 | PDB 2N8T

pH=7.5 T=25 °C pressure=1 atm

Entities: rNedd4_WW2; Cx43CT_peptide

Components: (none)













holo_pdb: 2K8F | apo_pdb: N/A | apo_bmrb: 34231 | holo_bmrb: 15944

Apo BMRB 34231 | PDB N/A

pH=6.3 T=30 °C pressure=1 mbar

Entities: entity_1; entity_ZN (ZINC ION)

Components: (none)

Holo BMRB 15944 | PDB 2K8F

pH=6.3 T=35 °C pressure=1 atm

Entities: TAZ2; TAD(1-39)

Components: (none)













holo_pdb: 2M5B | apo_pdb: N/A | apo_bmrb: 50942 | holo_bmrb: 19045

Apo BMRB 50942 | PDB N/A

pH=6.8 T=30 °C pressure=1 atm

Entities: entity_1

Components: Bak 200 uM; sodium phosphate 20 mM; EDTA 0.5 mM; DTT 2 mM

Holo BMRB 19045 | PDB 2M5B

pH=6.8 T=27 °C pressure=1 atm

Entities: human_cBAK; human_BID_BH3_SAHB

Components: (none)













holo_pdb: 5U5S | apo_pdb: N/A | apo_bmrb: 50149 | holo_bmrb: 30206

Apo BMRB 50149 | PDB N/A

pH=7.2 T=25 °C pressure=1 atm

Entities: The second bromodomain of BRD2

Components: DSS 0.01 mM; TRIS 10 mM;
sodium chloride 100 mM; DTT 1 mM

Holo BMRB 30206 | PDB 5U5S

pH=7.4 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 1DDM | apo_pdb: N/A | apo_bmrb: 4683 | holo_bmrb: 4263

Apo BMRB 4683 | PDB N/A

pH=6.5 T=30 °C

Entities: dNumb PTB

Components: (none)

Holo BMRB 4263 | PDB 1DDM

pH=6 T=30 °C pressure=1 bar

Entities: PTB domain of Drosophila Numb protein; GPpY peptide

Components: (none)













holo_pdb: 1PD7 | apo_pdb: N/A | apo_bmrb: 6899 | holo_bmrb: 5808

Apo BMRB 6899 | PDB N/A

pH=6.3 T=20 °C

Entities: PAH2 domain

Components: (none)

Holo BMRB 5808 | PDB 1PD7

pH=6.3 T=20 °C

Entities: PAH2 domain; Mad1

Components: (none)













holo_pdb: 1KLQ | apo_pdb: N/A | apo_bmrb: 52275 | holo_bmrb: 5299

Apo BMRB 52275 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: entity_1

Components: O-Mad2 FL R133A 100 uM; HEPES 20 mM; sodium chloride 100 mM; TCEP 1 mM

Holo BMRB 5299 | PDB 1KLQ

pH=7.4 T=30 °C pressure=1 atm

Entities: mitotic checkpoint protein Mad2; Mad2-binding peptide

Components: (none)













holo_pdb: 1M4P | apo_pdb: N/A | apo_bmrb: 50765 | holo_bmrb: 5532

Apo BMRB 50765 | PDB N/A

pH=6.1 T=25 °C pressure=1 atm

Entities: entity_1

Components: Tsg101_UEV 330 uM; sodium phosphate 50 mM; sodium chloride 50 mM; EDTA 0.1 mM

Holo BMRB 5532 | PDB 1M4P

pH=5.5 T=18 °C

Entities: Tumor Susceptibility gene 101 protein; Gag

Components: (none)













holo_pdb: 1N7T | apo_pdb: N/A | apo_bmrb: 18785 | holo_bmrb: 5631

Apo BMRB 18785 | PDB N/A

pH=6.5 T=27.55 °C pressure=1 atm

Entities: Erbin_PDZ_WT

Components: (none)

Holo BMRB 5631 | PDB 1N7T

pH=6.5 T=25 °C pressure=1 atm

Entities: kalata B1; 99-MER PEPTIDE

Components: (none)













holo_pdb: 1NPQ | apo_pdb: N/A | apo_bmrb: 4232 | holo_bmrb: 5738

Apo BMRB 4232 | PDB N/A

pH=6.7 T=4 °C pressure=1 atm

Entities: apoTroponin-C

Components: (none)

Holo BMRB 5738 | PDB 1NPQ

pH=6.5 T=30 °C pressure=1 atm

Entities: Troponin C; Troponin I; CA

(CALCIUM ION)

Components: (none)













holo_pdb: 1ONV | apo_pdb: N/A | apo_bmrb: 27288 | holo_bmrb: 5685

Apo BMRB 27288 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: RAP74-CTD

Components: (none)

Holo BMRB 5685 | PDB 1ONV

pH=6.5 T=27 °C

Entities: RAP74; FCP1

Components: (none)













holo_pdb: 1YWI | apo_pdb: N/A | apo_bmrb: 6558 | holo_bmrb: 6559

Apo BMRB 6558 | PDB N/A

pH=6 T=25 °C pressure=1 atm

Entities: Formin-binding protein 3

Components: (none)

Holo BMRB 6559 | PDB 1YWI

pH=6 T=25 °C pressure=1 atm

Entities: Formin-binding protein 3; Formin

Components: (none)













holo_pdb: 2B0F | apo_pdb: N/A | apo_bmrb: 5659 | holo_bmrb: 6823

Apo BMRB 5659 | PDB N/A

pH=6.5 T=25 °C

Entities: HRV14-3C

Components: (none)

Holo BMRB 6823 | PDB 2B0F

pH=6.5 T=25 °C

Entities: HRV14-3C protease with Acetyl-LEALFQ-ethylpropeonate; Acetyl-LEALFQ-ethylpropeonate

Components: (none)













holo_pdb: 2BN5 | apo_pdb: N/A | apo_bmrb: 6691 | holo_bmrb: 6690

Apo BMRB 6691 | PDB N/A

pH=6.5 T=17 °C

Entities: PSI AB box

Components: (none)

Holo BMRB 6690 | PDB 2BN5

pH=6.5 T=17 °C

Entities: PSI AB box; U1-70k peptide

Components: (none)












Apo / Holo CS-list Seq_ID alignment
Apo * Y S A Q W I E Y Y K Q M G S * R E A E M I E Q Q M K A K Q X X X

holo_pdb: 2C52 | apo_pdb: N/A | apo_bmrb: 15398 | holo_bmrb: 6874

Apo BMRB 15398 | PDB N/A

pH=6.7 T=31 °C pressure=1 atm

Entities: CBP

Components: (none)

Holo BMRB 6874 | PDB 2C52

pH=7 T=25 °C

Entities: CREB-Binding Protein; Steroid

Receptor Coactivator -1

Components: (none)













holo_pdb: 2CZY | apo_pdb: N/A | apo_bmrb: 27227 | holo_bmrb: 6749

Apo BMRB 27227 | PDB N/A

pH=7.2 T=25 °C pressure=1 atm

Entities: mSin3B

Components: (none)

Holo BMRB 6749 | PDB 2CZY

pH=7.5 T=20 °C

Entities: mSin3B PAH1; NRSF/REST

Components: (none)













holo_pdb: 2FFK | apo_pdb: N/A | apo_bmrb: 6809 | holo_bmrb: 7024

Apo BMRB 6809 | PDB N/A

pH=7 T=37 °C

Entities: vCCI

Components: (none)

Holo BMRB 7024 | PDB 2FFK

pH=7 T=37 °C

Entities: human MIP-1b; rabbitpox vCCI

Components: (none)













holo_pdb: 2G35 | apo_pdb: N/A | apo_bmrb: 15792 | holo_bmrb: 7061

Apo BMRB 15792 | PDB N/A

pH=6.8 T=25 °C pressure=1 atm

Entities: talin-F2F3

Components: (none)

Holo BMRB 7061 | PDB 2G35

pH=6.3 T=25 °C

Entities: Talin-1; SWVXSPLH

Components: (none)













holo_pdb: 2H7D | apo_pdb: N/A | apo_bmrb: 15792 | holo_bmrb: 7150

Apo BMRB 15792 | PDB N/A

pH=6.8 T=25 °C pressure=1 atm

Entities: talin-F2F3

Components: (none)

Holo BMRB 7150 | PDB 2H7D

pH=6.1 T=25 °C

Entities: Talin_F3; Beta3integrin-PIPKIg

chimeric peptide

Components: (none)













holo_pdb: 2JMF | apo_pdb: N/A | apo_bmrb: 6262 | holo_bmrb: 15016

Apo BMRB 6262 | PDB N/A

pH=7.1 T=15 °C pressure=1 atm

Entities: CG4244-PB

Components: (none)

Holo BMRB 15016 | PDB 2JMF

pH=6.75 T=20 °C pressure=1 atm

Entities: Su(dx); Notch

Components: (none)












Apo / Holo CS-list Seq_ID alignment
Apo P E F H M D A L G P L P D G W E K K I Q S D N R V Y F V N H K N R T T Q W E - D - P - R - T - Q - G - Q - E - V S L I N 51
Holo - - -

holo_pdb: 2JMX | apo_pdb: N/A | apo_bmrb: 6564 | holo_bmrb: 15072

Apo BMRB 6564 | PDB N/A

pH=6.5 T=27 °C

Entities: Nt OSCP

Components: (none)

Holo BMRB 15072 | PDB 2JMX

pH=6.5 T=27 °C pressure=1 atm

Entities: oscp-nt; alpha-nt

Components: (none)













holo_pdb: 2JXC | apo_pdb: N/A | apo_bmrb: 4184 | holo_bmrb: 15554

Apo BMRB 4184 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: eps15 homology domain; entity_CA

Components: (none)

Holo BMRB 15554 | PDB 2JXC

pH=7 T=22 °C pressure=1 atm

Entities: EH2; Stonin_peptide; CA (CALCIUM ION)

Components: (none)













holo_pdb: 2K17 | apo_pdb: N/A | apo_bmrb: 15670 | holo_bmrb: 15671

Apo BMRB 15670 | PDB N/A

pH=7 T=20 °C pressure=1 atm

Entities: TAF3_PHD; ZN (ZINC ION)

Components: (none)

Holo BMRB 15671 | PDB 2K17

pH=7 T=20 °C pressure=1 atm

Entities: TAF3_PHD; H3K4me3; ZN (ZINC ION)

Components: (none)













holo_pdb: 2KOH | apo_pdb: N/A | apo_bmrb: 27205 | holo_bmrb: 16507

Apo BMRB 27205 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Par3_PDZ3_domain

Components: (none)

Holo BMRB 16507 | PDB 2KOH

pH=6 T=25 °C pressure=1 atm

Entities: MmPar3_PDZ3; MmVE-Cadherin

Components: (none)













holo_pdb: 2K6Q | apo_pdb: N/A | apo_bmrb: 5958 | holo_bmrb: 15877

Apo BMRB 5958 | PDB N/A

pH=7 T=25 °C

Entities: microtubule-associated protein light chain-3

Components: (none)

Holo BMRB 15877 | PDB 2K6Q

pH=7 T=25 °C pressure=1 atm

Entities: LC3; p62_peptide

Components: (none)













holo_pdb: 2KC8 | apo_pdb: N/A | apo_bmrb: 16066 | holo_bmrb: 16065

Apo BMRB 16066 | PDB N/A

pH=6.5 T=23.35 °C pressure=1 atm

Entities: RelE

Components: (none)

Holo BMRB 16065 | PDB 2KC8

pH=6.5 T=23.35 °C pressure=1 atm

Entities: RelE; RelBc

Components: (none)













holo_pdb: 2KFT | apo_pdb: N/A | apo_bmrb: 6374 | holo_bmrb: 16878

Apo BMRB 6374 | PDB N/A

pH=n/a T=22 °C

Entities: first PHD finger of AIRE1; ZN (ZINC ION)

Components: (none)

Holo BMRB 16878 | PDB 2KFT

pH=7 T=25 °C pressure=1 atm

Entities: AIRE_PHD_finger_1; Histone_H3_1-20Cys; ZN (ZINC ION)

Components: (none)







Apo / Holo CS-list Seq_ID alignment

| | | |

holo_pdb: 2L1R | apo_pdb: N/A | apo_bmrb: 30966 | holo_bmrb: 17103

Apo BMRB 30966 | PDB N/A

pH=7.2 T=20 °C pressure=1 atm

Entities: entity_1; entity_C9W

Components: cTnC-TnI chimera 1 mM

Holo BMRB 17103 | PDB 2L1R

pH=6.8 T=0 °C pressure=1 atm

Entities: cNTnC; cTnI(144-163); CA

(CALCIUM ION)

Components: (none)













holo_pdb: 2MZP | apo_pdb: N/A | apo_bmrb: 30966 | holo_bmrb: 25495

Apo BMRB 30966 | PDB N/A

pH=7.2 T=20 °C pressure=1 atm

Entities: entity_1; entity_C9W

Components: cTnC-TnI chimera 1 mM

Holo BMRB 25495 | PDB 2MZP

pH=6.1 T=30 °C pressure=1 atm

Entities: cNTnC; cTnIA162H; entity_CA

(CALCIUM ION)

Components: (none)

A.



B.



C.



D.



E.





holo_pdb: 1LXF | apo_pdb: N/A | apo_bmrb: 30966 | holo_bmrb: 5386

Apo BMRB 30966 | PDB N/A

pH=7.2 T=20 °C pressure=1 atm
Entities: entity_1; entity_C9W
Components: cTnC-TnI chimera 1 mM

Holo BMRB 5386 | PDB 1LXF

pH=6.7 T=30 °C
Entities: human cardiac troponin C, regulatory domain; human cardiac troponin I, residues 147 to 163; BEP (1-ISOBUTOXY-2-PYRROLIDINO-3[N-BENZYLANILINO] PROPANE)
Components: (none)













holo_pdb: 2KGI | apo_pdb: N/A | apo_bmrb: 16209 | holo_bmrb: 16210

Apo BMRB 16209 | PDB N/A

pH=7 T=20.05 °C pressure=1 atm

Entities: JARID1A_PHD_finger_3; ZN (ZINC ION)

Components: (none)

Holo BMRB 16210 | PDB 2KGI

pH=7 T=20.05 °C pressure=1 atm

Entities: JARID1A_PHD_finger_3; H3(1-9)K4me3; ZN (ZINC ION)

Components: (none)













holo_pdb: 2KID | apo_pdb: N/A | apo_bmrb: 4879 | holo_bmrb: 16270

Apo BMRB 4879 | PDB N/A

pH=n/a T=35 °C

Entities: Staphyloccal Sortase

Components: (none)

Holo BMRB 16270 | PDB 2KID

pH=6 T=29 °C pressure=1 atm

Entities: Sortase_A; Cbz-LPAT; FORMIC ACID

BENZYL ESTER

Components: (none)













holo_pdb: 2KJ4 | apo_pdb: N/A | apo_bmrb: 4276 | holo_bmrb: 16311

Apo BMRB 4276 | PDB N/A

pH=5.1 T=37 °C

Entities: Plasminogen; AMH (TRANS-4-AMINOMETHYLCYCLOHEXANE-1-CARBOXYLIC ACID)

Components: (none)

Holo BMRB 16311 | PDB 2KJ4

pH=7 T=25 °C pressure=1 atm

Entities: plasminogen kringle 2; VEK-30

Components: (none)













holo_pdb: 2KNH | apo_pdb: N/A | apo_bmrb: 7396 | holo_bmrb: 16467

Apo BMRB 7396 | PDB N/A

pH=6.8 T=20 °C pressure=1

Entities: Protein_ET0

Components: (none)

Holo BMRB 16467 | PDB 2KNH

pH=6 T=30 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2KPL | apo_pdb: N/A | apo_bmrb: 6911 | holo_bmrb: 16559

Apo BMRB 6911 | PDB N/A

pH=6.8 T=22 °C

Entities: MAGI PDZ1

Components: (none)

Holo BMRB 16559 | PDB 2KPL

pH=6.8 T=22 °C pressure=1 atm

Entities: MAGI-1_PDZ1; E6CT

Components: (none)













holo_pdb: 2KSP | apo_pdb: N/A | apo_bmrb: 15279 | holo_bmrb: 16671

Apo BMRB 15279 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: EH domain of EHD1; CA (CALCIUM ION)

Components: (none)

Holo BMRB 16671 | PDB 2KSP

pH=7 T=25 °C pressure=1 atm

Entities: EH_domain_of_EHD1; MICAL_L1_like_peptide; CALCIUM ION

Components: (none)













holo_pdb: 2KTB | apo_pdb: N/A | apo_bmrb: 51472 | holo_bmrb: 16694

Apo BMRB 51472 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1

Components: entity_1; sodium phosphate 100 mM; sodium chloride 100 mM; sodium azide 0.02 % (w/v)

Holo BMRB 16694 | PDB 2KTB

pH=6.5 T=25 °C pressure=1 atm

Entities: H3_Peptide; Polybromo_Bromdomain2

Components: (none)







Apo / Holo CS-list Seq_ID alignment

| | | |

holo_pdb: 2KVM | apo_pdb: N/A | apo_bmrb: 15674 | holo_bmrb: 16778

Apo BMRB 15674 | PDB N/A

pH=7.4 T=25 °C pressure=1 atm

Entities: cbx7

Components: (none)

Holo BMRB 16778 | PDB 2KVM

pH=7.4 T=25 °C pressure=1 atm

Entities: CBX7_chromodomain;

H3K27me2_peptide

Components: (none)













holo_pdb: 2KYL | apo_pdb: N/A | apo_bmrb: 15972 | holo_bmrb: 16967

Apo BMRB 15972 | PDB N/A

pH=7.5 T=25 °C pressure=1 atm

Entities: Mast205

Components: (none)

Holo BMRB 16967 | PDB 2KYL

pH=7.5 T=25 °C pressure=1 atm

Entities: MAST2-PDZ; PTEN-C_Terminus

Components: (none)













holo_pdb: 2KZU | apo_pdb: N/A | apo_bmrb: 17018 | holo_bmrb: 17019

Apo BMRB 17018 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: DAXX

Components: (none)

Holo BMRB 17019 | PDB 2KZU

pH=6.5 T=25 °C pressure=1 atm

Entities: DAXX; Rassf1C

Components: (none)













holo_pdb: 2L0Y | apo_pdb: N/A | apo_bmrb: 15763 | holo_bmrb: 17067

Apo BMRB 15763 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: Human_Mia40

Components: (none)

Holo BMRB 17067 | PDB 2L0Y

pH=7 T=25 °C pressure=1 atm

Entities: Mia40; Cox17

Components: (none)













holo_pdb: 2L4T | apo_pdb: N/A | apo_bmrb: 17254 | holo_bmrb: 17255

Apo BMRB 17254 | PDB N/A

pH=6.5 T=0 °C pressure=1 atm

Entities:

Glutaminase_Interacting_Protein_3

Components: (none)

Holo BMRB 17255 | PDB 2L4T

pH=6.5 T=0 °C pressure=1 atm

Entities:

Glutaminase_Interacting_Protein_3;

Glutaminase_L_peptide

Components: (none)













holo_pdb: 2L5E | apo_pdb: N/A | apo_bmrb: 50148 | holo_bmrb: 17270

Apo BMRB 50148 | PDB N/A

pH=7.2 T=25 °C pressure=1 atm

Entities: The first bromodomain of BRD3

Components: DSS 0.01 mM; TRIS 10 mM;
sodium chloride 100 mM; DTT 1 mM

Holo BMRB 17270 | PDB 2L5E

pH=7 T=25 °C pressure=1 atm

Entities: Brd3; GATA-1_C-tail

Components: (none)













holo_pdb: 2LBM | apo_pdb: N/A | apo_bmrb: 15001 | holo_bmrb: 17569

Apo BMRB 15001 | PDB N/A

pH=6.7 T=27 °C pressure=1 atm

Entities: ADD_domain_156-296; ZN (ZINC ION)

Components: (none)

Holo BMRB 17569 | PDB 2LBM

pH=7 T=27 °C pressure=1 atm

Entities: ATRX_ADD_domain; H3_tail_1-15_K9me3; ZN (ZINC ION)

Components: (none)











holo_pdb: 2LE8 | apo_pdb: N/A | apo_bmrb: 16396 | holo_bmrb: 17702

Apo BMRB 16396 | PDB N/A

pH=6.5 T=37 °C pressure=1 atm

Entities: CBD

Components: (none)

Holo BMRB 17702 | PDB 2LE8

pH=6.5 T=37 °C pressure=1 atm

Entities: protein_comp1; protein_comp2

Components: (none)













holo_pdb: 2LI5 | apo_pdb: N/A | apo_bmrb: 16835 | holo_bmrb: 17879

Apo BMRB 16835 | PDB N/A

pH=6.8 T=24 °C pressure=1 atm

Entities: Atg8_K26P

Components: (none)

Holo BMRB 17879 | PDB 2LI5

pH=6.8 T=25 °C pressure=1 atm

Entities: Atg8K26P; ATG7C30

Components: (none)











Apo / Holo CS-list Seq_ID alignment

| | | |

holo_pdb: 2LOZ | apo_pdb: N/A | apo_bmrb: 10318 | holo_bmrb: 17364

Apo BMRB 10318 | PDB N/A

pH=7 T=23 °C pressure=1 atm

Entities: PTB domain

Components: (none)

Holo BMRB 17364 | PDB 2LOZ

pH=7 T=25 °C pressure=1 atm

Entities: PTB_domian; DLC1_peptide

Components: (none)













holo_pdb: 2LP0 | apo_pdb: N/A | apo_bmrb: 25142 | holo_bmrb: 17407

Apo BMRB 25142 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 17407 | PDB 2LP0

pH=6.5 T=23 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2LP8 | apo_pdb: N/A | apo_bmrb: 18250 | holo_bmrb: 18238

Apo BMRB 18250 | PDB N/A

pH=7.3 T=25 °C pressure=1 atm

Entities: BCL-XL

Components: (none)

Holo BMRB 18238 | PDB 2LP8

pH=7.3 T=25 °C pressure=1 atm

Entities: BCL-XL; PHOTOSWITCHABLE_BAK; 33B

Components: (none)













holo_pdb: 2LTO | apo_pdb: N/A | apo_bmrb: 10276 | holo_bmrb: 18490

Apo BMRB 10276 | PDB N/A

pH=7 T=23 °C pressure=1 atm

Entities: Tudor domain

Components: (none)

Holo BMRB 18490 | PDB 2LTO

pH=8 T=20 °C pressure=1 atm

Entities: entity_1; TDRD3_2

Components: (none)









holo_pdb: 2LXM | apo_pdb: N/A | apo_bmrb: 18681 | holo_bmrb: 18682

Apo BMRB 18681 | PDB N/A

pH=6.3 T=25 °C pressure=1 atm

Entities: LIP5

Components: (none)

Holo BMRB 18682 | PDB 2LXM

pH=6.3 T=25 °C pressure=1 atm

Entities: LIP5(1-168); CHMP5(139-195)

Components: (none)













holo_pdb: 2LXS | apo_pdb: N/A | apo_bmrb: 6095 | holo_bmrb: 18694

Apo BMRB 6095 | PDB N/A

pH=5.5 T=27 °C

Entities: CBP KIX domain; C-MYB

Components: (none)

Holo BMRB 18694 | PDB 2LXS

pH=5.8 T=27 °C pressure=1 atm

Entities: KIX_1; KIX_2

Components: (none)













holo_pdb: 2M3M | apo_pdb: N/A | apo_bmrb: 17373 | holo_bmrb: 17942

Apo BMRB 17373 | PDB N/A

pH=6.9 T=0 °C pressure=1 atm

Entities: SAP97_PDZ2_polypeptide

Components: (none)

Holo BMRB 17942 | PDB 2M3M

pH=6.5 T=20 °C pressure=1 atm

Entities: hDlg;

E6_protein_fragment_of_HPV_type_51

Components: (none)













holo_pdb: 2MC6 | apo_pdb: N/A | apo_bmrb: 19428 | holo_bmrb: 19429

Apo BMRB 19428 | PDB N/A

pH=8.7 T=10 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 19429 | PDB 2MC6

pH=8.7 T=10 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2MH0 | apo_pdb: N/A | apo_bmrb: 34231 | holo_bmrb: 19610

Apo BMRB 34231 | PDB N/A

pH=6.3 T=30 °C pressure=1 mbar

Entities: entity_1; entity_ZN (ZINC ION)

Components: (none)

Holo BMRB 19610 | PDB 2MH0

pH=6.5 T=0 °C pressure=1 atm

Entities: ETAD1; Taz2

Components: (none)













holo_pdb: 2MNZ | apo_pdb: N/A | apo_bmrb: 19913 | holo_bmrb: 19914

Apo BMRB 19913 | PDB N/A

pH=7.2 T=20 °C pressure=1 atm

Entities: PHD1_finger_of_KDM5B; ZINC ION_1

Components: (none)

Holo BMRB 19914 | PDB 2MNZ

pH=7.4 T=20 °C pressure=1 atm

Entities: entity_1; entity_3; ZINC ION_1

Components: (none)













holo_pdb: 2MOW | apo_pdb: N/A | apo_bmrb: 17173 | holo_bmrb: 19954

Apo BMRB 17173 | PDB N/A

pH=8 T=20 °C pressure=1 atm

Entities: Nrd1_CID

Components: (none)

Holo BMRB 19954 | PDB 2MOW

pH=8 T=20 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2MV7 | apo_pdb: N/A | apo_bmrb: 18094 | holo_bmrb: 19516

Apo BMRB 18094 | PDB N/A

pH=6 T=0 °C pressure=1 atm

Entities: AF4-Af9 fusion

Components: (none)

Holo BMRB 19516 | PDB 2MV7

pH=6 T=25 °C pressure=1 atm

Entities: Protein_AF-9; Dot1L_Histone-lysine_N-methyltransferase

Components: (none)












Apo / Holo CS-list Seq_ID alignment
Apo * X L X L X X X * T K L L S P L * D T X X P Q S L M V K I T L D L L S R I P * P P * * P * X S D K Q I K N G E C D K A Y 60
Holo - - -

holo_pdb: 2MWN | apo_pdb: N/A | apo_bmrb: 15792 | holo_bmrb: 25343

Apo BMRB 15792 | PDB N/A

pH=6.8 T=25 °C pressure=1 atm

Entities: talin-F2F3

Components: (none)

Holo BMRB 25343 | PDB 2MWN

pH=6.8 T=0 °C pressure=1 atm

Entities: RIAM-N_peptide; Talin-F3

Components: (none)













holo_pdb: 2N3A | apo_pdb: N/A | apo_bmrb: 34537 | holo_bmrb: 25639

Apo BMRB 34537 | PDB N/A

pH=7.4 T=25 °C pressure=1 atm

Entities: entity_1

Components: LEDGF/p75 0.6 mM; TRIS 25 mM;
sodium chloride 200 mM; TCEP 1 mM

Holo BMRB 25639 | PDB 2N3A

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2N3K | apo_pdb: N/A | apo_bmrb: 15125 | holo_bmrb: 25649

Apo BMRB 15125 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: Brd4-ET domain

Components: (none)

Holo BMRB 25649 | PDB 2N3K

pH=7 T=25 °C pressure=1 atm

Entities: Brd4_ET; MLV_IN_EBM

Components: (none)











holo_pdb: 2N4Q | apo_pdb: N/A | apo_bmrb: 18094 | holo_bmrb: 25677

Apo BMRB 18094 | PDB N/A

pH=6 T=0 °C pressure=1 atm

Entities: AF4-Af9 fusion

Components: (none)

Holo BMRB 25677 | PDB 2N4Q

pH=6 T=25 °C pressure=1 atm

Entities: Chromobox_protein_homolog_8;
Protein_AF-9

Components: (none)













holo_pdb: 2ROZ | apo_pdb: N/A | apo_bmrb: 10235 | holo_bmrb: 10236

Apo BMRB 10235 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: Phosphotyrosine-Interaction Domain

Components: (none)

Holo BMRB 10236 | PDB 2ROZ

pH=7 T=23 °C pressure=1 atm

Entities: peptide from Amyloid beta A4 protein; C-terminal PID Domain

Components: (none)













holo_pdb: 2RQG | apo_pdb: N/A | apo_bmrb: 4915 | holo_bmrb: 10019

Apo BMRB 4915 | PDB N/A

pH=6.3 T=30 °C pressure=1 atm

Entities: C-terminal domain of PABP

Components: (none)

Holo BMRB 10019 | PDB 2RQG

pH=6.5 T=30 °C

Entities: PAM2-1; PABC domain

Components: (none)













holo_pdb: 2RR4 | apo_pdb: N/A | apo_bmrb: 11362 | holo_bmrb: 11115

Apo BMRB 11362 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: zf-CW domain; ZN (ZINC ION)

Components: (none)

Holo BMRB 11115 | PDB 2RR4

pH=7 T=25 °C pressure=1 atm

Entities: zf-CW domain; H3K4me3 peptide; ZN (ZINC ION)

Components: (none)













holo_pdb: 2RSY | apo_pdb: N/A | apo_bmrb: 7141 | holo_bmrb: 11508

Apo BMRB 7141 | PDB N/A

pH=7.5 T=25 °C pressure=1 atm

Entities: SH2; Cbp

Components: (none)

Holo BMRB 11508 | PDB 2RSY

pH=6 T=25 °C pressure=1 atm

Entities: Csk_SH2; Cbp_phosphopeptide

Components: (none)













holo_pdb: 2RUI | apo_pdb: N/A | apo_bmrb: 16811 | holo_bmrb: 11570

Apo BMRB 16811 | PDB N/A

pH=6 T=25 °C pressure=1 atm

Entities: SrtA

Components: (none)

Holo BMRB 11570 | PDB 2RUI

pH=6 T=25 °C pressure=1 atm

Entities: BaSrtA; Boc-LPAT*

Components: (none)













holo_pdb: 2YKA | apo_pdb: N/A | apo_bmrb: 16697 | holo_bmrb: 17693

Apo BMRB 16697 | PDB N/A

pH=6.2 T=30 °C pressure=1 atm

Entities: REF_54-155

Components: (none)

Holo BMRB 17693 | PDB 2YKA

pH=6.2 T=30 °C pressure=1 atm

Entities: RNA_AND_EXPORT_FACTOR-BINDING_PROTEIN_2; 52_KDA_IMMEDIATE-EARLY_PHOSPHOPROTEIN

Components: (none)













holo_pdb: 2YS5 | apo_pdb: N/A | apo_bmrb: 11095 | holo_bmrb: 11094

Apo BMRB 11095 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: PTB domain and 19-residue peptide

Components: (none)

Holo BMRB 11094 | PDB 2YS5

pH=7 T=25 °C pressure=1 atm

Entities: PTB domain; residues in database 1571-1589

Components: (none)













holo_pdb: 5GOW | apo_pdb: N/A | apo_bmrb: 4901 | holo_bmrb: 36013

Apo BMRB 4901 | PDB N/A

pH=7.4 T=20 °C pressure=1 atm

Entities: human TFIIH p62 subunit

Components: (none)

Holo BMRB 36013 | PDB 5GOW

pH=6.8 T=32 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)









holo_pdb: 5I22 | apo_pdb: N/A | apo_bmrb: 4871 | holo_bmrb: 30010

Apo BMRB 4871 | PDB N/A

pH=6.5 T=25 °C

Entities: Bin1 tumor suppressor

Components: (none)

Holo BMRB 30010 | PDB 5I22

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 5IAY | apo_pdb: N/A | apo_bmrb: 30703 | holo_bmrb: 30019

Apo BMRB 30703 | PDB N/A

pH=7.5 T=30 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 30019 | PDB 5IAY

pH=7.4 T=24 °C

Entities: E3 ubiquitin-protein ligase

UHRF1; Spacer

Components: (none)













holo_pdb: 5MF9 | apo_pdb: N/A | apo_bmrb: 34068 | holo_bmrb: 34067

Apo BMRB 34068 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 34067 | PDB 5MF9

pH=6.5 T=25 °C pressure=1 bar

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6CO4 | apo_pdb: N/A | apo_bmrb: 30824 | holo_bmrb: 25979

Apo BMRB 30824 | PDB N/A

pH=6.5 T=10 °C pressure=1 atm

Entities: entity_1; entity_XAY

Components: 13C_protein 0.4 mM; ligand 0.48 mM

Holo BMRB 25979 | PDB 6CO4

pH=6.5 T=25.05 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)

A.



B.



C.

D.



E.





holo_pdb: 6E5N | apo_pdb: N/A | apo_bmrb: 25544 | holo_bmrb: 30500

Apo BMRB 25544 | PDB N/A

pH=6.5 T=10 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 30500 | PDB 6E5N

pH=6.5 T=10.05 °C pressure=760 mmHg

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6FDP | apo_pdb: N/A | apo_bmrb: 19757 | holo_bmrb: 34223

Apo BMRB 19757 | PDB N/A

pH=6.4 T=20 °C pressure=1 atm

Entities: rpap3(281-396)

Components: (none)

Holo BMRB 34223 | PDB 6FDP

pH=6.4 T=20 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6G04 | apo_pdb: N/A | apo_bmrb: 34247 | holo_bmrb: 34248

Apo BMRB 34247 | PDB N/A

pH=7 T=20 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 34248 | PDB 6G04

pH=7 T=20 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6GC3 | apo_pdb: N/A | apo_bmrb: 17173 | holo_bmrb: 34260

Apo BMRB 17173 | PDB N/A

pH=8 T=20 °C pressure=1 atm

Entities: Nrd1_CID

Components: (none)

Holo BMRB 34260 | PDB 6GC3

pH=8 T=20 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6K5R | apo_pdb: N/A | apo_bmrb: 6801 | holo_bmrb: 36259

Apo BMRB 6801 | PDB N/A

pH=6 T=30 °C

Entities: human SUMO-2

Components: (none)

Holo BMRB 36259 | PDB 6K5R

pH=7.4 T=25 °C pressure=1 atm

Entities: Small ubiquitin-related modifier 3; ASP-THR-ALA-GLY-CYS-ILE-VAL-ILE-SEP-ASP-SEP-GLU

Components: Phosphorylated SIM from viral protein IE2 3 mM; H2O 90 %; D2O 10 %













holo_pdb: 6K5T | apo_pdb: N/A | apo_bmrb: 25299 | holo_bmrb: 36260

Apo BMRB 25299 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 36260 | PDB 6K5T

pH=7.4 T=25 °C pressure=1 atm

Entities: Small ubiquitin-related modifier 1; 12-mer from Viral transcription factor IE2

Components: SUMO1 0.3 mM; Phosphorylated SIM from viral protein IE2 3 mM; H2O 90 %; D2O 10 %













holo_pdb: 6QXZ | apo_pdb: N/A | apo_bmrb: 27250 | holo_bmrb: 27251

Apo BMRB 27250 | PDB N/A

pH=6.4 T=25 °C pressure=1 atm

Entities: CW42; entity_ZN (ZINC ION)

Components: (none)

Holo BMRB 27251 | PDB 6QXZ

pH=6.4 T=25 °C pressure=1 atm

Entities: CW42; H3K4me1; entity_ZN (ZINC ION)

Components: (none)













holo_pdb: 6RH6 | apo_pdb: N/A | apo_bmrb: 34394 | holo_bmrb: 34395

Apo BMRB 34394 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 34395 | PDB 6RH6

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)

A.



B.



C.



D.



E.



Apo / Holo CS-list Seq_ID alignment



holo_pdb: 7KLR | apo_pdb: N/A | apo_bmrb: 30808 | holo_bmrb: 30809

Apo BMRB 30808 | PDB N/A

pH=7.5 T=25 °C pressure=1 atm
Entities: entity_1; entity_ZN
Components: PHD1 900 uM; HEPES 50 mM; NaCl 150 mM; beta-mercaptoethanol 5 mM; ZnCl2 0.1 mM

Holo BMRB 30809 | PDB 7KLR

pH=7.5 T=25 °C pressure=1 atm
Entities: entity_1; entity_2; entity_ZN
Components: Histone lysine demethylase 5A, KDM5A 900 uM; Histone H3.1 4000 uM; HEPES 50 mM; sodium chloride 150 mM; beta-mercaptoethanol 5 mM; ZnCl2 0.1 mM













holo_pdb: 7PKU | apo_pdb: N/A | apo_bmrb: 50446 | holo_bmrb: 34661

Apo BMRB 50446 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 34661 | PDB 7PKU

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: sN3 500 uM; sUbl1 550 uM; sodium phosphate 50 mM; sodium chloride 250 mM; DTT 2 mM













holo_pdb: 7S5J | apo_pdb: N/A | apo_bmrb: 30926 | holo_bmrb: 30950

Apo BMRB 30926 | PDB N/A

pH=7 T=15 °C pressure=1 atm
Entities: entity_1
Components: C39 peptidase domain 675 uM; sodium phosphate 50 uM; sodium chloride 150 uM; DTT 5 mM; PBS buffer 50 mM

Holo BMRB 30950 | PDB 7S5J

pH=7 T=15 °C pressure=1 atm
Entities: entity_1; entity_2
Components: C39 peptidase domain 140 uM; CtA(5-37) peptide 255 uM; sodium phosphate 50 mM; sodium chloride 150 mM; DTT 5 mM













holo_pdb: 8SG2 | apo_pdb: N/A | apo_bmrb: 27579 | holo_bmrb: 31080

Apo BMRB 27579 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: Pin1

Components: (none)

Holo BMRB 31080 | PDB 8SG2

pH=6.66 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: PEPTIDYL-PROLYL CIS-TRANS ISOMERASE NIMA-INTERACTING 1 1.05 mM; The C-terminal tail of PKC 0.9 mM; imidazole 10 mM; potassium chloride 100 mM; TCEP 1 mM; sodium azide 0.02 % w/v











holo_pdb: 2MUR | apo_pdb: N/A | apo_bmrb: 25229 | holo_bmrb: 25230

Apo BMRB 25229 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: UBZ; entity_ZN (ZINC ION)

Components: (none)

Holo BMRB 25230 | PDB 2MUR

pH=7 T=25 °C pressure=1 atm

Entities: UBZ; Ubiquitin; entity_ZN (ZINC ION)

Components: (none)













holo_pdb: 2KWI | apo_pdb: N/A | apo_bmrb: 15524 | holo_bmrb: 15525

Apo BMRB 15524 | PDB N/A

pH=6.3 T=25 °C pressure=1 atm

Entities: RLIP76

Components: (none)

Holo BMRB 15525 | PDB 2KWI

pH=6.8 T=25 °C pressure=1 atm

Entities: RLIP76; RalB; GNP (PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER); MG (MAGNESIUM ION); HOH (WATER)

Components: (none)













holo_pdb: 2LY4 | apo_pdb: N/A | apo_bmrb: 11532 | holo_bmrb: 18709

Apo BMRB 11532 | PDB N/A

pH=6.4 T=20 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 18709 | PDB 2LY4

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 9R3Y | apo_pdb: N/A | apo_bmrb: 26643 | holo_bmrb: 34992

Apo BMRB 26643 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: GBD-Nck

Components: (none)

Holo BMRB 34992 | PDB 9R3Y

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: N-WASP GBD 0.5 mM; EspFu R5 0.6 mM; sodium phosphate 20 mM; sodium chloride 50 mM













holo_pdb: 2IPA | apo_pdb: N/A | apo_bmrb: 6075 | holo_bmrb: 15028

Apo BMRB 6075 | PDB N/A

pH=6.85 T=25 °C

Entities: Arsenate reductase

Components: (none)

Holo BMRB 15028 | PDB 2IPA

pH=6.85 T=30 °C pressure=1 atm

Entities: thioredoxin; arsenate_reductase

Components: (none)













holo_pdb: 2K6D | apo_pdb: N/A | apo_bmrb: 52081 | holo_bmrb: 15866

Apo BMRB 52081 | PDB N/A

pH=6 T=25 °C pressure=1 atm

Entities: entity_1

Components: MES 20 mM; sodium chloride 100 mM; CIN85 monomer 1 mM; DSS 0.5 mM; EDTA 0.5 mM; sodium azide 0.01 % w/v; TCEP 1 mM; D2O 5 % v/v

Holo BMRB 15866 | PDB 2K6D

pH=6.4 T=25 °C pressure=1 atm

Entities: CIN85 Sh3-C domain; ubiquitin

Components: (none)












Apo / Holo CS-list Seq_ID alignment
Apo * G I S Q D E Q L S K S S L R E T T G S E S D G G D S S S T K S E G A N G T V A T A A I Q P K K V K G V G F G D I F K D 60
Holo -
Apo K P I K L * P * S I E V E N D F L P V E K T I G K K L P A T T A T P D S S K T E M D S R T K S * * Y C K V I F P Y E A Q 120
Holo - - - - - - - - - - - - - - - - - - -

holo_pdb: 2JQR | apo_pdb: N/A | apo_bmrb: 4566 | holo_bmrb: 15301

Apo BMRB 4566 | PDB N/A

pH=7.4 T=27 °C

Entities: bovine adrenodoxin; FES (FE2/S2 (INORGANIC) CLUSTER)

Components: (none)

Holo BMRB 15301 | PDB 2JQR

pH=7.4 T=12 °C pressure=1 atm

Entities: Cytc; Adx; HEME C; FE2/S2 (INORGANIC) CLUSTER

Components: (none)













holo_pdb: 2K7A | apo_pdb: N/A | apo_bmrb: 5461 | holo_bmrb: 16809

Apo BMRB 5461 | PDB N/A

pH=7.4 T=25 °C

Entities: Interleukin-2 tyrosine kinase

src homology 2 domain

Components: (none)

Holo BMRB 16809 | PDB 2K7A

pH=7.4 T=25 °C pressure=1 atm

Entities: Itk_SH3_domain; Itk_SH2_domain

Components: (none)









holo_pdb: 2KVQ | apo_pdb: N/A | apo_bmrb: 15490 | holo_bmrb: 16788

Apo BMRB 15490 | PDB N/A

pH=6.4 T=25 °C pressure=1 atm

Entities: NusG

Components: (none)

Holo BMRB 16788 | PDB 2KVQ

pH=7.5 T=37 °C

Entities: NusE; NusG-CTD

Components: (none)













holo_pdb: 2LVO | apo_pdb: N/A | apo_bmrb: 18581 | holo_bmrb: 18582

Apo BMRB 18581 | PDB N/A

pH=7.2 T=25 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 18582 | PDB 2LVO

pH=7.2 T=25 °C pressure=1 atm

Entities: ubiquitin; gp78CUE

Components: (none)













holo_pdb: 2LZ6 | apo_pdb: N/A | apo_bmrb: 6457 | holo_bmrb: 18737

Apo BMRB 6457 | PDB N/A

pH=6.6 T=19 °C

Entities: Ubiquitin

Components: (none)

Holo BMRB 18737 | PDB 2LZ6

pH=6 T=25 °C pressure=1 atm

Entities: UBIQUITIN;

CD2-ASSOCIATED_PROTEIN

Components: (none)













holo_pdb: 2M0G | apo_pdb: N/A | apo_bmrb: 18802 | holo_bmrb: 18808

Apo BMRB 18802 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 18808 | PDB 2M0G

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2M0G | apo_pdb: N/A | apo_bmrb: 19034 | holo_bmrb: 18808

Apo BMRB 19034 | PDB N/A

pH=6 T=25 °C pressure=1 atm

Entities: U2AF

Components: (none)

Holo BMRB 18808 | PDB 2M0G

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2M5A | apo_pdb: N/A | apo_bmrb: 5656 | holo_bmrb: 19043

Apo BMRB 5656 | PDB N/A

pH=6.5 T=30 °C

Entities: staphylococcal protein A Z domain

Components: (none)

Holo BMRB 19043 | PDB 2M5A

pH=5.6 T=0 °C pressure=1 atm

Entities: Z_domain; ZpA963

Components: (none)













holo_pdb: 2M86 | apo_pdb: N/A | apo_bmrb: 15945 | holo_bmrb: 19230

Apo BMRB 15945 | PDB N/A

pH=6.5 T=20 °C pressure=1 atm

Entities: human_mdm2_N-terminal_domain

Components: (none)

Holo BMRB 19230 | PDB 2M86

pH=6.5 T=27 °C pressure=1 atm

Entities: Hdm2; MCo-PMI

Components: (none)













holo_pdb: 2MCN | apo_pdb: N/A | apo_bmrb: 6457 | holo_bmrb: 19447

Apo BMRB 6457 | PDB N/A

pH=6.6 T=19 °C

Entities: Ubiquitin

Components: (none)

Holo BMRB 19447 | PDB 2MCN

pH=6 T=25 °C pressure=1 atm

Entities: SH3A; Ubiquitin

Components: (none)













holo_pdb: 2MCN | apo_pdb: N/A | apo_bmrb: 16641 | holo_bmrb: 19447

Apo BMRB 16641 | PDB N/A

pH=6 T=25 °C pressure=1 atm

Entities: SH3-A

Components: (none)

Holo BMRB 19447 | PDB 2MCN

pH=6 T=25 °C pressure=1 atm

Entities: SH3A; Ubiquitin

Components: (none)













holo_pdb: 2MMA | apo_pdb: N/A | apo_bmrb: 19849 | holo_bmrb: 19850

Apo BMRB 19849 | PDB N/A

pH=6 T=25 °C pressure=1 atm

Entities: BolA2

Components: (none)

Holo BMRB 19850 | PDB 2MMA

pH=7 T=25 °C pressure=1 atm

Entities: GrxS14; BolA2

Components: (none)













holo_pdb: 2MRE | apo_pdb: N/A | apo_bmrb: 6457 | holo_bmrb: 25070

Apo BMRB 6457 | PDB N/A

pH=6.6 T=19 °C

Entities: Ubiquitin

Components: (none)

Holo BMRB 25070 | PDB 2MRE

pH=6.5 T=0 °C pressure=1 atm

Entities: Ubiquitin; Ubiquitin-binding_zin
c_finger_(UBZ)_domain_from_human_Rad18;
ZINC ION

Components: (none)













holo_pdb: 2MZW | apo_pdb: N/A | apo_bmrb: 17503 | holo_bmrb: 25504

Apo BMRB 17503 | PDB N/A

pH=8 T=25 °C pressure=1 atm

Entities: fusb

Components: (none)

Holo BMRB 25504 | PDB 2MZW

pH=8 T=0 °C pressure=1 atm

Entities: EF-GC3; FusB; entity_ZN (ZINC ION)

Components: (none)













holo_pdb: 2N80 | apo_pdb: N/A | apo_bmrb: 25883 | holo_bmrb: 25829

Apo BMRB 25883 | PDB N/A

pH=6.9 T=0 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 25829 | PDB 2N80

pH=6.9 T=0 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2N83 | apo_pdb: N/A | apo_bmrb: 25883 | holo_bmrb: 25833

Apo BMRB 25883 | PDB N/A

pH=6.9 T=0 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 25833 | PDB 2N83

pH=n/a T=0 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 2N9P | apo_pdb: N/A | apo_bmrb: 25913 | holo_bmrb: 25914

Apo BMRB 25913 | PDB N/A

pH=6 T=25 °C pressure=1 atm

Entities: entity_1; ZINC ION

Components: (none)

Holo BMRB 25914 | PDB 2N9P

pH=6 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; ZINC ION

Components: (none)













holo_pdb: 2RSE | apo_pdb: N/A | apo_bmrb: 50325 | holo_bmrb: 11471

Apo BMRB 50325 | PDB N/A

pH=8 T=20 °C pressure=1 atm

Entities: entity_1

Components: FRB domain of mTOR 70 uM; D2O;
HEPES 50 mM; NaCl 200 mM

Holo BMRB 11471 | PDB 2RSE

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 5JYV | apo_pdb: N/A | apo_bmrb: 30092 | holo_bmrb: 30093

Apo BMRB 30092 | PDB N/A

pH=7 T=25 °C pressure=1 atm

Entities: Two-component sensor histidine kinase

Components: (none)

Holo BMRB 30093 | PDB 5JYV

pH=7 T=50 °C pressure=1 atm

Entities: Two-component sensor histidine kinase; Circadian clock protein KaiB

Components: (none)













holo_pdb: 6B1G | apo_pdb: N/A | apo_bmrb: 27072 | holo_bmrb: 30345

Apo BMRB 27072 | PDB N/A

pH=7.4 T=0 °C pressure=1 atm

Entities: TDP-43_NTD

Components: (none)

Holo BMRB 30345 | PDB 6B1G

pH=6.8 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)











holo_pdb: 6IVU | apo_pdb: N/A | apo_bmrb: 36220 | holo_bmrb: 36221

Apo BMRB 36220 | PDB N/A

pH=6.2 T=25 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 36221 | PDB 6IVU

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6OQJ | apo_pdb: N/A | apo_bmrb: 30599 | holo_bmrb: 30605

Apo BMRB 30599 | PDB N/A

pH=6.8 T=25 °C pressure=1 atm

Entities: entity_1

Components: (none)

Holo BMRB 30605 | PDB 6OQJ

pH=6.8 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6U19 | apo_pdb: N/A | apo_bmrb: 16620 | holo_bmrb: 27875

Apo BMRB 16620 | PDB N/A

pH=6.5 T=25 °C pressure=1 atm

Entities: hs00184; ZINC ION

Components: (none)

Holo BMRB 27875 | PDB 6U19

pH=6.5 T=25 °C pressure=1 atm

Entities: entity_1; entity_2

Components: (none)













holo_pdb: 6U4N | apo_pdb: N/A | apo_bmrb: 17827 | holo_bmrb: 30659

Apo BMRB 17827 | PDB N/A

pH=6.8 T=25 °C pressure=1 atm

Entities: entity

Components: (none)

Holo BMRB 30659 | PDB 6U4N

pH=6.8 T=25 °C pressure=1 Pa

Entities: entity_1; entity_2; entity_ZN

(ZINC ION)

Components: (none)













holo_pdb: 7X5C | apo_pdb: N/A | apo_bmrb: 51441 | holo_bmrb: 36473

Apo BMRB 51441 | PDB N/A
pH=7.5 T=25 °C pressure=1 atm
Entities: entity_1
Components: Tetrahymena Ctc1 OB-A domain 0.8 mM; TRIS 20 mM; sodium chloride 50 mM; TCEP 1 mM; sodium azide 3 mM

Holo BMRB 36473 | PDB 7X5C
pH=7 T=25 °C pressure=1 atm
Entities: Telomerase-associated protein p75OB1; Telomerase associated protein p50PBM
Components: DTT 2 mM; NaN3 0.03 %; PMSF 0.5 mM; benzamidine 2 mM; inhibitor cocktail 1 % v/v; p75OB1 0.5 mM; p50PBM 0.5 mM; phosphate buffer 20 mM; sodium chloride 300 mM; H2O 90 %; D2O 10 %













holo_pdb: 7ZEY | apo_pdb: N/A | apo_bmrb: 34724 | holo_bmrb: 34727

Apo BMRB 34724 | PDB N/A
pH=7 T=30 °C pressure=1 atm
Entities: entity_1
Components: PEPTIDYL-PROLYL CIS-TRANS ISOMERASE E 1 mM; sodium chloride 40 mM; sodium phosphate 40 mM

Holo BMRB 34727 | PDB 7ZEY
pH=7 T=37 °C pressure=1 atm
Entities: entity_1; entity_2; entity_ZN
Components: PEPTIDYL-PROLYL CIS-TRANS ISOMERASE E 1 mM; HISTONE-LYSINE N-METHYLTRANSFERASE 2A 1 mM; sodium chloride 40 mM; sodium phosphate 40 mM; zinc chloride 50 uM













holo_pdb: 7ZEY | apo_pdb: N/A | apo_bmrb: 16983 | holo_bmrb: 34727

Apo BMRB 16983 | PDB N/A

pH=6.9 T=30 °C

Entities: PHD3; ZN (ZINC ION)

Components: (none)

Holo BMRB 34727 | PDB 7ZEY

pH=7 T=37 °C pressure=1 atm

Entities: entity_1; entity_2; entity_ZN

Components: PEPTIDYL-PROLYL CIS-TRANS ISOMERASE E 1 mM; HISTONE-LYSINE N-METHYLTRANSFERASE 2A 1 mM; sodium chloride 40 mM; sodium phosphate 40 mM; zinc chloride 50 uM













holo_pdb: 9C5E | apo_pdb: N/A | apo_bmrb: 18642 | holo_bmrb: 31177

Apo BMRB 18642 | PDB N/A

pH=7.25 T=25 °C pressure=1 atm

Entities: Protein; ZINC ION_1

Components: (none)

Holo BMRB 31177 | PDB 9C5E

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; entity_ZN; entity_4LJ

Components: Rcat domain from Parkin 300 uM; Ubiquitin G75-C3 300 uM; NaCl 100 mM













holo_pdb: 9C5E | apo_pdb: N/A | apo_bmrb: 6457 | holo_bmrb: 31177

Apo BMRB 6457 | PDB N/A

pH=6.6 T=19 °C

Entities: Ubiquitin

Components: (none)

Holo BMRB 31177 | PDB 9C5E

pH=7 T=25 °C pressure=1 atm

Entities: entity_1; entity_2; entity_ZN; entity_4LJ

Components: Rcat domain from Parkin 300 uM; Ubiquitin G75-C3 300 uM; NaCl 100 mM













holo_pdb: 9QLM | apo_pdb: N/A | apo_bmrb: 15670 | holo_bmrb: 34986

Apo BMRB 15670 | PDB N/A

pH=7 T=20 °C pressure=1 atm

Entities: TAF3_PHD; ZN (ZINC ION)

Components: (none)

Holo BMRB 34986 | PDB 9QLM

pH=7 T=20 °C pressure=1 atm

Entities: entity_1; entity_2; entity_ZN; entity_SRO

Components: TAF3-PHD 0.88 mM; H3K4me3Q5ser 0.88 mM; potassium phosphate 20 mM; potassium chloride 4 mM; zinc chloride 10 uM; sodium azide 0.01 % w/v