Per-target ROC / CSP intensity atlas

135 targets | 12,267 eligible residues | 2026-11-04_csp-threshold-analysis_002

ROC curves sweep all distinct recorded CSP magnitudes; gray diagonal denotes chance.

Stars mark saved primary significance. Structural labels and eligibility stay fixed.

TP/FP groups use the saved primary rule. Green = TP; purple = FP; counts are shown.

Intensity axes share the same logarithmic ppm range across every target and page.

White dots / thick lines show median / IQR. Sparse or constant groups show actual points.

AUC measures binding-site localization. Distal CSPs can be biologically meaningful.

Missing structural labels and CSP z > 100 are excluded. See S27_caption.txt for methods.


Target index (holo PDB / apo BMRB) and PDF page

1D5G / 34688	2	2L3R / 30703	13	2ND0 / 15125	24
1DDM / 4683	2	2L4T / 17254	13	2ND1 / 15125	24
1H8B / 17627	2	2L5E / 50148	13	2NMB / 4683	25
1KLQ / 52275	2	2L6E / 16555	14	2OJ2 / 4122	25
1N7T / 18785	3	2L75 / 5555	14	2PLD / 5318	25
1ONV / 27288	3	2LBM / 15001	14	2ROL / 15710	25
1PD7 / 6899	3	2LE8 / 16396	14	2ROZ / 10235	26
1R8U / 6268	3	2LGF / 51289	15	2RQG / 4915	26
1SY9 / 51289	4	2LGG / 17813	15	2RR4 / 11362	26
1VJ6 / 5131	4	2LGK / 17813	15	2RUI / 16811	26
1WA7 / 6261	4	2LI5 / 16835	15	2YKA / 16697	27
1YWI / 6558	4	2LOZ / 10318	16	2YS5 / 11095	27
2B0F / 5659	5	2LP0 / 25142	16	5I22 / 4871	27
2BN5 / 6691	5	2LP8 / 18250	16	5J8H / 51289	27
2CZY / 27227	5	2LSK / 18455	16	5MF9 / 34068	28
2FFK / 6809	5	2LSP / 15057	17	5OEO / 51289	28
2FIN / 6809	6	2LVM / 5878	17	5U5S / 50149	28
2G35 / 15792	6	2LVO / 18581	17	5VF0 / 17769	28
2HUG / 6592	6	2LXM / 18681	17	6BGG / 30782	29
2I94 / 5332	6	2LXS / 6095	18	6BNH / 15125	29
2IPA / 6075	7	2M0G / 18802	18	6E5N / 25544	29
2JMF / 6262	7	2M0G / 19034	18	6FDP / 19757	29
2JMX / 6564	7	2M0J / 51289	18	6FDT / 19757	30
2JW1 / 15503	7	2M0K / 51289	19	6G04 / 34247	30
2JXC / 4184	8	2M0U / 18824	19	6GC3 / 17173	30
2JZI / 51289	8	2M5B / 50942	19	6H8C / 18827	30
2K17 / 15670	8	2MC6 / 19428	19	6IVU / 36220	31
2K6D / 52081	8	2MCN / 16641	20	6OQJ / 30599	31
2K6Q / 5958	9	2MES / 51289	20	6QXZ / 27250	31
2K7A / 5461	9	2MJV / 15057	20	6R5G / 28070	31
2K7L / 27288	9	2MNZ / 19913	20	6RH6 / 34394	32
2K8F / 34231	9	2MOW / 17173	21	6U19 / 16620	32
2KC8 / 16066	10	2MUR / 17769	21	6U4N / 17827	32
2KGI / 16209	10	2MUR / 25229	21	7JQ8 / 30782	32
2KHS / 16585	10	2MWO / 5878	21	7JYN / 30782	33
2KOH / 27205	10	2MWP / 5878	22	7JYZ / 30782	33
2KPL / 6911	11	2N1G / 18455	22	7KLR / 30808	33
2KSP / 15279	11	2N3A / 34537	22	7PKU / 50446	33
2KTB / 51472	11	2N3K / 15125	22	7S5J / 30926	34
2KVM / 15674	11	2N55 / 52209	23	7SFT / 36097	34
2KWI / 15524	12	2N80 / 25883	23	7X5C / 51441	34
2KYL / 15972	12	2N8T / 25866	23	8SG2 / 27579	34
2KZU / 17018	12	2N9P / 25913	23	9C5E / 18642	35
2L0Y / 15763	12	2N9X / 5958	24	9QLM / 15670	35
2L29 / 17128	13	2NCZ / 15125	24	9R3Y / 26643	35


Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


1D5G | apo 34688 / holo 4516
AUC 0.866 | P=8, N=79




Primary cutoff 0.0770 ppm
TP=7, FP=30 | eligible n=87




1DDM | apo 4683 / holo 4263
AUC 0.878 | P=12, N=119




Primary cutoff 0.0500 ppm
TP=11, FP=29 | eligible n=131




1H8B | apo 17627 / holo 4453
AUC 0.739 | P=10, N=54




Primary cutoff 0.1258 ppm
TP=8, FP=20 | eligible n=64



1KLQ | apo 52275 / holo 5299
AUC 0.688 | P=22, N=153




Primary cutoff 0.3526 ppm
TP=15, FP=56 | eligible n=175




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


1N7T | apo 18785 / holo 5631
AUC 0.861 | P=14, N=78




Primary cutoff 0.0941 ppm
TP=13, FP=27 | eligible n=92




1ONV | apo 27288 / holo 5685
AUC 0.670 | P=12, N=49




Primary cutoff 0.1161 ppm
TP=6, FP=16 | eligible n=61




1PD7 | apo 6899 / holo 5808
AUC 0.747 | P=18, N=60




Primary cutoff 0.1220 ppm
TP=10, FP=20 | eligible n=78



1R8U | apo 6268 / holo 5987
AUC 0.650 | P=40, N=44




Primary cutoff 0.0707 ppm
TP=23, FP=17 | eligible n=84




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


1SY9 | apo 51289 / holo 5480
AUC 0.532 | P=39, N=105




Primary cutoff 0.1109 ppm
TP=18, FP=42 | eligible n=144




1VJ6 | apo 5131 / holo 6060
AUC 0.679 | P=11, N=72




Primary cutoff 0.0593 ppm
TP=7, FP=29 | eligible n=83




1WA7 | apo 6261 / holo 6456
AUC 0.767 | P=13, N=42




Primary cutoff 0.0500 ppm
TP=7, FP=9 | eligible n=55



1YWI | apo 6558 / holo 6559
AUC 0.854 | P=8, N=18




Primary cutoff 0.0581 ppm
TP=7, FP=3 | eligible n=26




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2B0F | apo 5659 / holo 6823
AUC 0.882 | P=13, N=139




Primary cutoff 0.0500 ppm
TP=12, FP=53 | eligible n=152




2BN5 | apo 6691 / holo 6690
AUC 0.815 | P=5, N=27




Primary cutoff 0.0705 ppm
TP=5, FP=18 | eligible n=32




2CZY | apo 27227 / holo 6749
AUC 0.715 | P=8, N=37




Primary cutoff 0.1283 ppm
TP=5, FP=13 | eligible n=45



2FFK | apo 6809 / holo 7024
AUC 0.744 | P=13, N=177




Primary cutoff 0.0500 ppm
TP=8, FP=28 | eligible n=190




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2FIN | apo 6809 / holo 7024
AUC 0.735 | P=7, N=183




Primary cutoff 0.0500 ppm
TP=4, FP=32 | eligible n=190




2G35 | apo 15792 / holo 7061
AUC 0.542 | P=8, N=81




Primary cutoff 0.1337 ppm
TP=4, FP=34 | eligible n=89




2HUG | apo 6592 / holo 7241
AUC 0.696 | P=13, N=38




Primary cutoff 0.1486 ppm
TP=7, FP=14 | eligible n=51



2I94 | apo 5332 / holo 7293
AUC 0.523 | P=20, N=134




Primary cutoff 0.2046 ppm
TP=9, FP=53 | eligible n=154




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2IPA | apo 6075 / holo 15028
AUC 0.878 | P=7, N=117




Primary cutoff 0.0500 ppm
TP=6, FP=41 | eligible n=124




2JMF | apo 6262 / holo 15016
AUC 0.332 | P=7, N=28




Primary cutoff 0.0500 ppm
TP=0, FP=6 | eligible n=35




2JMX | apo 6564 / holo 15072
AUC 0.716 | P=4, N=88




Primary cutoff 0.0500 ppm
TP=1, FP=21 | eligible n=92



2JW1 | apo 15503 / holo 15504
AUC 0.702 | P=12, N=91




Primary cutoff 0.1539 ppm
TP=8, FP=36 | eligible n=103




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2JXC | apo 4184 / holo 15554
AUC 0.785 | P=26, N=55




Primary cutoff 0.0515 ppm
TP=20, FP=18 | eligible n=81




2JZI | apo 51289 / holo 15624
AUC 0.661 | P=38, N=105




Primary cutoff 0.1048 ppm
TP=25, FP=40 | eligible n=143




2K17 | apo 15670 / holo 15671
AUC 0.715 | P=23, N=40




Primary cutoff 0.1002 ppm
TP=13, FP=12 | eligible n=63



2K6D | apo 52081 / holo 15866
AUC 0.483 | P=10, N=41




Primary cutoff 0.0500 ppm
TP=3, FP=14 | eligible n=51




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2K6Q | apo 5958 / holo 15877
AUC 0.797 | P=16, N=96




Primary cutoff 0.1155 ppm
TP=11, FP=28 | eligible n=112




2K7A | apo 5461 / holo 16809
AUC 0.673 | P=14, N=87




Primary cutoff 0.0500 ppm
TP=5, FP=5 | eligible n=101




2K7L | apo 27288 / holo 15919
AUC 0.637 | P=10, N=51




Primary cutoff 0.0511 ppm
TP=6, FP=15 | eligible n=61



2K8F | apo 34231 / holo 15944
AUC 0.455 | P=16, N=66




Primary cutoff 0.0500 ppm
TP=4, FP=20 | eligible n=82




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2KC8 | apo 16066 / holo 16065
AUC 0.598 | P=30, N=60




Primary cutoff 0.1507 ppm
TP=17, FP=21 | eligible n=90




2KGI | apo 16209 / holo 16210
AUC 0.699 | P=23, N=25




Primary cutoff 0.1525 ppm
TP=14, FP=8 | eligible n=48




2KHS | apo 16585 / holo 15357
AUC 0.652 | P=21, N=85




Primary cutoff 0.0500 ppm
TP=10, FP=25 | eligible n=106



2KOH | apo 27205 / holo 16507
AUC 0.630 | P=13, N=70




Primary cutoff 0.0622 ppm
TP=7, FP=35 | eligible n=83




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2KPL | apo 6911 / holo 16559
AUC 0.779 | P=15, N=73




Primary cutoff 0.0935 ppm
TP=12, FP=26 | eligible n=88




2KSP | apo 15279 / holo 16671
AUC 0.816 | P=13, N=74




Primary cutoff 0.0500 ppm
TP=9, FP=12 | eligible n=87




2KTB | apo 51472 / holo 16694
AUC 0.723 | P=9, N=95




Primary cutoff 0.0520 ppm
TP=5, FP=37 | eligible n=104



2KVM | apo 15674 / holo 16778
AUC 0.420 | P=15, N=31




Primary cutoff 0.0629 ppm
TP=7, FP=15 | eligible n=46




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2KWI | apo 15524 / holo 15525
AUC 0.734 | P=14, N=37




Primary cutoff 0.1021 ppm
TP=8, FP=14 | eligible n=51




2KYL | apo 15972 / holo 16967
AUC 0.693 | P=18, N=70




Primary cutoff 0.0500 ppm
TP=12, FP=23 | eligible n=88




2KZU | apo 17018 / holo 17019
AUC 0.811 | P=12, N=76




Primary cutoff 0.0500 ppm
TP=2, FP=3 | eligible n=88



2L0Y | apo 15763 / holo 17067
AUC 0.682 | P=8, N=47




Primary cutoff 0.0500 ppm
TP=4, FP=14 | eligible n=55




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2L29 | apo 17128 / holo 17127
AUC 0.925 | P=10, N=119




Primary cutoff 0.0500 ppm
TP=10, FP=48 | eligible n=129




2L3R | apo 30703 / holo 17200
AUC 0.663 | P=16, N=109




Primary cutoff 0.0528 ppm
TP=11, FP=45 | eligible n=125




2L4T | apo 17254 / holo 17255
AUC 0.815 | P=17, N=99




Primary cutoff 0.0575 ppm
TP=13, FP=43 | eligible n=116



2L5E | apo 50148 / holo 17270
AUC 0.907 | P=13, N=98




Primary cutoff 0.0500 ppm
TP=9, FP=10 | eligible n=111




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2L6E | apo 16555 / holo 17307
AUC 0.787 | P=16, N=60




Primary cutoff 0.1114 ppm
TP=13, FP=18 | eligible n=76




2L75 | apo 5555 / holo 17344
AUC 0.716 | P=22, N=24




Primary cutoff 0.0677 ppm
TP=15, FP=7 | eligible n=46




2LBM | apo 15001 / holo 17569
AUC 0.792 | P=35, N=98




Primary cutoff 0.0508 ppm
TP=27, FP=27 | eligible n=133



2LE8 | apo 16396 / holo 17702
AUC 0.633 | P=11, N=92




Primary cutoff 0.0500 ppm
TP=3, FP=5 | eligible n=103




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2LGF | apo 51289 / holo 17807
AUC 0.522 | P=41, N=103




Primary cutoff 0.0760 ppm
TP=14, FP=46 | eligible n=144




2LGG | apo 17813 / holo 17808
AUC 0.563 | P=28, N=33




Primary cutoff 0.0605 ppm
TP=11, FP=11 | eligible n=61




2LGK | apo 17813 / holo 17812
AUC 0.685 | P=24, N=38




Primary cutoff 0.0729 ppm
TP=12, FP=10 | eligible n=62



2LI5 | apo 16835 / holo 17879
AUC 0.885 | P=18, N=89




Primary cutoff 0.0500 ppm
TP=15, FP=16 | eligible n=107




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2LOZ | apo 10318 / holo 17364
AUC 0.793 | P=17, N=107




Primary cutoff 0.0500 ppm
TP=6, FP=18 | eligible n=124




2LP0 | apo 25142 / holo 17407
AUC 0.744 | P=15, N=44




Primary cutoff 0.0500 ppm
TP=5, FP=3 | eligible n=59




2LP8 | apo 18250 / holo 18238
AUC 0.755 | P=11, N=145




Primary cutoff 0.1077 ppm
TP=8, FP=52 | eligible n=156



2LSK | apo 18455 / holo 18434
AUC 0.851 | P=10, N=71




Primary cutoff 0.0500 ppm
TP=8, FP=15 | eligible n=81




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2LSP | apo 15057 / holo 18439
AUC 0.495 | P=11, N=77




Primary cutoff 0.0500 ppm
TP=3, FP=30 | eligible n=88




2LVM | apo 5878 / holo 18579
AUC 0.798 | P=11, N=97




Primary cutoff 0.0710 ppm
TP=9, FP=35 | eligible n=108




2LVO | apo 18581 / holo 18582
AUC 0.818 | P=11, N=34




Primary cutoff 0.0500 ppm
TP=7, FP=7 | eligible n=45



2LXM | apo 18681 / holo 18682
AUC 0.757 | P=16, N=130




Primary cutoff 0.0519 ppm
TP=13, FP=48 | eligible n=146




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2LXS | apo 6095 / holo 18694
AUC 0.644 | P=12, N=71




Primary cutoff 0.1558 ppm
TP=7, FP=25 | eligible n=83




2M0G | apo 18802 / holo 18808
AUC 0.944 | P=6, N=75




Primary cutoff 0.0500 ppm
TP=6, FP=10 | eligible n=81




2M0G | apo 19034 / holo 18808
AUC 0.760 | P=21, N=74




Primary cutoff 0.0616 ppm
TP=17, FP=26 | eligible n=95



2M0J | apo 51289 / holo 17771
AUC 0.551 | P=44, N=99




Primary cutoff 0.1101 ppm
TP=19, FP=38 | eligible n=143




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2M0K | apo 51289 / holo 17771
AUC 0.602 | P=41, N=102




Primary cutoff 0.1101 ppm
TP=21, FP=36 | eligible n=143




2M0U | apo 18824 / holo 18825
AUC 0.850 | P=13, N=90




Primary cutoff 0.0575 ppm
TP=12, FP=39 | eligible n=103




2M5B | apo 50942 / holo 19045
AUC 0.816 | P=14, N=110




Primary cutoff 0.1125 ppm
TP=11, FP=40 | eligible n=124



2MC6 | apo 19428 / holo 19429
AUC 0.778 | P=12, N=47




Primary cutoff 0.0873 ppm
TP=10, FP=18 | eligible n=59




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2MCN | apo 16641 / holo 19447
AUC 0.915 | P=17, N=38




Primary cutoff 0.0500 ppm
TP=14, FP=4 | eligible n=55




2MES | apo 51289 / holo 19238
AUC 0.525 | P=48, N=93




Primary cutoff 0.0500 ppm
TP=14, FP=33 | eligible n=141




2MJV | apo 15057 / holo 19738
AUC 0.562 | P=17, N=76




Primary cutoff 0.0500 ppm
TP=8, FP=30 | eligible n=93



2MNZ | apo 19913 / holo 19914
AUC 0.550 | P=25, N=23




Primary cutoff 0.1712 ppm
TP=10, FP=10 | eligible n=48




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2MOW | apo 17173 / holo 19954
AUC 0.938 | P=8, N=105




Primary cutoff 0.0500 ppm
TP=7, FP=15 | eligible n=113




2MUR | apo 17769 / holo 25230
AUC 0.849 | P=13, N=55




Primary cutoff 0.0820 ppm
TP=11, FP=19 | eligible n=68




2MUR | apo 25229 / holo 25230
AUC 0.716 | P=20, N=19




Primary cutoff 0.1995 ppm
TP=11, FP=5 | eligible n=39



2MWO | apo 5878 / holo 25347
AUC 0.839 | P=9, N=98




Primary cutoff 0.0500 ppm
TP=8, FP=36 | eligible n=107




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2MWP | apo 5878 / holo 25348
AUC 0.817 | P=8, N=99




Primary cutoff 0.0542 ppm
TP=7, FP=37 | eligible n=107




2N1G | apo 18455 / holo 25559
AUC 0.852 | P=14, N=70




Primary cutoff 0.0500 ppm
TP=10, FP=15 | eligible n=84




2N3A | apo 34537 / holo 25639
AUC 0.754 | P=13, N=62




Primary cutoff 0.0831 ppm
TP=9, FP=22 | eligible n=75



2N3K | apo 15125 / holo 25649
AUC 0.800 | P=14, N=60




Primary cutoff 0.0981 ppm
TP=11, FP=23 | eligible n=74




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2N55 | apo 52209 / holo 25694
AUC 0.501 | P=30, N=31




Primary cutoff 0.0500 ppm
TP=6, FP=10 | eligible n=61




2N80 | apo 25883 / holo 25829
AUC 0.604 | P=17, N=72




Primary cutoff 0.0500 ppm
TP=8, FP=27 | eligible n=89




2N8T | apo 25866 / holo 25865
AUC 0.842 | P=10, N=19




Primary cutoff 0.1347 ppm
TP=7, FP=6 | eligible n=29



2N9P | apo 25913 / holo 25914
AUC 0.892 | P=13, N=22




Primary cutoff 0.1479 ppm
TP=9, FP=3 | eligible n=35




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2N9X | apo 5958 / holo 25919
AUC 0.659 | P=15, N=99




Primary cutoff 0.1255 ppm
TP=8, FP=34 | eligible n=114




2NCZ | apo 15125 / holo 26041
AUC 0.687 | P=15, N=60




Primary cutoff 0.0500 ppm
TP=6, FP=7 | eligible n=75




2ND0 | apo 15125 / holo 26042
AUC 0.596 | P=12, N=61




Primary cutoff 0.0500 ppm
TP=1, FP=4 | eligible n=73



2ND1 | apo 15125 / holo 26043
AUC 0.508 | P=14, N=59




Primary cutoff 0.0500 ppm
TP=1, FP=4 | eligible n=73




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2NMB | apo 4683 / holo 4263
AUC 0.704 | P=8, N=134




Primary cutoff 0.0500 ppm
TP=5, FP=39 | eligible n=142




2OJ2 | apo 4122 / holo 6581
AUC 0.900 | P=10, N=51




Primary cutoff 0.0500 ppm
TP=9, FP=16 | eligible n=61




2PLD | apo 5318 / holo 5310
AUC 0.835 | P=15, N=83




Primary cutoff 0.0500 ppm
TP=10, FP=10 | eligible n=98



2ROL | apo 15710 / holo 11040
AUC 0.944 | P=6, N=45




Primary cutoff 0.0950 ppm
TP=6, FP=11 | eligible n=51




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2ROZ | apo 10235 / holo 10236
AUC 0.887 | P=24, N=96




Primary cutoff 0.0798 ppm
TP=22, FP=29 | eligible n=120




2RQG | apo 4915 / holo 10019
AUC 0.777 | P=13, N=62




Primary cutoff 0.0763 ppm
TP=10, FP=22 | eligible n=75




2RR4 | apo 11362 / holo 11115
AUC 0.669 | P=16, N=34




Primary cutoff 0.0500 ppm
TP=6, FP=7 | eligible n=50



2RUI | apo 16811 / holo 11570
AUC 0.762 | P=12, N=124




Primary cutoff 0.0606 ppm
TP=8, FP=42 | eligible n=136




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


2YKA | apo 16697 / holo 17693
AUC 0.888 | P=15, N=96




Primary cutoff 0.0500 ppm
TP=13, FP=22 | eligible n=111




2YS5 | apo 11095 / holo 11094
AUC 0.712 | P=23, N=84




Primary cutoff 0.0500 ppm
TP=5, FP=7 | eligible n=107




5I22 | apo 4871 / holo 30010
AUC 0.900 | P=12, N=60




Primary cutoff 0.0711 ppm
TP=11, FP=16 | eligible n=72



5J8H | apo 51289 / holo 30063
AUC 0.620 | P=40, N=104




Primary cutoff 0.0779 ppm
TP=21, FP=36 | eligible n=144




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


5MF9 | apo 34068 / holo 34067
AUC 0.614 | P=14, N=44




Primary cutoff 0.0500 ppm
TP=3, FP=3 | eligible n=58




5OEO | apo 51289 / holo 34161
AUC 0.473 | P=20, N=120




Primary cutoff 0.1271 ppm
TP=7, FP=57 | eligible n=140




5U5S | apo 50149 / holo 30206
AUC 0.606 | P=7, N=68




Primary cutoff 0.0500 ppm
TP=3, FP=15 | eligible n=75



5VF0 | apo 17769 / holo 30276
AUC 0.884 | P=7, N=63




Primary cutoff 0.0897 ppm
TP=6, FP=26 | eligible n=70




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


6BGG | apo 30782 / holo 30367
AUC 0.844 | P=8, N=66




Primary cutoff 0.0893 ppm
TP=7, FP=24 | eligible n=74




6BNH | apo 15125 / holo 30373
AUC 0.700 | P=15, N=60




Primary cutoff 0.0500 ppm
TP=10, FP=15 | eligible n=75




6E5N | apo 25544 / holo 30500
AUC 0.753 | P=13, N=66




Primary cutoff 0.0691 ppm
TP=11, FP=27 | eligible n=79



6FDP | apo 19757 / holo 34223
AUC 0.812 | P=18, N=98




Primary cutoff 0.0576 ppm
TP=16, FP=31 | eligible n=116




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


6FDT | apo 19757 / holo 34224
AUC 0.890 | P=12, N=104




Primary cutoff 0.0500 ppm
TP=9, FP=18 | eligible n=116




6G04 | apo 34247 / holo 34248
AUC 0.832 | P=22, N=129




Primary cutoff 0.0500 ppm
TP=17, FP=38 | eligible n=151




6GC3 | apo 17173 / holo 34260
AUC 0.825 | P=8, N=106




Primary cutoff 0.0500 ppm
TP=7, FP=12 | eligible n=114



6H8C | apo 18827 / holo 34307
AUC 0.749 | P=14, N=89




Primary cutoff 0.0915 ppm
TP=9, FP=32 | eligible n=103




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


6IVU | apo 36220 / holo 36221
AUC 0.779 | P=17, N=34




Primary cutoff 0.2025 ppm
TP=13, FP=9 | eligible n=51




6OQJ | apo 30599 / holo 30605
AUC 0.772 | P=10, N=39




Primary cutoff 0.1134 ppm
TP=7, FP=13 | eligible n=49




6QXZ | apo 27250 / holo 27251
AUC 0.652 | P=24, N=50




Primary cutoff 0.0898 ppm
TP=14, FP=19 | eligible n=74



6R5G | apo 28070 / holo 34384
AUC 0.808 | P=20, N=89




Primary cutoff 0.0809 ppm
TP=16, FP=36 | eligible n=109




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


6RH6 | apo 34394 / holo 34395
AUC 0.958 | P=11, N=116




Primary cutoff 0.0500 ppm
TP=8, FP=7 | eligible n=127




6U19 | apo 16620 / holo 27875
AUC 0.706 | P=13, N=42




Primary cutoff 0.1020 ppm
TP=8, FP=14 | eligible n=55




6U4N | apo 17827 / holo 30659
AUC 0.445 | P=5, N=71




Primary cutoff 0.0500 ppm
TP=2, FP=21 | eligible n=76



7JQ8 | apo 30782 / holo 30786
AUC 0.751 | P=18, N=45




Primary cutoff 0.0866 ppm
TP=15, FP=20 | eligible n=63




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


7JYN | apo 30782 / holo 30790
AUC 0.868 | P=15, N=67




Primary cutoff 0.1080 ppm
TP=12, FP=20 | eligible n=82




7JYZ | apo 30782 / holo 30791
AUC 0.877 | P=15, N=67




Primary cutoff 0.0881 ppm
TP=14, FP=21 | eligible n=82




7KLR | apo 30808 / holo 30809
AUC 0.638 | P=22, N=30




Primary cutoff 0.1649 ppm
TP=13, FP=9 | eligible n=52



7PKU | apo 50446 / holo 34661
AUC 0.605 | P=18, N=69




Primary cutoff 0.0974 ppm
TP=12, FP=28 | eligible n=87




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


7S5J | apo 30926 / holo 30950
AUC 0.764 | P=23, N=114




Primary cutoff 0.1067 ppm
TP=16, FP=33 | eligible n=137




7SFT | apo 36097 / holo 30958
AUC 0.712 | P=18, N=54




Primary cutoff 0.0907 ppm
TP=12, FP=17 | eligible n=72




7X5C | apo 51441 / holo 36473
AUC 0.829 | P=16, N=104




Primary cutoff 0.0500 ppm
TP=13, FP=33 | eligible n=120



8SG2 | apo 27579 / holo 31080
AUC 0.674 | P=38, N=113




Primary cutoff 0.0500 ppm
TP=17, FP=31 | eligible n=151




Per-target ROC and significant-CSP intensity

ROC: all eligible CSPs | Violins: saved primary TP/FP groups


9C5E | apo 18642 / holo 31177
AUC 0.395 | P=24, N=28




Primary cutoff 0.0500 ppm
TP=5, FP=9 | eligible n=52




9QLM | apo 15670 / holo 34986
AUC 0.780 | P=24, N=39



Primary cutoff 0.0877 ppm
TP=16, FP=11 | eligible n=63



9R3Y | apo 26643 / holo 34992
AUC 0.792 | P=14, N=44



Primary cutoff 0.0530 ppm
TP=11, FP=15 | eligible n=58

