

UserController

POST /api/user/login

The screenshot shows a REST client interface with the following components:

- Address Bar:** `122.248.243.60:8080/api/user/login`
- Method and URL:** `POST` `122.248.243.60:8080/api/user/login`
- Body Tab:** Selected, showing the request body in JSON format:

```
1 {  
2   "email": "firstTest@email.com",  
3   "password": "Password123!"  
4 }
```
- Response Tab:** Selected, showing the response status and body. The status is `200 OK` with a response time of `124 ms` and a body size of `567 B`. The response body is in JSON format:

```
1 {  
2   "userId": "e603aada-6c89-40ce-b749-3a7f079ff790",  
3   "showEmotion": false  
4 }
```

UserController

POST /api/user/register

The screenshot shows a REST client interface with the following components:

- Top Bar:** Navigation icons, tabs for 'Ovi', 'Gettin', and two 'POST loca' requests, and a 'No environment' dropdown.
- Request Bar:** A dropdown menu set to 'POST' and the URL '122.248.243.60:8080/api/user/register'. A 'Send' button is on the right.
- Request Body:** The 'Body' tab is selected, showing a JSON payload in 'raw' mode:

```
1 {
2   "email": "thirdTest@email.com",
3   "password": "Password123!",
4   "firstName": "Tony",
5   "lastName": "Soprano"
6 }
```
- Response Bar:** Shows '200 OK' in green, with details '116 ms', '456 B', and a globe icon.
- Response Body:** The 'Raw' tab is selected, displaying the text: '1 You have registered successfully.'

UserController

GET /api/user/logout

The screenshot shows a REST client interface with the following details:

- URL:** 122.248.243.60:8080/api/user/logout
- Method:** GET
- Response Status:** 200 OK
- Response Time:** 19 ms
- Response Size:** 455 B
- Response Body:** 1 You have logged out successfully

The interface includes tabs for Params, Auth, Headers (9), Body, Scripts, and Settings. The Body tab is currently selected, showing the response text. The bottom status bar indicates the time is 9:19 PM on 8/10/2025.

JournalController

POST /api/journal/submit

The screenshot displays the Postman interface for a REST client. The top bar shows the workspace name "Workspaces" and a search icon. The main area is divided into several sections:

- Request Section:** The URL is `122.248.243.60:8080/api/journal/submit`. The method is `POST`. The request body is in `JSON` format, containing the following data:

```
{  "userId": "0656cb9f-73ba-11f0-8809-06ee56a6265f",  "mood": 3,  "entryTitle": "Test post title",  "entryText": "Test text blah blah blah",  "emotions": ["happy", "sad"]}
```
- Response Section:** The response status is `200 OK` with a response time of `93 ms` and a body size of `460 B`. The response body is in `Raw` format, showing the message: `Journal entry submitted successfully.`
- Bottom Bar:** The bottom bar includes a console, a Postbot icon, a Runner icon, and a Vault icon. The system tray shows the date and time as `9:28 PM 8/10/2025`.

JournalController

GET /api/journal/all/{userId}

The screenshot displays a REST client interface with the following components:

- Header:** Includes a menu icon, "Workspaces" and "More" dropdowns, search, user, settings, and notification icons, an "Upgrade" button, and window controls.
- Tab Bar:** Shows "Flows" and several request tabs: "GET local", "POST loca", "GET 122.2", and the active "GET 122.2" tab.
- Request Bar:** Contains the HTTP method "GET", the URL "122.248.243.60:8080/api/journal/all/0656cb9f-73ba-11f0-880...", "Save", "Share", and "Send" buttons.
- Request Details:** Tabs for "Params", "Auth", "Headers (8)", "Body" (selected), "Scripts", and "Settings". A "Cookies" link is also present.
- Query Params Table:**

Key	Value	Description
Key	Value	Description
- Response Section:**
 - Status: "200 OK" with response time "170 ms" and size "17.05 KB".
 - Format: "JSON" selected, with "Preview" and "Visualize" options.
 - Body (line numbers 1-14):

```
1  [
2    {
3      "id": "0f2d59bf-741c-11f0-8809-06ee56a6265f",
4      "createdAt": "2025-08-08T00:00:00",
5      "lastSavedAt": "2025-08-08T00:15:00",
6      "archived": false,
7      "mood": 4,
8      "entryTitle": "Morning check-in - feeling good",
9      "entryText": "Starting the day optimistic. Plan: hydrate, clear top
10     emails, and do a 30-min deep-work block.",
11     "emotions": [
12       {
13         "id": "0654cd94-73ba-11f0-8809-06ee56a6265f",
14         "emotionLabel": "curious"
15       }
16     ]
17   }
18 ]
```

The bottom of the image shows a Windows taskbar with various application icons and a system tray displaying "ENG US", signal icons, and the time "9:29 PM 8/10/2025".

JournalController

GET /api/journal/entries (SEARCH FUNCTIONALITY)

Workspaces

More

Search

Upgrade

Flows

GET local

POST loca

GET 122.2

GET 12

No environment

122.248.243.60:8080/api/journal/entries?query=morning

Save

Share

GET

122.248.243.60:8080/api/journal/entries?query=morning

Send

Params

Auth

Headers (9)

Body

Scripts

Settings

Cookies

Query Params

☒ Key	Value	Description	Bulk Edit
☒ query	morning		
Key	Value	Description	

Body

200 OK

76 ms

5.91 KB

Visualize

JSON

Preview

Visualize

```
1  [
2    {
3      "id": "0f2d59bf-741c-11f0-8809-06ee56a6265f",
4      "createdAt": "2025-08-08T00:00:00",
5      "lastSavedAt": "2025-08-08T00:15:00",
6      "archived": false,
7      "mood": 4,
8      "entryTitle": "Morning check-in - feeling good",
9      "entryText": "Starting the day optimistic. Plan: hydrate, clear top
10      emails, and do a 30-min deep-work block.",
11      "emotions": [
12        {
13          "id": "0654cd94-73ba-11f0-8809-06ee56a6265f",
14          "emotionLabel": "curious"
15        }
16      ],
17    },
18  ]
```

Console

Postbot

Runner

Vault

ENG US

9:18 PM

8/10/2025

JournalController

GET /api/journal/{entryId}/{userId}

The screenshot displays a REST client interface with a top navigation bar containing 'Workspaces', 'More', search, user, settings, notifications, and an 'Upgrade' button. The main area shows a selected flow 'GET 122.2' with a URL '122.248.243.60:8080/api/journal/0f2d59bf-741c-11f0-8809-06...'. The 'Send' button is visible. Below the URL bar, tabs for 'Params', 'Auth', 'Headers (8)', 'Body', 'Scripts', and 'Settings' are present, with 'Params' selected. A 'Query Params' table is shown with columns 'Key', 'Value', and 'Description'. The 'Body' tab is active, displaying a JSON response with a status of '200 OK', '31 ms', and '804 B'. The JSON data includes fields for 'id', 'createdAt', 'lastSavedAt', 'archived', 'mood', 'entryTitle', 'entryText', and 'emotions'. The bottom status bar shows system icons, language 'ENG US', and time '9:32 PM 8/10/2025'.

Workspaces ▾ More ▾

Flows GET local POST loca GET 122.2 GET 12

122.248.243.60:8080/api/journal/0f2d59bf-741c-11f0-8809-06... Save Share

GET 122.248.243.60:8080/api/journal/0f2d59bf-741c-11f0-8809-06... Send

Params Auth Headers (8) Body ● Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body 200 OK • 31 ms • 804 B

JSON Preview Visualize

```
1 {
2   "id": "0f2d59bf-741c-11f0-8809-06ee56a6265f",
3   "createdAt": "2025-08-08T00:00:00",
4   "lastSavedAt": "2025-08-08T00:15:00",
5   "archived": false,
6   "mood": 4,
7   "entryTitle": "Morning check-in - feeling good",
8   "entryText": "Starting the day optimistic. Plan: hydrate, clear top
9     emails, and do a 30-min deep-work block.",
10  "emotions": [
11    {
12      "id": "0654cd94-73ba-11f0-8809-06ee56a6265f",
13      "emotionLabel": "curious"
14    }
15  ]
16 }
```

Console Postbot Runner Vault 9:32 PM 8/10/2025

JournalController

PUT /api/journal/{entryId}/{userId}/archive

The screenshot shows the Postman interface with a PUT request to the endpoint `122.248.243.60:8080/api/journal/a108b755-f19d-4b92-9722-e...`. The request is successful, returning a `200 OK` status with a response time of 39 ms and a body size of 450 B. The response body, viewed in raw text, contains the message: `1 Entry successfully deleted.`

Query Params

Key	Value	Description
Key	Value	Description

Body 200 OK • 39 ms • 450 B • [Globe Icon] • [More Icon]

Raw [Dropdown] Preview Visualize [Dropdown]

1 Entry successfully deleted.

Postman interface elements visible: Workspaces, More, Upgrade button, No environment, Save, Share, Send, Params, Auth, Headers (8), Body, Scripts, Settings, Cookies, Console, Postbot, Runner, Vault, and system tray with date/time (9:34 PM 8/10/2025).

HabitsController

PUT /api/habits/submit

The screenshot shows a REST client interface with the following details:

- URL:** 122.248.243.60:8080/api/habits/submit
- Method:** POST
- Body (JSON):**

```
{  "userId": "0656cb9f-73ba-11f0-8809-06ee56a6265f",  "sleep": 6.5,  "water": "3.2",  "workHours": "8.5"}
```
- Response:** 200 OK • 34 ms • 459 B
- Response Body (Raw):**

```
1 Habits entry submitted successfully.
```

The interface includes a sidebar with icons for various features, a top bar with a search icon, a user icon, a settings icon, a bell icon, and an 'Upgrade' button. The bottom status bar shows the system language as 'ENG US', the time as '9:36 PM', and the date as '8/10/2025'.

HabitsController

GET /api/habits/{userId}

The screenshot displays a REST client interface with the following components:

- Top Bar:** Includes 'Workspaces' and 'More' dropdowns, search, user, settings, and notification icons, an 'Upgrade' button, and a window control icon.
- Navigation:** A sidebar on the left contains icons for a lock, back, flows, and other navigation options.
- Request Bar:** Shows the HTTP method 'GET' and the URL '122.248.243.60:8080/api/habits/all/0656cb9f-73ba-11f0-8809...'. It includes 'Save' and 'Share' buttons.
- Request Configuration:** Tabs for 'Params', 'Auth', 'Headers (8)', 'Body', 'Scripts', and 'Settings' are visible. The 'Body' tab is selected.
- Query Params Table:**

Key	Value	Description
Key	Value	Description
- Response Section:**
 - Status: '200 OK' with response time '33 ms' and size '3.13 KB'.
 - Format: 'JSON' selected, with 'Preview' and 'Visualize' options.
 - Body Content (lines 1-15):

```
1 [
2   {
3     "id": "0f31ca48-741c-11f0-8809-06ee56a6265f",
4     "createdAt": "2025-08-08T14:00:00",
5     "lastSavedAt": "2025-08-08T14:15:00",
6     "archived": false,
7     "sleep": 9.0,
8     "water": 10.0,
9     "workHours": 7.0
10  },
11  {
12    "id": "0f31cbcc-741c-11f0-8809-06ee56a6265f",
13    "createdAt": "2025-08-07T14:00:00",
14    "lastSavedAt": "2025-08-07T14:15:00",
15    "archived": false,
```

The bottom of the image shows a Windows taskbar with various application icons and a system tray displaying 'ENG US', signal icons, and the time '9:37 PM 8/10/2025'.

HabitsController

GET /api/habits/{entryId}/{userId}

The screenshot displays a REST client interface with the following components:

- Top Bar:** Includes 'Workspaces', 'More', search, user, settings, notifications, a profile icon, and an 'Upgrade' button.
- Request Bar:** Shows the method 'GET' and the URL '122.248.243.60:8080/api/habits/b2209b52-29f2-4c8d-9db6-3...'. It includes 'Save', 'Share', and 'Send' buttons.
- Request Details:** Tabs for 'Params', 'Auth', 'Headers (8)', 'Body', 'Scripts', and 'Settings'. The 'Body' tab is selected.
- Query Params Table:**

Key	Value	Description
Key	Value	Description
- Response Section:**
 - Status: '200 OK' with a green background.
 - Response Time: '38 ms'.
 - Response Size: '608 B'.
 - Response Headers: A table with columns for key, value, and description.
 - Response Body: A JSON object displayed in a code editor with line numbers 1 through 9.

```
1 {  
2   "id": "b2209b52-29f2-4c8d-9db6-35d8e4de13af",  
3   "createdAt": "2025-08-10T13:36:11.446892",  
4   "lastSavedAt": "2025-08-10T13:36:11.44692",  
5   "archived": false,  
6   "sleep": 6.5,  
7   "water": 3.2,  
8   "workHours": 8.5  
9 }
```

The bottom of the interface shows a taskbar with various application icons and a system tray with the date '8/10/2025' and time '9:38 PM'.

HabitsController

PUT /api/habits/{entryId}/{userId}/edit

The screenshot displays a REST client interface with the following components:

- Top Bar:** Includes a menu icon, "Workspaces" and "More" dropdowns, search, user, settings, and notification icons, an "Upgrade" button, and a window control icon.
- Request Bar:** Shows the method "PUT" and the URL "122.248.243.60:8080/api/habits/b2209b52-29f2-4c8d-9db6-3...". It includes "Save" and "Share" buttons.
- Request Body:** The "Body" tab is selected, showing a JSON payload:

```
1 {  
2   "sleep":6.5,  
3   "water":"9.9",  
4   "workHours":"8.5"  
5 }
```

Buttons for "raw", "JSON", "Cookies", and "Beautify" are present.
- Response Section:** Displays the status "200 OK" with response time "40 ms" and size "449 B". It includes a "Raw" tab and a "Preview" button.
- Response Body:** Shows the message "1 Entry successfully edited."
- Bottom Bar:** Features a "Console" tab, "Postbot", "Runner", "Vault", and other utility icons. The system tray shows "ENG US", network, volume, and battery icons, along with the time "9:40 PM 8/10/2025".

HabitsController

PUT /api/habits/{entryId}/{userId}/archive

The screenshot displays the Postman interface for a REST client. The top bar shows 'Workspaces' and 'More' options. The main area is divided into several sections:

- URL Bar:** Shows the endpoint `122.248.243.60:8080/api/habits/b2209b52-29f2-4c8d-9db6-3...` with a 'Save' button and a 'Share' link.
- Method:** A dropdown menu is set to 'PUT'.
- Request Body:** A text box contains the URL `122.248.243.60:8080/api/habits/b2209b52-29f2-4c8d-9db6-35d8e4de13af/0656cb9f-73ba-11f0-8809-06ee56a6265f/archive`. A 'Send' button is to the right.
- Params:** A tab for 'Query Params' is active, showing a table with columns 'Key', 'Value', and 'Description'. The table is currently empty.
- Response:** The status is '200 OK' with a response time of '30 ms' and a size of '450 B'. The body is displayed in 'Raw' format, showing the message: '1 Entry successfully deleted.'

The bottom of the image shows the Windows taskbar with various application icons and the system clock indicating 9:41 PM on 8/10/2025.

CounsellorController

POST /api/counsellor/login

The screenshot displays the Postman interface for a REST client. The top bar shows 'Workspaces' and 'More' options. The main area is divided into several sections:

- Request Section:** The URL is `122.248.243.60:8080/api/counsellor/login`. The method is **POST**. The body is set to **JSON** and contains the following payload:

```
1 {
2   "email": "dr.stephen.strange@clinic.com",
3   "password": "password"
4 }
```
- Response Section:** The status is **200 OK** with a response time of 184 ms and a body size of 567 B. The response body is in **JSON** format and contains the following payload:

```
1 {
2   "userId": "0657f489-73ba-11f0-8809-06ee56a6265f",
3   "showEmotion": false
4 }
```

The bottom of the image shows the Windows taskbar with various application icons and the system clock indicating 9:43 PM on 8/10/2025.

CounsellorController

POST /api/counsellor/register

The screenshot displays a REST client interface with the following details:

- URL:** 122.248.243.60:8080/api/counsellor/register
- Method:** POST
- Body (JSON):**

```
1 {
2   "email": "dr.jennifer.melfi@clinic.com",
3   "password": "Password123!",
4   "firstName": "Jennifer",
5   "lastName": "Melfi"
6 }
```
- Response:** 200 OK, 136 ms, 456 B. The response body is: "1 You have registered successfully."

The interface includes a sidebar with icons for various features, a top bar with an "Upgrade" button, and a bottom status bar showing system information like "ENG US" and the time "9:44 PM 8/10/2025".

CounsellorController

GET /api/counsellor/logout

The screenshot displays a web client interface with a top navigation bar containing 'Workspaces', 'More', search, and user icons, along with an 'Upgrade' button. The main area shows a list of flows with the selected one being 'GET 122.248.243.60:8080/api/counsellor/logout'. The interface includes tabs for 'Params', 'Auth', 'Headers (9)', 'Body', 'Scripts', and 'Settings', with a 'Cookies' link on the right. The 'Query Params' section contains a table with headers 'Key', 'Value', and 'Description', and a 'Bulk Edit' option. The 'Body' tab is active, showing a status of '200 OK' with a response time of '8 ms' and a size of '455 B'. The response body is displayed in 'Raw' format as '1 You have logged out successfully'. The bottom status bar shows 'Postbot', 'Runner', 'Vault', and system information including 'ENG US' and the time '9:45 PM 8/10/2025'.

Workspaces ▾ More ▾

GET local POST local GET 122.2 GET 122.248.243.60:8080/api/counsellor/logout

122.248.243.60:8080/api/counsellor/logout

GET 122.248.243.60:8080/api/counsellor/logout

Params Auth Headers (9) Body • Scripts Settings

Query Params

Key	Value	Description
Key	Value	Description

Body 200 OK • 8 ms • 455 B

Raw ▾ Preview Visualize ▾

1 You have logged out successfully

Postbot Runner Vault

ENG US 9:45 PM 8/10/2025

LinkRequestController

POST /api/linkrequest/

The screenshot displays the Postman interface for a REST client. The top bar shows 'Workspaces' and 'More' options. The main area is divided into several sections:

- Request Section:** The URL is `122.248.243.60:8080/api/linkrequest`. The method is `POST`. The body is set to `JSON` and contains the following payload:

```
1 {
2   "clientEmail": "liam.harris@email.com"
3 }
```
- Response Section:** The status is `200 OK` with a response time of `84 ms` and a body size of `828 B`. The response body is displayed in `JSON` format:

```
1 {
2   "id": "10a24f9d-0105-481c-97e4-89f535308090",
3   "counsellorUser": {
4     "id": "efe4cc97-2902-4d01-a608-40c79f322774",
5     "email": "dr.jennifer.melfi@clinic.com",
6     "firstName": "Jennifer",
7     "lastName": "Melfi"
8   },
9   "journalUser": {
10    "id": "0656d2e7-73ba-11f0-8809-06ee56a6265f",
11    "email": "liam.harris@email.com",
12    "firstName": "Liam",
13    "lastName": "Harris",
14    "showEmotion": false
15  },
16 }
```
- Bottom Bar:** The status bar shows the system language as `ENG US` and the time as `9:56 PM 8/10/2025`.

LinkRequestController

GET /api/linkrequest/counsellor/all-link-requests/{counsellorId}

The screenshot shows a REST client interface with the following details:

- URL:** 122.248.243.60:8080/api/linkrequest/counsellor/all-link-requests/0657f2b1-73ba-11f0-8809-06ee56a6265f
- Method:** GET
- Status:** 200 OK
- Response Body (JSON):**

```
[{"id": "a0d847ee-75bb-11f0-8809-06ee56a6265f", "counsellorUser": {"id": "0657f2b1-73ba-11f0-8809-06ee56a6265f", "email": "dr.lisa.simpson@clinic.com", "firstName": "Lisa", "lastName": "Simpson"}, "journalUser": {"id": "0656d009-73ba-11f0-8809-06ee56a6265f", "email": "carol.davis@email.com", "firstName": "Carol", "lastName": "Davis", "showEmotion": false}}]
```

The interface also shows a table for Query Params and a sidebar with various icons.

LinkRequestController

GET /api/linkrequest/journal/all-link-requests/{journalUserId}

The screenshot displays a REST client interface with the following details:

- URL:** 122.248.243.60:8080/api/linkrequest/journal/all-link-requests/...
- Method:** GET
- Response Status:** 200 OK, 441 ms, 820 B
- Response Body (JSON):**

```
[
  {
    "id": "a020035f-75bb-11f0-8809-06ee56a6265f",
    "counsellorUser": {
      "id": "0657ea21-73ba-11f0-8809-06ee56a6265f",
      "email": "dr.sarah.connor@clinic.com",
      "firstName": "Sarah",
      "lastName": "Connor"
    },
    "journalUser": {
      "id": "0656cb9f-73ba-11f0-8809-06ee56a6265f",
      "email": "alice.johnson@email.com",
      "firstName": "Alice",
      "lastName": "Johnson",
      "showEmotion": true
    }
  }
]
```

The interface also shows a table for Query Params and a status bar at the bottom with system icons and the time 11:45 PM on 8/10/2025.

LinkRequestController

POST /api/linkrequest/{requestId}/decision

The screenshot displays a REST client interface with the following details:

- URL:** `122.248.243.60:8080/api/linkrequest/10a24f9d-0105-481c-97...`
- Method:** `POST`
- Request Body (JSON):**

```
1 {  
2   "approved": "True"  
3 }
```
- Response Status:** `200 OK` (97 ms, 382 B)
- Response Body (Raw):**

```
1
```

The interface includes a top navigation bar with 'Workspaces' and 'More' menus, a search bar, and an 'Upgrade' button. The left sidebar contains icons for various tools. The bottom status bar shows the system time as 11:53 PM on 8/10/2025 and the language as ENG US.

CounsellorClientController

GET /api/counsellor/clients/all/{counsellorId}

WorkspacesMore

122.248.243.60:8080/api/counsellor/clients/all/0657ea21-73ba-11f0-8809-06ee56a6265f

GET122.248.243.60:8080/api/counsellor/clients/all/0657ea21-73ba-11f0-8809-06ee56a6265f

ParamsAuthHeaders (9)BodyScriptsSettings

Key	Value	Description
Key	Value	Description

200 OK • 405 ms • 730 B

JSONPreviewVisualize

```
[
  {
    "id": "0656cb9f-73ba-11f0-8809-06ee56a6265f",
    "email": "alice.johnson@email.com",
    "firstName": "Alice",
    "lastName": "Johnson",
    "archived": false,
    "showEmotion": true
  },
  {
    "id": "0656cf0e-73ba-11f0-8809-06ee56a6265f",
    "email": "bob.smith@email.com",
    "firstName": "Bob",
    "lastName": "Smith",
    "archived": false,
  }
]
```

ConsolePostbotRunnerVault12:04 AM 8/11/2025

CounsellorClientController

GET /api/counsellor/clients/{journalUserId}/journal-entries/{counsellorId}

The screenshot displays a REST client interface with the following details:

- URL:** 122.248.243.60:8080/api/counsellor/clients/0656cf0e-73ba-11f0-8809-06ee56a6265f/journal-entries-android/0657ea21-73ba-11f0-8809-06ee56a6265f
- Method:** GET
- Status:** 200 OK, 572 ms, 16.79 KB
- Response Body (JSON):**

```
[
  {
    "id": "0f2d58f0-741c-11f0-8809-06ee56a6265f",
    "createdAt": "2025-08-08T12:00:00",
    "lastSavedAt": "2025-08-08T12:15:00",
    "archived": false,
    "mood": 2,
    "entryTitle": "Evening wind-down - a bit off",
    "entryText": "Evening wrap-up – heavy. Letting go of what I cannot control.",
    "emotions": [
      {
        "id": "0654ca48-73ba-11f0-8809-06ee56a6265f",
        "emotionLabel": "sad"
      }
    ]
  }
]
```

The interface also shows a sidebar with navigation icons, a top bar with 'Workspaces' and 'More' options, and a bottom status bar with system icons and the time '12:21 AM 8/11/2025'.

CounsellorClientController

GET /api/counsellor/clients/{journalUserId}/journal-entries/{entryId}/{counsellorId}

WorkspacesMore

122.248.243.60:8080/api/counsellor/clients/0656cf0e-73ba-11f0-8809-06ee56a6265f/journal-entries/0f2d58f0-741c-11f0-8809-06ee56a6265f/0657ea21-73ba-11f0-8809-06ee56a6265f

GET

Send

ParamsAuth

Query Params

Key	Value	Description
Key	Value	Description

Body200 OK36 ms767 B

JSONPreviewVisualize

```
1 {
2   "id": "0f2d58f0-741c-11f0-8809-06ee56a6265f",
3   "createdAt": "2025-08-08T12:00:00",
4   "lastSavedAt": "2025-08-08T12:15:00",
5   "archived": false,
6   "mood": 2,
7   "entryTitle": "Evening wind-down - a bit off",
8   "entryText": "Evening wrap-up – heavy. Letting go of what I cannot control.",
9   "emotions": [
10    {
11      "id": "0654ca48-73ba-11f0-8809-06ee56a6265f",
12      "emotionLabel": "sad"
13    }
14  ]
15 }
```

ConsolePostbotRunnerVault12:27 AM 8/11/2025

CounsellorClientController

GET /api/counsellor/clients/{journalUserId}/habits-entries-android/{counsellorId}

WorkspacesMore

122.248.243.60:8080/api/counsellor/clients/0656cf0e-73ba-11f0-8809-06ee56a6265f/habits-entries-android/0657ea21-73ba-11f0-8809-06ee56a6265f

GET

Send

ParamsAuth

Query Params

Key	Value	Description
Key	Value	Description

Body200 OK47 ms2.95 KB

JSONPreviewVisualize

```
1 [
2   {
3     "id": "0f31c98f-741c-11f0-8809-06ee56a6265f",
4     "createdAt": "2025-08-08T14:00:00",
5     "lastSavedAt": "2025-08-08T14:15:00",
6     "archived": false,
7     "sleep": 6.0,
8     "water": 6.0,
9     "workHours": 9.0
10  },
11  {
12    "id": "0f31cb51-741c-11f0-8809-06ee56a6265f",
13    "createdAt": "2025-08-07T14:00:00",
14    "lastSavedAt": "2025-08-07T14:15:00",
15    "archived": false,
```

ConsolePostbotRunnerVault12:24 AM 8/11/2025

CounsellorClientController

GET /api/counsellor/clients/{journalUserId}/habits-entries/{entryId}/{counsellorId}

The screenshot displays a REST client interface with the following details:

- URL:** 122.248.243.60:8080/api/counsellor/clients/0656cf0e-73ba-11f0-8809-06ee56a6265f/habits-entries/0f31c98f-741c-11f0-8809-06ee56a6265f/0657ea21-73ba-11f0-8809-06ee56a6265f
- Method:** GET
- Status:** 200 OK, 22 ms, 595 B
- Response Body (JSON):**

```
{
  "id": "0f31c98f-741c-11f0-8809-06ee56a6265f",
  "createdAt": "2025-08-08T14:00:00",
  "lastSavedAt": "2025-08-08T14:15:00",
  "archived": false,
  "sleep": 6.0,
  "water": 6.0,
  "workHours": 9.0
}
```

The interface includes a sidebar with navigation icons, a top bar with 'Workspaces' and 'More' dropdowns, and a bottom status bar showing system information like 'ENG US' and the time '12:30 AM 8/11/2025'.