Late Results Supplement / AGI ALPHA Overnight008

Source freeze 54f229bb0672201dd635a46f8edd71083f1e7bfe; commit time 2026-10-30T05:31:32-04:00

Snapshot SHA256: `7c0fe98cb5f57042b33d1bf49ad4bf5654fafb8e2eb18d3d4c3e260c6ee9d3a1`

Ongoing source-bound checkpoint. MISSION NOT COMPLETE.

Coordinate repair: computation fixed, useful feature claim still fails

This append-only supplement extends the historical and progress papers without rewriting them. It reports completed late constructions and public-package execution. MISSION NOT COMPLETE at this source freeze; the original overnight window ends 2026-10-30T11:07:44Z. No final-window closeout, new scientific confirmation or budget reset is claimed. [R1]

The frozen coordinate package has 29 manifest entries. Its repair source is 48cd04ae4bf6, and its independent checker is dd2dc7438bd5. Explicit source/target sample centers replace endpoint-aligned zoom, while the complete old affine map retains its original centroids. Both faces and three arms remain: old field transported to corrected physical centers, fixed old affine evaluated there, and the unchanged ordinary registration routine refitted. This is developer-written conventional repair on exposed data. [R2] [R3] [R4]

Physical-coordinate ramps now match the declared target centers to 3.553e-15 mm numerical discrepancy. This proves processing-grid consistency, not physical instrument accuracy. The table compares mean absolute height disagreement in mm on identical corrected physical points; no index-only or changing-mask gain is substituted. [R3]

Face	Common n	Old transported	Fixed old affine	Refit	Zero plane
min	512653	0.015754799	0.015791337	0.015357578	0.001382700
max	531758	0.006571766	0.006587220	0.006703765	0.001468729

The max-face refit is slightly worse on the common cohort and the featureless plane still wins. On its own overlap, refit MAE is 0.007101927 mm at 533846/548444 coverage; the below-minus0.1 mm diagnostic retains only 1243/2464 = 50.45%. That depth group is not a true pore mask or a newly accepted customer cohort. Corrected reference locations/missingness differ from old ones; interpolation order and refitting cannot be isolated as physical accuracy gains. [R3] [R4]

The reviewer reconstructs coordinates, full affine maps, fields, masks and arithmetic without candidate imports or registration reoptimization. Same host/model family/libraries mean procedural separation, not external certification. Independent calibration, pore truth, internal geometry and unseen specimens remain missing. [R4]

All 828 recorded inputs and actual downloaded numerical qualification

The paired fuel-cell diagnostic retains all 828 released records. One view follows the published nine-channel/final100-sample recipe; the other retains all ten channels and180 samples. Only signed zero is canonicalized. Hash groups require exact value equality before label comparison; no rounding, nearest-neighbor equivalence, fitted residual or favorable cohort is used. No predictor is trained and no downloaded model is deserialized. [R9] [R10]

Frozen input view	Records / unique groups	Duplicate pairs	Conflicting groups
Published9x100	828 / 828	0	0
All10x180	828 / 828	0	0

No exact recorded-input alias witness is found. This does not prove physical identification: continuous noisy inputs can all be distinct while unobserved ambiguities remain. Source row pairing is not independent acquisition-clock validation. Raw records expose different cell/stack targets, incomplete row mapping, and time-recording/spectral examples from different dates; they cannot be manufactured into same-system repeats or a noise bound. The physical gate remains a clock/site/frequency map plus independently characterized same-system repeatability. [R10] [R11]

The earlier downloaded data-archive check at 9121dd1f3bff verifies Git blobs and lossless field assembly only; it is not numerical runtime qualification. The later run downloads source 2205bf896b6c (8588 files) and data 5d5fb96d1421 (25 files), verifies every Git blob first, restores all 47 original hashes, then actually executes the coordinate repair and separate fixed checker. Those numerical checks pass with source bytes unchanged. [R12] [R6]

Fresh min/max field NPZ hashes equal the archived repaired fields. Full RESULT files are not byte-identical: the original d621a760a606 and fresh 47a8e498a769 include different actual timestamps/resource measurements. Identical source/checker/input identity and independently checked numerical outcomes must not be confused with identical receipt bytes. [R8] [R3] [R5]

The enclosing replay receipt records 49.192056 waited-child CPU-seconds and 42.725669613 supervisor CPU-seconds; nested restore/repair/check phases are not added again. They remain inside the existing300-second reservation with no refund. The wrapper is a trusted-command resource receipt, not an exact full-process-group meter, arbitrary native sandbox, physical validation or commercial qualification. [R7] [R14]

The recorded 3 exact-head workflows at 2205bf896b6c report success, success, success. The earlier56dc legacy SIGINT startup failure remains preserved and is not a demonstrated source fix merely because a later timing-sensitive probe passes. [R16] [R15]

Complete-cost boundary, mission links and the next evidence gate

The latest included journal has 28 events and reserves 12120 experiment / 7390 verification-publication CPU-seconds against the original 36000 / 10000 ceilings. These are conservative accounting charges, not observed complete CPU or money. All 9 lifecycle monetary categories lack measured finite upper bounds; complete profit, deployment cost recovery and investment NPV remain unknown. Supported buyer participation includes q=0. Posted substitute prices are not demand, avoided cost or our revenue. [R13] [R14]

Mission link	Decision within the recorded scope
Enabling capability	NOT ESTABLISHED: processing and finite-model instruments execute; consequential new means unproved.
Technical advantage	NOT ESTABLISHED: known methods tie/provide the lever; plane and full-view witnesses defeat proxies.
Complete-cost profitability	NOT ESTABLISHED: no admitted same-cohort negative-to-positive complete-cost result.
Investment attractiveness	NOT ESTABLISHED: full incremental NPV unknown versus strongest outside option/non-entry.
AGI ALPHA value capture	CONDITIONAL: service scenario only; no independently calibrated purchase or enforceable revenue.
Unrestricted simulated earnings	VERIFIED: ZERO qualified earned funds; deposits/reserve releases are not earnings.
Earned-funded construction	NOT ESTABLISHED: current construction uses original authorized resources.
Fresh successor advantage	NOT ESTABLISHED: actual retained biological use ties ordinary reuse/reset; no attributable fresh benefit.

Earlier failures remain: biological plans and all64 geothermal designs tie strong ordinary routes; native rotational CAD remains unqualified; pair-separating XCT views fail the feature-range consequence, and a full120 feasible pair defeats the fixed0.005 target under its declared model. Existing dynamic EIS already supplies the broad operando lever. No later repair turns those results into invention, physical qualification or commercial success.

The next executable evidence gate is a fixed consequential feature/response obligation, reconstructed same-system acquisition timing/site/frequency mapping and independent calibration/repetition bounds. Only then can equal-input strong complete alternatives be challenged and a distinguishing active intervention or orthogonal measurement be admitted. More threshold tuning, nearest-input grouping or a synthetic world cannot supply the missing physical reference. All cases remain exposed development; no protected confirmation, real commerce, paid use or error-budget reset is claimed. [R11] [R14]

Selected exact-source links. [R3] frozen coordinate result; [R4] separate coordinate review; [R10] all828 exact diagnostic; [R11] physical input gate; [R12] data-only integrity scope; [R6] actual public numerical replay; [R8] field-byte reproduction; [R14] complete cost boundary; [R16] exact2205 hosted statuses

```
python3 scripts/build_late008_paper.py --repo . --source-ref 54f229bb0672201dd635a46f8edd71083f1e7bfe \
  --inputs docs/overnight008-late/SOURCE_INPUTS.json \
  --self-path scripts/build_late008_paper.py --output /tmp/late-paper-NEW
```