

META-AGENTIC α -AGI Jobs v0

Board / Ministerial Brief

Autonomy measured · Work proven · Value settled



Institutional autonomy with proof

Proof-native · Policy-bound · Settlement-ready

Identity

Roles bound to keys.
Accountability by default.

Evidence

Deterministic runs emit
signed proof bundles.

Settlement

Escrow releases only
after validation.

Governance

Policy gates, upgrades,
and emergency brakes.

Invariant: no value without evidence · no autonomy without authority · no settlement without validation


Trust is the bottleneck

Capability is compounding faster than verification and governance.

What breaks without trust

- Provenance becomes disputable
- Compliance slows deployment
- Autonomy drifts beyond policy
- No canonical unit for machine work
- Memory fragments; failures recur

The gap is where risk lives



One system, two planes

Integrity on-chain · throughput off-chain · synchronized by proofs

Protocol spine (integrity)

- Identity & role registry
- Policy commitments & versioning
- Escrow · staking · slashing
- Settlement rules & dispute hooks
- Upgrade gates & emergency pause

Living runtime (throughput)

- Deterministic nodes execute jobs
- Sidecars meter compute & I/O
- Validators replay + attest
- Sentinels monitor drift + health
- Chronicle indexes validated outcomes

Proof sync: content hashes + signed attestations

Core primitives

A small set of objects — composed into an auditable machine

Identity

Names + keys
(role-bound)

Policy

Budgets + allowlists
(enforced)

Job

Spec + acceptance
(escrowed)

Proof

Artifacts + hashes
(signed)

Validation

Replay + quorum
(commit–reveal)

Settlement

Release + receipts
(slash if fraud)

Chronicle

Immutable memory
(queryable)

Metrology

α -WU work units
(price signal)

Rite of a job

Request → proof → payout → Chronicle

Request

Escrow

Execute

Proof

Validate

Settle

Chronicle

Result: artifacts + validated α -WU + settlement receipt → Chronicle entry (queryable, replayable, attributable)

Invariant: no payout without validated proof.

Evidence bundle

Deterministic, signed, replayable — designed to survive an audit.

Bundle contents (minimum set)

- JobSpec + acceptance + policy context
- Container digest / SBOM + pinned dependencies
- Inputs & outputs (content-addressed hashes)
- Logs, traces, metering telemetry (α -WU inputs)
- Signatures: worker/node + validator attestations

If it cannot be replayed, it cannot be trusted — and it does not settle.

**Replay
+ attest
+ settle**


Determinism + signatures turn audits into replays.

Separation of duties

Execution is checked by validation; validation is checked by stake; safety is checked by policy.

Orders of the network

Requester	Posts JobSpecs, funds escrow, defines acceptance
Worker	Executes deterministically, emits proofs
Validator	Replays, scores, attests (slashable)
Sentinel	Monitors drift, trips brakes, escalates
Owner/Operator	Sets policy, budgets, upgrades; can pause



α -Work Units (α -WU)

Canonical, hardware-normalized measure of verified work — parameterized by policy

α -WU = normalized compute $\times$ difficulty tier $\times$ quality score

Compute

- Signed metering telemetry
- Hardware-normalized seconds
- Reproducible from bundle

Difficulty

- Model / task tier schedule
- Policy-set multipliers
- Domain constraints

Quality

- Acceptance tests & SLOs
- Validator score ($QV \in [0,1]$)
- Fails $\rightarrow$ 0 credit

\$AGIALPHA utility

Stake · Settle · Coordinate

Stake

- Bond participation
- Sybil resistance
- Slashable accountability

Settle

- Jobs paid via escrow
- Release after validation
- Fee routing + optional burn

Coordinate

- Epoch accounting (α -WU)
- Reputation & routing signals
- Governance parameters


Utility token only: required for protocol operation. No equity, profit rights, or claims on an entity.

Chronicle

Validated outcomes become reusable primitives — compounding advantage without compounding opacity.

Validated outcomes become reusable primitives.

Chronicle is the immutable evidence graph that lets institutions reuse what worked — without importing unverifiable noise.



What compounds

- Reuse validated pipelines
- Lower dispute cost
- Better routing signals
- Faster governance (metrics)

Autonomy under authority

Powerful automation — bounded by policy, keys, and reversible brakes

Policy gates

- Budgets & rate limits
- Allowlists by domain
- Role-scoped permissions

Sandboxing

- Least privilege by default
- Controlled external calls
- Resource isolation caps

Brakes

- Circuit breakers & pause
- Quarantine + rollback
- Incident escalation

Operator override is final — autonomy is never sovereign.

CI v2 assurance wall

Main is deployable truth — enforced gates for reproducibility, safety, and provenance

What it enforces

- Branch protection as an auditable contract
- Deterministic builds + pinned toolchains
- SBOM + dependency drift detection
- Signed releases with replayable evidence
- Failures fail-closed (no silent deploy)

What auditors can verify

- ✓ tests
- ✓ lint
- ✓ security
- ✓ replay
- ✓ provenance

The status wall is an always-current, machine-readable snapshot of readiness.

Adopt incrementally

Start with proofs; scale autonomy only as fast as governance can verify

Pilot

- Pick one workflow
- Define acceptance tests
- Run private nodes

Harden

- Add validator quorum
- Export audit packs
- Enable policy brakes

Scale

- Route more workloads
- Publish α -WU indices
- Open markets by policy

Principle: expand power only as fast as proofs and brakes are proven.

Build the Cathedral of Verifiable Work

Make work verifiable. Make autonomy admissible.
Compound leverage with each settled proof.

Autonomy measured · Work proven · Value settled

github.com/MontrealAI/AGIJobsv0

Also: AGI-Alpha-Agent-v0 • AGI-Alpha-Node-v0