

SUCCESSOR Ω

The practical guide

ANABASIS Ω / Your first useful mission



One decision. One owner. One fair comparison.

Start with a question you can test, not a promise of unrestricted autonomy. Your first valuable outcome may be an executable model, a rejected investment or a better next experiment.

No-code route. Extract the publication ZIP. Open `START_HERE.html`. Read the owner brief, explore ANABASIS Mission Command, then open First Mission to draft your own bounded question. Reading and drafting require no account, API key or Python.

Research route. Use pages 4–5 for native learning and reproduction. The case uses the retained v10.2 scientific snapshot. The v11 route is separately labelled and requires your matching v11 product.

Publication companion 1.0 · 6 September 2026. Local research is not independent proof, customer Alpha or operating authority.

1 / Choose the mission before choosing the model

A useful starting mission is repeated, consequential, measurable, bounded, and supported by an available owner and comparator. A vague ambition needs narrowing before automation.

Write this	A worked example
Decision	Which recovery assay should we buy before considering a plant?
Owner	Named human principal with a right to stop.
Outcome	Twelve-year project NPV, separately defined severe loss and complete assay fees.
Alternative	No-build, one-step research, information-per-cost, informed predictor plus full planner.
Hard boundary	At most three distinct assays; no actual purchases or equipment control in the research package.
Stop condition	Measurement-channel assumptions fail or no investment satisfies the frozen risk constraint.

Copyable commissioning prompt

Help me constitute one bounded SUCCESSOR Ω mission. Ask for the decision, owner, observable outcome, permitted evidence, incumbent, strongest credible alternative, complete cost, unacceptable failures and next review. Separate facts, assumptions, unknowns and proposed actions. Do not invent measurements, independent proof or permission. Return a one-page charter, missing-evidence register and smallest decision-changing experiment.

This prompt assists drafting in an approved assistant. It does not execute the product, compile arbitrary constraints or create a verifier.

2 / Learn what the result actually means

Model. Inspect the expression, inputs, units, domain, training evidence and falsifier. A program can be useful and still be wrong outside its envelope.

Comparison. Check what the incumbent and Beta actually received and produced. A provider label is not evidence that a live external model was evaluated. Missing Beta is not a zero-value competitor.

Evidence role. Keep training, selection and challenge evidence distinct. Preserve known exposure. Do not rename or reorder old cases to pretend they are fresh.

Status	Interpretation
CANDIDATE	A model has been formed; no independent qualification follows.
LOCAL_PASS	The declared local test passed, within its inputs and assumptions.
FALSIFIED	Preserve the contradiction and narrow, repair or retire the claim.
Tie or negative comparison	Retain the better-supported alternative; the institution need not defend its own predictor.
Independent proof absent	Do not describe the candidate as independently proven or production-admitted.

ANABASIS's most useful lesson

The contingent plan has a valuable synthetic project outcome, but informed Beta with the same planner ties it. Retain the decision method. Do not pay an unsupported exclusive-model premium.

3 / Run the included historical research

Use a separately prepared Python 3.13 environment and the case's pinned numerical requirements. These are reproduction targets, not a claim to be the newest secure versions. Approve installations according to your own environment policy.

Open a terminal in the extracted publication folder:

```
python3 VERIFY_PUBLICATION.py
cd case_study/ANABASIS_OMEGA_1_0
python3 -m venv .venv
source .venv/bin/activate
python -m pip install -r requirements-research.txt
python SUCCESSOR.py doctor
python REPRODUCE.py --out var/replay_001
python -m pytest tests -q
```

On Windows, the virtual-environment activation path is `.venv\Scripts\activate`; the configured interpreter may be `python`. Native Windows and macOS qualification is not asserted. Package installation may need network access; the delivered dependency bytes are not bundled.

Expected result. A fresh `var/replay_001/results/` folder with trained candidates, comparisons, Gym episodes and conditional physical/economic accounts. An interrupted process or partially written directory is not a completed study.

Inspect. Read `results/run1/SUMMARY.json`, the cohort's `G1.json`, `G2.json`, `G3.json`, and `NEURAL.json`. Read both the positive and negative comparison results.

New publication analysis. Return to the publication root, install `requirements-publication.txt` in an approved environment, then run:

```
python3 REPRODUCE_PUBLICATION.py --out var/extension_001
python3 -m pytest research -q
```

4 / Use the separate v11 product

Do not mix two command roots

The commands below belong in your matching extracted SUCCESSOR Ω v11 product, not in this publication or its historical v10.2 case. The v11 user manuals are included as references; the full v11 product archive is not duplicated here.

```
python3 SUCCESSOR.py doctor
python3 SUCCESSOR.py init --workspace var/my_mission
python3 SUCCESSOR.py serve --workspace var/my_mission
```

Open the private local session link printed in the terminal. Initialize once; future sessions use `serve`. For a full reproducible example use `python3 SUCCESSOR.py demo --out var/demo_001`.

The guided sequence. Start the synthetic example. Review the mission and exact evidence. Select actual comparators. Validate without training. Confirm the exact plan. Train and freeze. Supply the challenge. Inspect formula, errors, baselines and current claim state.

Create a successor deliberately. Choose new evidence, explicit reuse, append or rehearsal. Preserve the predecessor. Compare the exact frozen parent and child on the same eligible new cases. A child is not preferred automatically.

Your data. The supported v11 numerical adapter has at most four inputs and one target, with explicit units and domains. Development JSON distinguishes train and selection; challenge JSON distinguishes holdout and stress. Use generated examples to learn the schema; do not invent hidden flags.

Workspaces and full exports contain plaintext evidence. Signing does not encrypt the data or establish independent proof. A local success remains different from field Alpha and authority.

5 / Retain value, resolve failures, renew deliberately

Problem	Useful response
A link is missing	Extract the whole ZIP; keep its relative folders together. Verify the manifest.
Python or NumPy missing	Run the environment diagnostic; install only through an approved source.
Output already exists	Choose a new run directory. Never overwrite the original evidence to force a rerun.
A model fails or ties Beta	Keep the outcome. Retain the better alternative or narrow the mission.
The world changes	Mark affected claims for review. Form a separate child with explicit evidence.
A browser blocks file access	Use the PDF route or an approved local server. Do not disable browser security globally.

The weekly owner review

What changed? Which assumption is now weaker? Which baseline is strongest? Which claim expires? What is the next cheapest decisive observation? Who owns the decision to retain, repair, pause or retire? What accepted value has actually become available for reinvestment?

Use the source-defined 21-job map as a formation and proof checklist, not a certificate. Underwrite, Execute, Accept, Admit and Allocate remain distinct. D0–D4 are phase gates; A0–A4 are authority levels. A completed draft, local pass or export creates none of the missing independent actors.

Your durable output. A mission charter, authorized evidence, executable understanding, fair comparisons, negative results, restoration instructions and a specific next decision. Keep that institution; replace computational suppliers when justified.

Sources: the supplied Navigator v5.0.0, Gym v2.1.0 and corporate white paper; retained ANABASIS code; matching v1.1 README and user guides. This practical guide is not production authorization.