

MONTREAL.AI · QUEBEC.AI

SUCCESSOR Ω USER GUIDE Ω

FROM ONE MISSION TO ENDURING INTELLIGENCE

IDEAS
EVIDENCE
PEOPLE
INSTITUTIONS
WORLDS
A BRIGHTER
HUMAN FUTURE

Ω
SCIENCE
GAME THEORY
ENGINEERING
ECONOMICS
SOVEREIGNTY
HUMANITY

Ω
LEARN
PROVE
GOVERN
COMPOUND
CIVILIZE

A MORE
INTELLIGENT
CIVILIZATION

Vincent Boucher

President, QUEBEC.AI & MONTREAL.AI

FIRST SESSION | PRODUCT 20.0.1

Conceptual artwork. Local A0 research. No production authority.

1 · Find the right folder

Goal: complete one explicit synthetic lesson, understand its outcome and restore its exact record. No independent proof, production authority or realized Alpha is created.

Extract 06_PRODUCT/SUCCESSOR_OMEGA_20_0_1_CUSTOMER_PRODUCT.zip. The product folder is SUCCESSOR_OMEGA, containing VERSION.json, VERIFY_PACKAGE.py and 07_NATIVE/. The guide folder is USER_GUIDE_4_0, containing START_LESSON.py. Do not confuse either with a seller archive.

Keep the original ZIP and use a separate new directory for each lesson. Never save runs inside the product.

From a terminal in the product:

```
python3 VERIFY_PACKAGE.py
node 07_NATIVE/start.mjs doctor
```

The tested host was Linux, Node.js 22.16.0 and Python 3.13.5. That older patch is a test fact, not an installation recommendation. Current security patches and compatibility need their own checks. Windows, macOS and current-LTS qualification are not established by this guide.

When a command is not found: resolve the runtime installation and terminal path with your administrator. Do not bypass a device policy or run everything as administrator.

2 · Choose the guided lesson

From a terminal in the **guide** folder:

```
| python3 START_LESSON.py
```

Choose en, give the extracted product path, select a **NEW** practice folder and choose classify, world or compose.

Route	Use it to learn
classify	Six-signal cases, explicit comparators and case ledgers
world	Temporal episodes, executable hypotheses and bounded prediction
compose	A predictor, shared-resource planner and applicability record

The companion verifies the product and prepares public synthetic evidence. It fills a teaching dossier with approval initially **HOLD**. Read the proposed mission, the alternatives and the gap between this lesson and real work.

No training occurs until you authorize the local research and separately confirm the actual native preflight. The companion is a guide utility; the underlying product remains unchanged.

For the fully native route instead, from the product:

```
| node 07_NATIVE/start.mjs mission wizard
```

Choose 1 for classification, 2 for a classifier successor, 7 for worlds or 9 for composition. These menu numbers are not authority levels.

3 · Inspect, then confirm

Read the dossier before agreeing to local synthetic research. Name the responsible operator. Enter and repeat a private passphrase through the hidden prompt. It protects the signing key only; evidence and models remain readable.

The product's actual preflight then displays the constituted plan. Inspect:

Mission and mapping. What question is being represented? What prose is not automatically compiled?

Evidence and comparison. What is synthetic, reused, exposed or missing? Which comparator modes are actually selected?

Budgets and limits. What search, evaluation, scope and resource limits apply?

Confirm only after reading those fields. A **HOLD** or an unexpected refusal is a reason to inspect, not an instruction to weaken validation.

The companion passes secrets through a process pipe; it does not place them in command arguments. Do not type a passphrase into a shell command, a screenshot, a shared file or a support message.

Cancel: answer no before confirmation, or use Ctrl+C during a run. Preserve any resulting checkpoint or failure record. A cancelled or partial run is not a completed candidate.

4 · Read what actually happened

The lesson creates RUN/ only when native formation reaches the relevant stage. Open its report .html, result.json and mission-dossier.html. Use the JSON/text records when browser policy blocks local navigation.

Result	Interpretation
COMPLETE	The command finished; not proof that the mission won
PASS	The declared local comparison passed
CHILD_BETTER_PREDICTION	Prediction improved; operating benefit is not implied
INSUFFICIENT_ELIGIBLE_EVIDENCE	The requested comparison lacks eligible evidence
INFORMATIONAL_PROPOSAL	A hypothetical proposal, not an approved instruction

The signed files are mission.successor.json, world.successor.json or composition.successor.json. Preserve the native outputs and SESSION.json.

A completed composition lesson does not automatically pin it or produce a live operational decision. Public verification and the separate operator pin are distinct. The full handbook explains how to inspect a current synthetic context before requesting an A0 proposal.

A useful result can be a refusal. Keep a stronger predecessor and the evidence explaining why. A new generation number cannot make old evaluation data fresh.

5 · Restore and choose the next step

The companion asks whether to export and restore. Agree only for the intended lesson. It calls the native commands, restores into a new folder, verifies the result and compares the signed artifact bytes.

Keep every file in EXPORT/. Do not remove a metadata file, repeat checksum lines or rewrite a restricted source into a permissive export. A known restriction can survive model import and succession.

A restored composition does not inherit its operator pin, local preference or current applicability. Inspect the new environment and make any local decision explicitly. No restoration grants production permission.

Next session: inspect the retained result, use a new practice folder, or constitute a real mission through SEIZE. For real evidence, review rights, event identity, outcome availability, comparators and the adapter mapping before training.

Use the complete guide's command catalogue rather than retyping long PDF lines. 03_COMMANDS/COMMANDS_EN.txt keeps each command on one line; uppercase placeholders must be replaced.

Support preparation: record the release, OS/runtime, command, error code and a redacted reproduction. Never send secrets or raw confidential evidence without a separately authorized secure channel.

The next useful decision is not "How do I make the badge greener?" It is "**What evidence or component change could make this mission genuinely better?**"

MONTREAL.AI · QUEBEC.AI

SUCCESSOR Ω USER GUIDE Ω

FROM ONE MISSION TO ENDURING INTELLIGENCE

IDEAS
EVIDENCE
PEOPLE
INSTITUTIONS
WORLDS
A BRIGHTER
HUMAN FUTURE

Ω
SCIENCE
GAME THEORY
ENGINEERING
ECONOMICS
SOVEREIGNTY
HUMANITY

Ω
LEARN
PROVE
GOVERN
COMPOUND
CIVILIZE

A MORE
INTELLIGENT
CIVILIZATION

Vincent Boucher

President, QUEBEC.AI & MONTREAL.AI

PREMIÈRE SÉANCE | PRODUIT 20.0.1

Art conceptuel. Recherche locale A0. Aucune autorité de production.

1 · Repérer le bon dossier

Objectif : terminer une leçon synthétique explicite, comprendre son résultat et restaurer le dossier exact. Aucune preuve indépendante, autorité de production ou réalisation d'Alpha n'est créée.

Extraire 06_PRODUCT/SUCCESSOR_OMEGA_20_0_1_CUSTOMER_PRODUCT.zip. Le produit est le dossier SUCCESSOR_OMEGA, avec VERSION.json, VERIFY_PACKAGE.py et 07_NATIVE/. Le guide est USER_GUIDE_4_0, avec START_LESSON.py. Ne pas les confondre avec l'archive vendeur.

Conserver le ZIP original. Chaque leçon utilise un nouveau dossier distinct. Ne jamais écrire les expériences dans le produit.

Depuis un terminal dans le produit :

```
python3 VERIFY_PACKAGE.py  
node 07_NATIVE/start.mjs doctor
```

L'hôte testé utilisait Linux, Node.js 22.16.0 et Python 3.13.5. Cet ancien correctif est un fait de test, non une recommandation d'installation. Correctifs de sécurité et compatibilité exigent leurs propres contrôles. Le guide ne qualifie ni Windows, ni macOS, ni le LTS courant.

Commande introuvable : revoir l'installation et le chemin du terminal avec l'administrateur. Ne pas contourner une politique ni tout exécuter avec des privilèges élevés.

2 · Choisir la leçon guidée

Depuis un terminal dans le **dossier du guide** :

```
| python3 START_LESSON.py
```

Choisir fr, fournir le chemin du produit, choisir un **NOUVEAU** dossier de pratique, puis classify, world ou compose.

Atelier	Ce que l'on apprend
classify	Cas à six signaux, comparateurs explicites et registres par cas
world	Épisodes temporels, hypothèses exécutables et prédiction bornée
compose	Prédicteur, planification de ressources et applicabilité

Le compagnon vérifie le produit et prépare des preuves synthétiques publiques. Il remplit un dossier pédagogique dont l'approbation reste **HOLD**. Lire mission, alternatives et limites du transfert vers un travail réel.

Il n'entraîne rien avant l'autorisation locale puis la confirmation distincte du véritable précontrôle natif. C'est un outil du guide ; le produit reste inchangé.

Pour utiliser plutôt l'assistant entièrement natif, depuis le produit :

```
| node 07_NATIVE/start.mjs mission wizard
```

Choisir 1 pour classer, 2 pour un successeur de classifieur, 7 pour les mondes ou 9 pour les compositions. Ce ne sont pas des niveaux d'autorité.

3 · Examiner, puis confirmer

Lire le dossier avant d'autoriser la recherche synthétique. Nommer l'opérateur responsable. Saisir et répéter une phrase secrète masquée. Elle protège uniquement la clé de signature ; preuves et modèles restent lisibles.

Le véritable précontrôle natif affiche ensuite le plan constitué. Examiner :

Mission et correspondance. Quelle question est représentée ? Quel texte n'est pas automatiquement compilé ?

Preuves et comparaison. Qu'est-ce qui est synthétique, réutilisé, exposé ou manquant ? Quels comparateurs sont effectivement choisis ?

Budgets et limites. Quels plafonds de recherche, d'évaluation, de portée et de ressources s'appliquent ?

Confirmer seulement après cette lecture. Un **HOLD** ou un refus inattendu appelle un examen, non un affaiblissement de la validation.

Le compagnon transmet le secret par un canal de processus, jamais par des arguments. Ne pas saisir la phrase dans une commande shell, capture d'écran, pièce partagée ou demande de support.

Annuler : répondre non avant confirmation ou utiliser Ctrl+C pendant l'exécution. Conserver le point de reprise ou le dossier d'échec. Une exécution partielle n'est pas un candidat complet.

4 · Lire ce qui s'est réellement produit

La leçon crée RUN/ à l'étape native appropriée. Ouvrir report.html, result.json et mission-dossier.html. Utiliser JSON/texte si la politique du navigateur bloque l'accès local.

Résultat	Interprétation
COMPLETE	Commande terminée, non preuve de victoire
PASS	Comparaison locale déclarée réussie
CHILD_BETTER_PREDICTION	Prédiction améliorée, non bénéfice opérationnel
INSUFFICIENT_ELIGIBLE_EVIDENCE	Preuves admissibles insuffisantes
INFORMATIONAL_PROPOSAL	Proposition hypothétique, non instruction approuvée

Conserver mission.successor.json, world.successor.json ou composition.successor.json, les sorties natives et SESSION.json.

Une leçon de composition terminée n'établit pas automatiquement un ancrage ni une décision réelle. Vérification publique et décision d'ancrage restent distinctes. Le manuel explique comment examiner un contexte synthétique courant avant toute proposition A0.

Un refus peut être utile. Conserver un prédécesseur mieux étayé et les preuves de ce choix. Un numéro de génération ne rend pas les anciennes évaluations nouvelles.

5 · Restaurer et décider de la suite

Le compagnon propose l'export et la restauration. Accepter seulement pour la leçon prévue. Il appelle les commandes natives, restaure dans un nouveau dossier, vérifie et compare les octets signés.

Garder tous les fichiers d'EXPORT/. Ne pas supprimer une métadonnée, répéter une somme ou rendre permissive une source restreinte. Une restriction connue peut survivre à l'import et à la succession.

Une composition restaurée n'hérite ni de son ancrage, ni de sa préférence, ni de son applicabilité courante. Revoir l'environnement et prendre explicitement toute décision locale. Aucune restauration n'accorde une permission de production.

Séance suivante : inspecter le résultat, utiliser un nouveau dossier ou constituer une mission réelle avec SEIZE. Examiner droits, identité des événements, disponibilité des résultats, comparateurs et correspondance avant formation.

Le catalogue 03_COMMANDS/COMMANDS_FR.txt conserve les commandes sur une ligne. Remplacer les espaces réservés en majuscules. Il est préférable à la ressaisie de longues lignes PDF.

Avant de joindre le support : noter version, système, moteur, commande, erreur et reproduction expurgée. Ne transmettre ni secret ni preuve confidentielle brute sans canal sécurisé autorisé.

La prochaine question utile n'est pas « comment rendre le voyant plus vert ? », mais « **quelle preuve ou modification pourrait réellement améliorer cette mission ?** »