

SUCCESSOR Ω

USER GUIDE Ω

From your first mission
to enduring intelligence.

Tested commands · Guided practice · Advanced reference



CONCEPTUAL HORIZON / GENERATED ART / NOT A FACILITY OR ENGINEERING RESULT

Vincent Boucher

President, QUEBEC.AI & MONTREAL.AI

Constitute. Learn. Compare. Retain. Requalify.

Companion to unchanged SUCCESSOR Ω 19.0.0 R9. Local A0 research; no independent proof, production admission or realized Alpha.

1 First session: your exact starting point

You will create one synthetic composition, inspect its result, make a separate trust decision, obtain an informational proposal, then export and restore the exact object. No private customer data is needed. No machine, account or production service is connected.

This card accompanies the complete *USER GUIDE Ω* , edition 2.0, for unchanged **SUCCESSOR Ω 19.0.0 R9**. The optional practice companion is guide-side software, not a new product release. [1, 2]

1.1 Before you type

Extract this guide ZIP. Open a terminal in the folder containing `START_PRACTICE.py`. Install an organization-approved maintained Node.js LTS and Python 3.11+ first; the guide does not install runtimes. Use `py -3` in place of `python3` where that is your installed Windows launcher. Runtime maintenance and this guide's tested host are different questions. [3, 4]

```
node --version
python3 --version
python3 08_TOOLS/unpack_product.py --out ../omega-product
python3 START_PRACTICE.py
```

The extraction helper verifies the embedded product digest before use. The destination must be new. The companion asks for the R9 folder: enter the absolute path ending in `omega-product/SUCCESSOR_OMEGA`. It contains `07_NATIVE/` and `VERSION.json`.

Choose a new practice folder such as `omega-practice` **beside the guide, not inside the product**. Paths with spaces are supported when entered as paths at a question; do not add literal quote characters to an interactive path answer. In shell commands, quote paths that contain spaces.

The complete guide explains all three routes. Here choose **3: composition**. Companion menus differ from native menus: native composition is menu 9.

2 Inspect. Confirm. Learn.

The preparer writes synthetic trajectories and a finite resource contract. It does **not** train. The native preflight shows the actual plan before any fitted candidate exists.

What to look for	Expected meaning in this lesson
Evidence	synthetic, policy rehearsal
Predictor	train-neural
Partitions	24 training, 8 development, 12 calibration, 8 evaluation episodes
Assets and method	Six cells; ratio allocator; horizon 3
Financial fields	Unknown inputs remain unknown
Production boundary	A0 only

Only after inspection, type **CONFIRM**. Then type **TRAIN** to run bounded formation. Enter and repeat a private passphrase of 12–256 characters; nothing is echoed. The phrase is not placed in a command argument or stored in the guide journal.

The resulting compose/RUN/ holds the signed composition, historical report, plan, evidence and evaluation. The native verifier reopens it. Read the outcome: LOCAL_PREDICTIVE_EVALUATION describes prediction, not an operating or financial victory.

The rehearsal cannot become the preferred local candidate. COMPLETE describes execution, not independent proof. A0, no production admission and zero realized Alpha remain separate explicit fields.

Type :cancel at a question to stop the branch or 0 at the route menu to exit. A mismatch between the two secrets stops before training. Do not delete a partial run to conceal a failure.

3 Pin. Propose. Restore.

3.1 Make the trust decision explicitly

Inspect the complete identity returned by R9. Type **PIN** only when you accept those exact bytes for this synthetic local exercise. Enter an operator label. The separate `operator-trust.json` is a local teaching trust record, not proof of truth or institutional independence.

Type **PROPOSE** to generate a new explicit synthetic context and call the pinned planner. Actions mean 0 idle, 1 produce, 2 service—hypothetical classifications, never approved work orders. A refusal is retained and displayed instead of a fake successful result.

The context has a one-hour observation-age rule. A newly generated teaching context is not a fresh independent observation of reality, and it does not extend the composition's own expiry. Do not retimestamp real telemetry or change the system clock.

3.2 Complete the restore drill

Type **RESTORE**. The companion calls the native export and restore commands into new numbered directories, verifies the object, and compares the signed bytes. It creates no trust pin, preference, proof or authority in the restored folder.

Keep the original ZIP, run/export, passphrase and operator trust record distinct. Only the private signing key is encrypted; the evidence and model remain readable.

To reopen the guide session later, use the exact command it prints. From the guide folder, for the proposed layout:

```
| python3 START_PRACTICE.py --resume ../omega-practice
```

The companion reopens completed objects; it does not secretly retrain. An incomplete run or changed prepared inputs require inspection and a new session. Use the product's native wizard for a real mission or an intentionally changed experiment.

4 The original native route and the completion test

The companion is optional. From the **product** folder:

```
node 07_NATIVE/examples/r9/make_example.mjs ../r9-demo
node 07_NATIVE/start.mjs compose wizard
```

Native question	Explicit teaching answer
Language, operation, parent	en, form, NONE
Mission ID / title	guide-first-session / Synthetic shared-resource lesson
Organization / objective	Practice owner / Inspect local proposals only
Evidence context	Explicit synthetic teaching data; not a factory
Predictor / evidence policy	train-neural / rehearsal
Rights / retire exposed evaluation	yes / no
Source / source label / version	../r9-demo/formation.json / Synthetic tutorial / 1
Resource contract	../r9-demo/RESOURCE_CONTRACT.json
Population / expiry	Inspect the displayed defaults; keep finite validity.
Allocator / horizon / future delivery	ratio / 3 / ZERO
Ratio exponent / beam width	1 / 8
Workspace / confirmed plan / result	New paths beside the product; inspect preflight before agreeing.

Your first session is complete when you can explain all five answers: the data's origin; the component fitted; the local result and uncertainty; what remains unauthorized; and how the exact artifact was restored.

Missing evidence is not permission to generate a demo. Unknown costs are not zero. A signature is not independent proof. A restore is not renewed authority.

For the retained English Academy, use `node 07_NATIVE/legacy-start.mjs academy --language en`. This exception is only for the Academy. The native direct menus and the guide companion remain distinct.

The complete handbook supplies the real-mission worksheet, full route instructions, state decoder, recovery guidance and advanced physics/game-theory notes. The actual execution host is recorded in the acceptance report; Windows/macOS and a current patched LTS are not newly qualified.

References

- [1] MONTREAL.AI / QUEBEC.AI. *SUCCESSOR Ω 19.0.0 R9: Customer Product*. Exact supplied customer ZIP: 43,940,303 bytes; SHA-256 0fa222c25ba7a52e2e28c05aaa706c11ed01cdbacdfdea ff263ab15fb5632872. Product unchanged by this guide. 2026.
- [2] MONTREAL.AI / QUEBEC.AI. *R9 native source, data contracts, composition guides and support terms*. Paths and hashes in 04_EVIDENCE/SOURCE_MAP.json. In particular 07_NATIVE/start.mjs, lifecycle, world, composition; 08_GUIDES and 04_LICENSE_AND_POLICIES_EN_FR. 2026.
- [3] Node.js Project. *Node.js Releases*. Runtime maintenance reference, not product qualification. URL: <https://nodejs.org/en/about/previous-releases> (visited on 09/06/2026).
- [4] Python Software Foundation. *Using Python on Windows*. Official launcher syntax; not a Windows qualification of this guide or R9. URL: <https://docs.python.org/3/using/windows.html> (visited on 09/06/2026).