

GitHub Actions Setup Guide v2

Safe automation for AGIALPHA Autopilot without Mainnet value movement

GitHub Actions may prepare, verify, and publish evidence. It must not move Mainnet value.

Workflows to install

Workflow	Trigger	Allowed behavior
agialpha-autopilot-simulation.yml	pull_request + workflow_dispatch	Generate simulation evidence and upload artifact.
agialpha-sepolia-proof-settlement-rehearsal.yml	workflow_dispatch + sepolia environment	Run testnet rehearsal with protected secrets.
agialpha-mainnet-readonly-operator-packet.yml	workflow_dispatch	Generate read-only operator packets; no private keys; no broadcast.

Repository settings

- Set workflow permissions to read-only by default where possible.
- Use protected environment approval for sepolia.
- Do not create a Mainnet deployment environment with private keys for this automation.
- Use artifacts and PRs for generated evidence; do not auto-merge evidence.
- Add branch protection before any production or value-bearing workflow.

Required secrets

Environment	Secret	Notes
sepolia	SEPOLIA_RPC_URL	Testnet only. Do not print.
sepolia	SEPOLIA_DEPLOYER_PRIVATE_KEY	Optional only for testnet rehearsal if needed.
sepolia	ETHERSCAN_API_KEY	Optional verification.
mainnet-readonly	None	Do not store deployer keys for mainnet read-only workflow.

