

Centre of Pressure Capture & Reconstruction in Physically-Based Character Animation

[12th Undergraduate Computer Science Research Symposium]

Monty Thibault
Undergraduate Researcher
Mathematics & Computer Science, McGill
monty.thibault@mail.mcgill.ca

Paul Kry
Associate Professor
McGill School of Computer Science
kry@cs.mcgill.ca




Figure 1: Virtual characters in mid-stride. The red dots signify their centres of mass. [See the video.](#)

ABSTRACT

Over the past two decades, research on controlling balance in virtual characters has largely focused on the problems of achieving robust standing balance and that of robust locomotion. Balance controllers have been developed around a variety of principles, including linear momentum control[1], angular momentum control[2], model-predictive control[3], and virtual model control[4]. They vary greatly in the assumptions about the nature of the balance or movement tasks, the abstractions used, and their reactive or anticipative nature. However, almost all balance algorithms presume that the center of mass and its velocity are known quantities that can be used within the control equations. This unfortunately allows virtual characters to potentially have super human balancing abilities. Previous work has demonstrated that natural and interesting degradation of a balance controller can be produced by injecting noise into the balance controller's gravity direction, or likewise by directly perturbing the control torques.

In this project, we have instead configured a force sensor apparatus (Figure 2) and captured data with the goal of building a model for the error that humans make in controlling their center of mass via the force they exert on the ground. The apparatus consists of four six-axis force sensors

bolted to wooden boards. A participant is able to stand on the boards, with one sensor under the toe and heel of each foot.

A software system solves for the centre of pressure from the torques and forces of all four sensors. A recording system captures samples at 100 Hz in a variety of poses, which is later used as the training set for an autoregressive-moving-average (ARMA) model. The fitted model can then be used to reconstruct the signal in the context of a real-time graphics engine (Figure 3). As part of the project, we have incorporated our technique into the existing, opensource animation software *Cartwheel 3d*[5] (Figure 1).

Our system interfaces with the animation controller by modifying the perceived centre of *mass* with our model of the centre of *pressure*, plus some variable scaling coefficient. We have found this to be a reasonable approximation without sacrificing realism in the controller output.




Figure 2: The force sensor apparatus

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

UCORE '16 September 1st, Montreal, QC, Canada

© 2016 Copyright held by the owner/author(s).




Figure 3: Samples from (blue) a one-foot-balancing training set and (red) the associated ARMA model.

The benefit of our approach over a simple injection of white noise is that it can be powerfully generalized to incorporate exogenous variables: such examples include but are not limited to controller states and environmental factors that affect centre of balance. Such a system could allow one to develop a probabilistic approximation of character error to use alongside, for instance, motion-capture data. This is a possible route for future work in this area.

Our work finds application in any media involving animation. Video games and virtual reality are particularly relevant, as a physically-based animation approach merits user interaction and autonomy; moreover, realistic human locomotion in these domains have been rarely achieved, in part due to unrealistic assumptions that our research addresses.

1. REFERENCES

- [1] Adriano Macchietto, Victor Zordan, and Christian R. Shelton. Momentum control for balance. *ACM Trans. Graph.*, 28(3):80:1–80:8, July 2009.
- [2] Morteza Azad and Roy Featherstone. Angular momentum based balance controller for an under-actuated planar robot. *Autonomous Robots*, 40(1):93–107, 2016.
- [3] P. b. Wieber. Trajectory free linear model predictive control for stable walking in the presence of strong perturbations. In *2006 6th IEEE-RAS International Conference on Humanoid Robots*, pages 137–142, Dec 2006.
- [4] J. Pratt, P. Dilworth, and G. Pratt. Virtual model control of a bipedal walking robot. In *Robotics and Automation, 1997. Proceedings., 1997 IEEE International Conference on*, volume 1, pages 193–198 vol.1, Apr 1997.
- [5] Stelian Coros, Philippe Beaudoin, and Michiel van de Panne. Generalized biped walking control. *ACM Transactions on Graphics*, 29(4):Article 130, 2010.