Function, Domain and Range

What is a function?

Definition of a function

A function f from a set of elements X to a set of elements Y is a rule that assigns to each element x in X exactly one element y in Y.

One way to demonstrate the meaning of this definition is by using arrow diagrams.



$f : X \to Y$ is a function. Every element in X has associated with it exactly one element of Y.



$g : X \to Y$ is not a function. The element 1 in set X is assigned two elements, 5 and 6 in set Y.

The Vertical Line Test

The Vertical Line Test states that if it is *not possible* to draw a vertical line through graph so that it cuts the graph in more than one point, then the graph *is* a function.



This is the graph of a function. All possible vertical lines will cut this graph only once.



This is not the graph of a function. The vertical line we have drawn cuts the graph twice.

Domain of a function

For a function $f : X \to Y$ the *domain* of f is the set X.

This also corresponds to the set of x-values when we describe a function as a set of ordered pairs (x, y).

If only the rule $y = f(x)$ is given, then the domain is taken to be the set of all real x for which the function is defined. For example, $y = \sqrt{x}$ has domain; all real $x \geq 0$. This is sometimes referred to as the *natural* domain of the function.

Range of a function

For a function $f : X \to Y$ the *range* of f is the set of y-values such that $y = f(x)$ for some x in X.

This corresponds to the set of y-values when we describe a function as a set of ordered pairs (x, y). The function $y = \sqrt{x}$ has range; all real $y \geq 0$.

---

a. State the domain and range of $y = \sqrt{x+4}$.

b. Sketch, showing significant features, the graph of $y = \sqrt{x+4}$.

Solution

a. The domain of $y = \sqrt{x+4}$ is all real $x \geq -4$. We know that square root functions are only defined for positive numbers so we require that $x + 4 \geq 0$, ie $x \geq -4$. We also know that the square root functions are always positive so the range of $y = \sqrt{x+4}$ is all real $y \geq 0$.

b.



The graph of $y = \sqrt{x+4}$.

---

a. A parabola, which has vertex $(3, -3)$, is sketched below.



b. Find the domain and range of this function.

Solution

The domain of this parabola is all real x. The range is all real $y \geq -3$.

The graph of the function $f(x) = (x-1)^2 + 1$ is sketched below.

The graph of $f(x) = (x-1)^2 + 1$.



State its domain and range.

Solution

The function is defined for all real x. The vertex of the function is at $(1, 1)$ and therfore the range of the function is all real $y \geq 1$.

Specifying or restricting the domain of a function

We sometimes give the rule $y = f(x)$ along with the domain of definition. This domain may not necessarily be the natural domain. For example, if we have the function

$$y = x^2 \quad \text{for} \quad 0 \leq x \leq 2$$

then the domain is given as $0 \leq x \leq 2$. The natural domain has been restricted to the subinterval $0 \leq x \leq 2$.

Consequently, the range of this function is all real y where $0 \leq y \leq 4$. We can best illustrate this by sketching the graph.



The graph of $y = x^2$ for $0 \leq x \leq 2$.

---

1. **a.** State the domain and range of $f(x) = \sqrt{9 - x^2}$.
   b. Sketch the graph of $y = \sqrt{9 - x^2}$.

   a. The domain of $f(x) = \sqrt{9 - x^2}$ is all real x where $-3 \leq x \leq 3$. The range is all real y such that $0 \leq y \leq 3$.

   b.



The graph of $f(x) = \sqrt{9 - x^2}$.

2. Sketch the following functions stating the domain and range of each:

a. $y = \sqrt{x-1}$ **c.** $y = \frac{1}{x-4}$

b. $y = |2x|$ **d.** $y = |2x| - 1.$

2. a.



The graph of $y = \sqrt{x-1}$. The domain is all real $x \geq 1$ and the range is all real $y \geq 0$.

b.



The graph of $y = |2x|$. Its domain is all real x and range all real $y \geq 0$.

---

c.



The graph of $y = \frac{1}{x-4}$.

The domain is all real $x \neq 4$ and the range is all real $y \neq 0$.

d.



The graph of $y = |2x| - 1$. The domain is all real x, and the range is all real $y \geq -1$.

4. a.



The graph of $y = -\sqrt{4 - x^2}$. This is a function with the domain: all real x such that $-2 \leq x \leq 2$ and range: all real y such that $-2 \leq y \leq 0$.

b.



The graph of $|x| - |y| = 0$. This is not the graph of a function.

c.



The graph of $y = x^3$. This is a function with the domain: all real x and range: all real y.

d.



The graph of $y = \frac{x}{|x|}$. This is the graph of a function which is not defined at $x = 0$. Its domain is all real $x \neq 0$, and range is $y = \pm 1$.

e.



The graph of $|y| = x$. This is not the graph of a function.

5. a. The values of x in the interval $0 < x < 4$ are not in the domain of the function.

b. $x = 1$ and $x = -1$ are not in the domain of the function.