

**Meal Manager**  
**A PROJECT REPORT**  
**Submitted By**

**Sumit Gautam**  
**University Roll No. 1900290140038**

**Monu Ruhela**  
**University Roll No. 1900290140019**

**Submitted in partial fulfillment of the**  
**Requirements for the Degree of**  
**MASTER OF COMPUTER APPLICATIONS**

**Under the Supervision of**  
**Asst. Prof. SHALIKA ARORA**



**Submitted to**  
**DEPARTMENT OF COMPUTER APPLICATIONS**  
**KIET Group of Institutions, Ghaziabad**  
**Uttar Pradesh-201206**  
**(NOVEMBER 2021)**

# **CERTIFICATE**

Certified that **Sumit Gautam (Enrollment No. 1900290140038), Monu Ruhela (Enrollment No. 1900290140019)** have carried out the project work having “ **Meal Manager**” for Master of Computer Applications from Dr. A.P.J. Abdul Kalam Technical University (AKTU), Technical University, Lucknow under my supervision. The project report embodies original work, and studies are carried out by the student himself/herself and the contents of the project report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

**Date:**

**Sumit Gautam**  
**University Roll No. 1900290140038**  
**Monu Ruhela**  
**University Roll No. 1900290140019**

This is to certify that the above statement made by the candidate is correct to the best of my knowledge.

**Date:**

**Asst. Prof. Shalika Arora**  
**Department of Computer Applications**  
**KIET Group of Institutions, Ghaziabad**

**Signature of Internal Examiner**

**Signature of External Examiner**

**Dr. Ajay Shrivastava**  
**Head, Department of Computer Applications**  
**KIET Group of Institutions, Ghaziabad**

## **ABSTRACT**

Meal Manager is an established concept which is used to manage online food services lifecycle through various technologies and process oriented tools. This study identifies how web application can be utilized to provide food services to the customers and to understand the potential of web application in the business environment.

Meal Manager is a web based application which allows the administrator to handle all the activities online quickly and safely. Using Interactive GUI anyone can quickly learn to use the complete system. This system will give power and flexibility to administrator to manage the entire system from a single online portal.

In Meal Manager we use PHP and MySQL Database. This project keeps the records of Meal orders. This project has two module i.e. admin and user.

The aim of doing this project is to have practical knowledge of Meal service's team and their actual performance in the supply and management of food delivery service. Now a day's readymade food is easily available but homemade food and its taste is a different matter. In our busy schedule fresh and homemade food preparation is difficult in early mornings. But it is made possible by Tiffin service carry homemade food and deliver the same before our lunch time.

This web application allows food seekers to directly order a Meal for their afternoon lunch online. This application is built to be beneficial to student knowledge as well as help Meal service provider.

## ACKNOWLEDGEMENT

Success in life is never attained single handedly. My deepest gratitude goes to my project supervisor, **Asst. Prof. Shalika Arora** for guidance, help and encouragement throughout my research work. Their enlightening ideas, comments, and suggestions.

Words are not enough to express my gratitude to **Dr. Ajay Kumar Shrivastava, Professor and Head, Department of Computer Applications**, for his insightful comments and administrative help at various occasions.

Fortunately, I have many understanding friends, who have helped me a lot on many critical conditions.

Finally, my sincere thanks go to my family members and all those who have directly and indirectly provided me moral support and other kind of help. Without their support, completion of this work would not have been possible in time. They keep my life filled with enjoyment and happiness.

**Sumit Gautam ( 1900290140038 )**

**Monu Ruhela ( 1900290140019 )**

# **TABLE OF CONTENTS**

Certificate

Abstract

Acknowledgement

Table of Contents

## **CHAPTER 1 : INTRODUCTION**

1.1 Project Description

## **CHAPTER 2 : PROJECT**

2.1 Project Requirement

## **CHAPTER 3 : REQUIREMENT SPECIFICATIONS**

3.1 Hardware Requirements

3.2 Software Requirements

## **CHAPTER 4 : ANALYSIS**

4.1 Feasibility Study

## **CHAPTER 5 : PLANNING & SCHEDULING**

5.1 Gantt Chart

5.2 Data Flow Diagram

5.3 Use Case Diagram

## **CHAPTER 6 : IMPLEMENTATION & WORKFLOW**

6.1 Programs and screenshots

# **CHAPTER 1**

## **INTRODUCTION**

### **1.1 PROJECT DESCRIPTION**

We all waste food for various reasons. Typically, it's as a result of there has been an amendment of plans and it's out of our management, however, most of the time we tend to waste identical varieties of food for identical a pair of main reasons.

We've got bought or read an excessive amount of, or we've got forgotten to use it on time. Regardless of the rationale why you throw out food, you got it, and currently, it's cost accounting for you to throw it out. So, after you square measure throwing out food, or recording the food you've got wasted, cash A note the explanations for your scraps and see if their square measure tiny changes that you just will build to cut back this waste and prevent plenty of dollars.

To solve this problem, we come up with a system which can take request from the users who won't get settled with the waste food, they can request to donate or sell at cost to our systems managers who comes to them at a given time and pick the order and further park that food to a needy place where most people are without food according to need status.

Hence our system takes feedbacks and gives it best to settle the need and cleaning the place and more or less doing humanity.

## Chapter 2

### PROJECT REQUIREMENTS

#### 2.1 TECHNOLOGIES USED

##### XAMPP Server

XAMPP is a free and open-source cross-platform web server solution stack package developed by Apache Friends, consisting mainly of the Apache HTTP Server, MariaDB database, and interpreters for scripts written in the PHP and Perl programming languages.

##### Notepad++

Notepad++ is a text and source code editor for use with Microsoft Windows. It supports tabbed editing, which allows working with multiple open files in a single window. The product's name comes from the C increment operator. Notepad++ is distributed as free software

#### TECHNOLOGIES USED

APPLICATION : Xampp Server, Notepad++

DESIGNING : HTML, CSS, Javascript

Backend : PHP

#### 2.2 Language Used (Designing and Developing)

This project has been developed HTML and Java.

- **HTML**
  - HTML stands for Hyper Text Markup Language

- HTML is the standard markup language for creating Web pages
- HTML describes the structure of a Web page
- HTML consists of a series of elements
- HTML elements tell the browser how to display the content
- HTML elements label pieces of content such as "this is a heading", "this is a paragraph", "this is a link", etc.

- **CSS**

- CSS stands for Cascading Style Sheets
- CSS describes how HTML elements are to be displayed on screen, paper, or in other media
- CSS saves a lot of work. It can control the layout of multiple web pages all at once
- External stylesheets are stored in CSS files

- **JavaScript**

JavaScript, often abbreviated as JS, is a programming language that conforms to the ECMAScript specification. JavaScript is high-level, often just-in-time compiled and multi-paradigm. It has dynamic typing, prototype-based object-orientation and first-class functions.

- **PHP**

PHP is an acronym for "PHP: Hypertext Preprocessor"

- PHP is a widely-used, open source scripting language
- PHP scripts are executed on the server
- PHP is free to download and use.



## **Chapter 3**

# **SOFTWARE REQUIREMENT SPECIFICATION**

### **3.1 GENERAL DESCRIPTION**

This combined aggregation of information and workplace activity constructs a general, specific program or aim which is to be executed or produced within the workplace while working with others as a squad. The history of coaction began many centuries ago, long before the B.C. or A.D. epochs, where at least two persons had to pass on in the attempt of finishing a undertaking, undertaking, or written papers. Therefore, coactions are not a new term, but an enhanced and improved one in the professional workplace.

#### **3.1.1 PROBLEM STATEMENT**

The problem occurred before having computerized system includes:

- Seeking for the help to play this traditional mode.
- Excessive use of Paper for maintaining register and updating data.
- More chance of Unfairness while giving marks due to biasness.

### **3.2 SYSTEM OBJECTIVES**

#### **3.2.1 Improvement in control and performance**

The system is developed to cope up with the current issues and problems of forgetting the traditional mechanism. The system identify who is accessing the profile and the data/information will be updated on the portal. To declare the Project and performance of the employee and details.

## **Save cost**

The existing system is based on the pen paper mode and several in the digital mode but is not secured and efficient to work.

## **Save Time**

People at any location will able to perform or know there seniors subordinate team and there uniqueness etc. by registering or Logging in the Portal.

### **3.2.2 Requirement Specification**

The application requirement specification is produced at the analysis task. The function and performance allocated to application as part of system engineering are refined by establishing a complete information description, a detailed functional and behavioral description, an indication of performance requirements and design constraints.

## **3.3 Functional Requirements**

### **Request Making**

This is the interface first provided to the users they can put a request to give their waste food to the needy people who don't have proper food available due to many reasons. Users enjoy the function at the places and they left with food which they make a request through this interface to fill the details of the area where they are and details of the food remain.

As they confirm some managers will get assigned to them, they come to them and take that food to their vehicles and go to give to the needy people.

## **Manage the delivery**

This interface is for managers, they manage their vehicles to the places and as they get the request in their interface, they take their vehicle details and other details punched get to there to pick the food, then they check the severity from the other interface and pick the neediest one, and delivers to them.

## **The severity of the need area**

The severity of the need is taken care of this system there is more than one place of need are registered for the food, here they have to check where the need is most and delivers the food right there. It can less, more, much severity of the need.

## **Registration**

Users' information has to be compelled to be registered within the system thus on establish every one of them unambiguously and do the required group action as simple potential. Like on the name of the bill are issued. On the far side, this plenty of things require measure there wherever we will reference him.

Without registration, there are a few options and pages one user can see which are landing on the home page and taking the features to read but he won't be allowed to use those. For use, he will have to register. One person needs to put all the details properly and precisely as it will be helpful in identifying them and believing that he is the real person who has booked for the same.

It also includes driver license for them who is driving and parameter too.

## **Login**

After registration one will log within the system because the operator of the system either on the behalf of the user. when this he has the opposite helpful interfaces accessible for any actions. Here either bride or groom both have to log in with their unique identity and

passwords. After this, they will be directed to the main user interface from where they have further options.

## **Forgot password**

This is quite often that people tend to forget the password they keep for the login. So, this could be very tedious and hectic to recover the password manually in case if one needs to login in an emergency. So, to overcome this problem we have this module named as forgot the password, and using this module users can recover their password in seconds.

So here we need to only put our registered email Id and hit the enter. Then one confirmation email will go to the email where he has the option to reset the password. In seconds one can use this module and get rid of the forgetting password problem.

## **Admin**

Admin has the official powers to control the flow of the data from one part of the system to the other. He has the power to manipulate the access of the users to the data. The main purpose of this account is to make the user data relevant and then giving the inputs to the other interface module and make it work optimistically and get the timetable according to the wish we want to create for a particular type of inputs.

### **3.4 Non-functional Requirements**

#### **Keep Things Simple and Consistent**

Simple and Harmonic means that making u i is extraordinarily intuitive and needs to be followed.

#### **Observe the use of typography**

The typography is taken care really strictly as the wish of the system.

## **Use Colour and Distinction Properly**

Colour band of skin and dark is sweet means that stress and done well throughout this method.

## **Consider Feedback Messages**

Feedback sort may well be an excellent means that taking feedback of forms and rising the system.

## **Simplified Forms**

The form is made simple to fill with a clean program.

## **3.5 SOFTWARE AND HARDWARE REQUIREMENTS**

This section describes the software and hardware requirements of the system.

### **3.5.1 SOFTWARE REQUIREMENTS**

**Operating system:** Windows/Linux Operating System This is the web Application which can run on any of the Operating System.

**Database:** PHP Admin is used in storing the data in structured manner.

**XAMPP:** is a Software used for server which is use to serve the client what he/she wants from the server.

**Browser:** Any of the browsers can be used to run and test the web application's Appearance and working eg. Internet Explorer, Google Chrome, Mozilla Firefox etc.

**Development tools and Programming language-** HTML, CSS, JavaScript, and PHP is used to write the whole designing and operational code. PHP is used for backend maintenance.

### 3.5.2 HARDWARE REQUIREMENTS

- Desktop/Laptop any configuration.

## 3.6 EXISTING VS PROPOSED SYSTEM

Existing system does not have a secure facility of meal distribution with transparency in waste meal management whereas proposed system is secure and transparency in the meal management system.

Existing system does not have any facility of verifying Email and Phone number Online whereas proposed system is working on the facility of verifying email and phone number online by the admin.

## 3.7 Software System Attributes

- **Portability:** The system should be machine independent.
- **Security:** The system is designed in such a way that it will store the recorded data in the system of the owner. The system will be secure from unauthorized access of the application.
- **Maintainability:** The system will be designed in a maintainable order. The system can be easily modified and renewed according to the need of the organization.

### **3.8 Feature of Meal Manager**

- Multiple users can login and register on the same portal remotely.
- People can register and login in the system.
- Graphics with a classic look and the feel of a royal Web Application.
- Security of data to be stored.
- Ensures data accuracy (number of alert generated).
- Minimize manpower.
- Minimize time consumption.
- Greater efficiency.
- Fast.
- Better services.
- User friendliness and Interactive.
- Minimum time required.
- Easy to make and handle requests.
- Free for the user.

### **3.9 Preliminary Investigation**

Fact Finding:

After obtaining the background knowledge, we began to collect data on the existing system.

The tools that are used in information gathering are as follows:

- Online Apps observation.
- Review of the peoples.

The model we have used is Incremental Model. In this model, first of all the existing system is observed, then customer requirements are taken in consideration then planning, modelling,

construction and finally deployment and again adding the new system if asked by the customer to do so.

### 3.10 Model used: Incremental Model

Incremental Model is a software development process where requirements are divided into several stand-alone software development modules. In this project the first increment is often a core product where the basic requirements are addressed, and supplementary features are added in the next increments.




Fig. 1: Incremental Model



## 3.10 Preliminary Description

The first step in the system development life cycle is the preliminary investigation to determine the feasibility of the system. The purpose of preliminary investigation is to evaluate project requests. It is not a design study nor does it include the collection of details to describe the system in all respect. Rather, it is the collecting of information that helps committee members to evaluate the merits of project request and make an informed judgement about the feasibility of the proposed project.

**Analyst working on the preliminary investigation should accomplish the following objectives:**

- Clarify and understand the project request.
  - Determine the size of the project.
  - Access costs and benefits of alternative approaches.
  - Determine the technical and operational feasibility of alternative approaches.
  - Report the findings to management with recommendations outlining the acceptance and rejection of the proposal
-

---

# Chapter 4

## 4.1 Feasibility study

After studying and analyzing all the existing and requires functionalities of the system, the next task is to do the feasibility study for the project. Feasibility study includes consideration of all the possible ways to provide a solution to a given problem. The proposed solution should satisfy all the user requirements and should be flexible enough so that future changes can be easily done based on the future upcoming requirements.

- **4.1.1 Economical Feasibility**

For the economic feasibility, Economic analysis or cost/benefits analysis is most frequently used technique the effectiveness of a proposed system. it is a procedure to determine the benefits and saving those are expected from the proposes system and compare them with cost .if the benefits outweigh the costs, a decision is taken to design and implement the system. otherwise, further justification or alternative in proposed system will have to be made if it is to have a chance of being approved this is ongoing effort that improves in accuracy at each phase of a system life cycle

- **4.1.2 Technical feasibility**

This included the study of function, performance and constraints that may affect the ability to achieve an acceptable system. For this feasibility study, we studied complete functionalities to be provided in the system, as described in the System Requirement Specification (SRS), and checked if everything was possible using different type of front end and back end platform.

- **4.1.3 Operational Feasibility**

No doubt the technically growing world needs more enhancement in technology, this apps is very user friendly and all inputs to be taken all self-explanatory even to a layman. As far our study is concerned, the clients will be comfortable and happy as the

system has cut down their loads and bring the young generation to the same virtual world they are growing drastically.

Operational feasibility cover two aspects. one technical performance aspects and the other is acceptance within the organization.

Operation feasibility determine how the proposed the system will fit in with the current operation and what needs to implement the system

# Chapter 5

## Planning and Scheduling

### 5.1 Gantt chart

A Gantt chart can be developed for the entire project or a separate chart can be developed for each function. A tabular form is maintained where rows indicate the task with milestones and columns indicate duration (Days).




Fig. 2: Gantt Chart

### **5.1.1 Software Requirements with specifications**

Table: 1

Name of Components	Specifications
Operating system	Windows
Language	HTML,CSS, Javascript, PHP
Software Development kit	XAMPP, Google Chrome
Markup Language Enable	HTML

### **5.1.2 Hardware Requirements with specifications**

Table: 2

Name of Components	Specifications
Desktop/Laptop	Any Configuration
Memory Used	6.31 MB

## **5.2 DATA FLOW DIAGRAM**

Are used to graphically represent the flow of data in an Employee Performance System. DFD describes the processes that are involved in a system to transfer data from the admin to the employee, employee to the employee, employee to admin etc.

Employee Performance System this system shows the flow of data in admin Modules on many Action. It shows the flow of data among the sub module in it Admin data flow on the sub screen.




Fig. 3: Admin Module DFD




Fig. 4: User Module DFD

## 5.3 ENTITY RELATIONSHIP DIAGRAM

This ER Diagram represents the model of Workplace Coactions System Entity. The Entity Relationship Diagram show all visual instrument of Database table and relation between Homepage, Admin Page, Employee Page. All of it has structured data and every entity may have some attributes.

All notation style represents entities as rectangular boxes and relationship as lines connecting boxes. Each style uses a special set of symbol to represent the cardinality of a connection. The notation used in this document is from Martin. The symbols used for the basic ER construct are.




Fig. 5: ER Diagram



## 5.4 USE CASE DIAGRAM

A Use case is a description of set of sequence olfaction. Graphically it is rendered as an ellipse with solid line including only its name. Use case diagram is a behavioral diagram that shows a set of use case and actors and their relationship. It as an association between the use cases and actors. An actor's represents a real world object. Primary Actor sender, Secondary Actor Receiver.




Fig. 6: Use Case Diagram.

## User Module Screenshots




Fig.7: User module



Fig. 8: User module




Fig. 9: User module

## Meal Manager

[HOME](#) | [ABOUT](#) | [CONTACT](#) | [ADMIN](#)

[Login](#) | [Register](#)

### CONTACT

Home/Contact




Fig.10: User module




Fig. 11: User module

# Meal Manager

[HOME](#) | [ABOUT](#) | [CONTACT](#) | [ADMIN](#)

[Login](#) | [Register](#)

Home > Login

Back to Previous Page

## NEW CUSTOMERS

By creating an account with our store, you will be able to move through the checkout process faster, store multiple shipping addresses, view and track your orders in your account and more.

CREATE AN ACCOUNT

## REGISTERED CUSTOMERS

If you have an account with us, please log in.

EMAIL ADDRESS\*

Email address

PASSWORD\*

Password

Forgot your password?

LOGIN

Fig.12: User module

[HOME](#) | [ABOUT](#) | [CONTACT](#) | [ADMIN](#)

[Login](#) | [Register](#)

Home > [Sign Up](#)

[Back to Previous Page](#)

### Existing CUSTOMERS

By creating an account with our store, you will be able to move through the checkout process faster, store multiple shipping addresses, view and track your orders in your account and more.

ALREADY HAVE AN ACCOUNT

### REGISTERED With Us

If you have not an account with us, please Sign Up.

FULL NAME\*

Full Name

MOBILE NUMBER\*

Mobile

EMAIL ADDRESS\*

Email

PASSWORD\*

Password

Fig. 13: User module



[HOME](#) | [ABOUT](#) | [CONTACT](#) | [MYORDER](#) | [My Profile](#) | [Setting](#) | [Logout](#)

## MY PROFILE

Home/Profile

### MY PROFILE

View Your Profile !!!!!.

**Name:**

**Email:**

**Contact Number:**

**Registration Date:**




Fig. 14: User module

# Admin Module




Fig. 14: User module




Fig. 15: User module




Fig. 16: User module




Fig. 17: User module




Fig. 18: User module




Fig. 19: User module




Fig. 20: User module




Fig. 21: User module




Fig. 22: User module




Fig. 23: User module

# Code of the Project

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
?>
<!DOCTYPE html>
<html>
<head>
<title>Meal Manager | Home Page</title>
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!--webfont-->
<link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic
,300italic,400italic,600italic,700italic,900italic' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
    new WOW().init();
</script>
<script src="js/simpleCart.min.js"> </script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
            event.preventDefault();
            $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
        });
    });
</script>
</head>
<body>
<!-- header-section-starts -->
<div class="header">
    <?php include_once('includes/header.php');?>
```

```

<div class="banner wow fadeInUp" data-wow-delay="0.4s" id="Home">
  <div class="container">
    <div class="banner-info">
      <div class="banner-info-head text-center wow fadeInLeft" data-wow-
delay="0.5s">
        <h1>Meal Manager</h1>
        <div class="line">
          <h2> To Order From Your Canteen</h2>
        </div>
      </div>
    </div>
  </div>
</div>
<!-- header-section-ends -->
<!-- content-section-starts -->
<div class="content">
  <div class="ordering-section" id="Order">
    <div class="container">
      <div class="ordering-section-head text-center wow bounceInRight" data-
wow-delay="0.4s">
        <h3>Ordering food was never so easy</h3>
        <div class="dotted-line">
          <h4>Just 4 steps to follow </h4>
        </div>
      </div>
      <div class="ordering-section-grids">
        <div class="col-md-3 ordering-section-grid">
          <div class="ordering-section-grid-process wow fadeInRight" data-
wow-delay="0.4s">
            <i class="one"></i><br>
            <i class="one-icon"></i>
            <p>Choose <span>Your Meal</span></p>
            <label></label>
          </div>
        </div>
        <div class="col-md-3 ordering-section-grid">
          <div class="ordering-section-grid-process wow fadeInRight" data-
wow-delay="0.4s">
            <i class="two"></i><br>
            <i class="two-icon"></i>
            <p>Order <span>Your Meal</span></p>
            <label></label>
          </div>
        </div>
        <div class="col-md-3 ordering-section-grid">
          <div class="ordering-section-grid-process wow fadeInRight" data-
wow-delay="0.4s">
            <i class="three"></i><br>
            <i class="three-icon"></i>

```



```

                <p>Pay    <span>on delivery</span></p>
                <label></label>
            </div>
        </div>
        <div class="col-md-3 ordering-section-grid">
            <div class="ordering-section-grid-process wow fadeInRight" data-
wow-delay="0.4s">
                <i class="four"></i><br>
                <i class="four-icon"></i>
                <p>Enjoy <span>your Meal</span></p>
            </div>
        </div>
        <div class="clearfix"></div>
    </div>
</div>

<div class="popular-restaurants" id="Popular-Restaurants">
    <div class="container">

        <div class="special-offers-section-head text-center dotted-line">
            <div>
                <h3>Food Available</h3>
            </div>
            <br />
            <div class="top-cuisine-grids">
                <?php
                $sql="SELECT * from tbltiffin";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <?>

                <div class="col-md-3" data-wow-delay="0.4s">

                    <a href="order.php?oid=<?php echo $row->ID;?>"> </a>

                    <label style="padding-top: 20px;padding-bottom: 20px"><?php
echo htmlentities($row->Title);?>: $<?php echo htmlentities($row->Cost);?></label>

                </div>

                <?php $cnt=$cnt+1;}} ?>
                <div class="clearfix"></div>
            </div>
        </div>
    </div>

```

```

        </div>
        <div class="clearfix"></div>
    </div>
</div>

<!-- content-section-ends -->
<!-- footer-section-starts -->
<?php include_once('includes/footer.php');?>
<!-- footer-section-ends -->
<script type="text/javascript">
    $(document).ready(function() {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover
            id
            scrollSpeed: 1200,
            easingType: 'linear'

        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<a href="#" id="toTop" style="display: block;"> <span id="toTopHover"
style="opacity: 1;"> </span></a>

</body>
</html>

```

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssuid']==0)) {
    header('location:logout.php');
} else{

    ?>
<!DOCTYPE html>
<html>
<head>
<title>Meal Manager | Order Page</title>
<link href="css/bootstrap.css" rel="stylesheet" type='text/css' />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>

```

```

<!-- Custom Theme files -->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!--webfont-->
<link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic
,300italic,400italic,600italic,700italic,900italic' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel="stylesheet" type="text/css" />
<script>
    new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
            event.preventDefault();
            $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
        });
    });
</script>
<script src="js/simpleCart.min.js"> </script>
<script language="javascript" type="text/javascript">
function f2()
{
window.close();
}
function f3()
{
window.print();
}
</script>
</head>
<body>
    <!-- header-section-starts -->
    <div class="header">

        <?php include_once('includes/header.php');?>
    <!-- header-section-ends -->
    <div class="contact-section-page">
        <div class="contact-head">
            <div class="container">

```

```

        <h3>Invoice</h3>
        <p>Home/Invoice</p>
    </div>
</div>
<div class="contact_top">
    <div class="container">
        <div class="col-md-6 contact_left wow fadeInRight" data-wow-delay="0.4s">
            <h4>My Invoice</h4>
            <p>View Your Invoice !!!!!!!</p>
            <?php
                $invid=$_GET['invid'];

$sql="SELECT tblorder.ID,DATEDIFF(tblorder.ToDate,tblorder.FromDate) as
ddf,tblorder.FullName,tblorder.Email,tblorder.MobileNumber,tblorder.Time,tblorder.Address
,tblorder.OrderDate,tblorder.FromDate,tblorder.ToDate,tblorder.OrderNumber,tblorder.Total
Cost,tblorder.Remark,tblorder.Status,tblorder.Quantity,
tblorder.UpdationDate,tbltiffin.Type,tbltiffin.Title,tbltiffin.Description,tbltiffin.Cost
,tbltiffin.Image from tblorder join tbltiffin on tbltiffin.ID=tblorder.TiffinID where
tblorder.OrderNumber=:invid";
$query = $dbh -> prepare($sql);
$query->bindParam(':invid', $invid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
                <table border="1" class="table table-bordered table-striped table-vcenter
js-dataTable-full-pagination">
                    <tr>
                        <th colspan="5" style="text-align: center;color: red;font-size: 20px">Order Number:
<?php echo $row->OrderNumber;?></th>
                    </tr>

                    <tr>
                        <th>Name of Customer</th>
                        <td><?php echo $row->FullName;?></td>
                        <th>Mobile Number</th>
                        <td colspan="2"><?php echo $row->MobileNumber;?></td>
                    </tr>
                    <tr>
                        <th>Email</th>
                        <td><?php echo $row->Email;?></td>
                        <th>Order Date</th>
                        <td colspan="2"><?php echo $row->OrderDate;?></td>
                    </tr>
                    <tr>

```

```

        <th>Meal Title</th>
        <td><?php echo $row->Title;?></td>
        <th>Meal Image</th>
        <td colspan="2">Image;?>"></td>
    </tr>
    <tr>
        <th>Meal Cost</th>
        <td><?php echo $row->Cost;?></td>
        <th>Meal Quantity</th>
        <td colspan="2"><?php echo $row->Quantity;?></td>
    </tr>
<table border="1" class="table table-bordered table-striped table-vcenter js-dataTable-
full-pagination">
    <tr>
        <th colspan="5" style="text-align: center;color: red;font-size: 20px">Invoice
Detail</th>
    </tr>
    <tr>
        <th style="text-align: center;">Total Days</th>
        <th style="text-align: center;">Total Quantity</th>
        <th style="text-align: center;">Meal Cost</th>
        <th style="text-align: center;">Total Cost</th>
    </tr>
    <tr>
        <td style="text-align: center;"><?php echo $ddf=$row->ddf;?></td>
        <td style="text-align: center;"><?php echo $qty= $row->Quantity;?></td>
        <td style="text-align: center;"><?php echo $tp= $row->Cost;?></td>
        <td style="text-align: center;"><?php echo $total= $ddf*$tp*$qty;?></td>

    </tr>

    <?php
$grandtotal+=$total;
$cnt=$cnt+1;} ?>
    <tr>
        <th colspan="2" style="text-align:center;color: blue">Grand Total </th>
        <td colspan="3" style="text-align: center;"><?php echo $grandtotal;?></td>
    </tr>

    <?php $cnt=$cnt+1;} ?>
</table>
</table>
<p style="text-align: center;font-size: 20px">
    <input name="Submit2" type="submit" class="btn btn-success" style="color: red;font-
size: 20px" value="Print" onClick="return f3();" style="cursor: pointer;" /></p>

</div>

```

```

        </div>

    </div>
</div>

<?php include_once('includes/footer.php');?>
<script type="text/javascript">
    $(document).ready(function() {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover id
            scrollSpeed: 1200,
            easingType: 'linear'
        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<a href="#" id="toTop" style="display: block;"> <span id="toTopHover"
style="opacity: 1;"> </span></a>

</body>
</html><?php } ?>

```

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');

if(isset($_POST['login']))
{
    $email=$_POST['email'];
    $password=$_POST['password'];
    $sql ="SELECT ID FROM tbluser WHERE Email=:email and Password=:password";
    $query=$dbh->prepare($sql);
    $query->bindParam(':email',$email,PDO::PARAM_STR);
    $query-> bindParam(':password', $password, PDO::PARAM_STR);
    $query-> execute();
    $results=$query->fetchAll(PDO::FETCH_OBJ);
    if($query->rowCount() > 0)

```

```

{
foreach ($results as $result) {
$_SESSION['otssuid']=$result->ID;
}
$_SESSION['login']=$_POST['email'];
echo "<script type='text/javascript'> document.location ='index.php';
</script>";
} else{
echo "<script>alert('Invalid Details');</script>";
}
}

?>
<!DOCTYPE html>
<html>
<head>
<title>Meal Manager | login page</title>
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->

<script type="application/x-javascript"> addEventListener("load", function()
{ setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!--webfont-->
<link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,9
00,200italic,300italic,400italic,600italic,700italic,900italic'
rel='stylesheet' type='text/css'>
<link
href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700ital
ic' rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
    new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">

```

```

        jQuery(document).ready(function($) {
            $(".scroll").click(function(event){
                event.preventDefault();

                $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
            });
        });
    </script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>
    <!-- header-section-starts -->
    <div class="header">
        <?php include_once('includes/header.php');?>
    </div>
    <!-- header-section-ends -->
    <!-- content-section-starts -->
    <div class="content">
        <div class="container">
            <div class="login-page">
                <div class="dreamcrub">
                    <ul class="breadcrumbs">
                        <li class="home">
                            <a href="index.php" title="Go to Home
Page">Home</a>&nbsp;
                                <span>&gt;</span>
                            </li>
                        <li class="women">
                            Login
                        </li>
                    </ul>
                    <ul class="previous">
                        <li><a href="index.php">Back to Previous Page</a></li>
                    </ul>
                    <div class="clearfix"></div>
                    <div class="account_grid">
                        <div class="col-md-6 login-left wow fadeInLeft" data-wow-
delay="0.4s">
                            <h3>NEW CUSTOMERS</h3>
                            <p>By creating an account with our store, you will be able
to move through the checkout process faster, store multiple shipping
addresses, view and track your orders in your account and more.</p>

```



```

        <a class="account-btn" href="register.php">Create an
Account</a>
    </div>
    <div class="col-md-6 login-right wow fadeInRight" data-wow-
delay="0.4s">
        <h3>REGISTERED CUSTOMERS</h3>
        <p>If you have an account with us, please log in.</p>
        <form method="post">
            <div>
                <span>Email Address<label>*</label></span>
                <input type="email" placeholder="Email address"
name="email" required="true">
            </div>
            <div>
                <span>Password<label>*</label></span>
                <input type="password" placeholder="Password"
name="password" required="true">
            </div>
            <a href="forgot-password.php">Forgot your password?</a>
            <input type="submit" value="Login" name="login">
        </form>
    </div>
    <div class="clearfix"> </div>
</div>

<div class="clearfix"></div>

</div>
<!-- content-section-ends -->
<!-- footer-section-starts -->
<?php include_once('includes/footer.php');?>
<!-- footer-section-ends -->
<script type="text/javascript">
    $(document).ready(function() {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading
element hover id

            scrollSpeed: 1200,
            easingType: 'linear'
        };

```

```

        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
    <a href="#" id="toTop" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>

</body>
</html>

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
?>
<!DOCTYPE html>
<html>
<head>
<title>Meal Manager | About Us Page</title>
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->

<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); }
</script>
<!--webfont-->
<link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic
,300italic,400italic,600italic,700italic,900italic' rel='stylesheet' type='text/css'>
<link href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic'
rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
    new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {

```

```

        $(".scroll").click(function(event){
            event.preventDefault();
            $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
        });
    });
</script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>
    <!-- header-section-starts -->
    <div class="header">

        <?php include_once('includes/header.php');?>
    <!-- header-section-ends -->
    <div class="contact-section-page">
        <div class="contact-head">
            <div class="container">
                <h3>About Us</h3>
                <p>Home/About Us</p>
            </div>
        </div>
        <div class="contact_top">
            <div class="container">
                <?php
$sql="SELECT * from tblpage where PageType='aboutus'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <div >
            <div class="contact-map">
                
            </div>

            <div>
                <div class="company_ad">
                    <h3 style=""><?php echo htmlentities($row-
>PageTitle);?></h3>

                    <br />
                    <span><?php echo $row-
>PageDescription;?></span>

                </div>
            </div>

```

```

        </div>
    </div> <?php $cnt=$cnt+1;}} ?>
</div>

<?php include_once('includes/footer.php');?>
<script type="text/javascript">
    $(document).ready(function() {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading element hover
            scrollSpeed: 1200,
            easingType: 'linear'
        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<a href="#" id="toTop" style="display: block;"> <span id="toTopHover"
style="opacity: 1;"> </span></a>

</body>
</html>

```

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssuid']==0)) {
    header('location:logout.php');
} else{
if(isset($_POST['submit']))
{
    $tid=$_GET['oid'];
    $uid=$_SESSION['otssuid'];
    $fullname=$_POST['fullname'];
    $email=$_POST['email'];
    $mobnum=$_POST['mobnum'];
    $quantity=$_POST['quantity'];
    $fromdate=$_POST['fromdate'];

```

```

    $todate=$_POST['todate'];
    $time=$_POST['time'];
    $address=$_POST['address'];
    $ordernumber = mt_rand(100000000, 999999999);
    $sql="insert into
tblorder(TiffinID,UserID,OrderNumber,FullName,Email,MobileNumber,Quantity,Fro
mDate,ToDate,Time,Address)values(:tid,:uid,:ordernumber,:fullname,:email,:mob
num,:quantity,:fromdate,:todate,:time,:address)";
    $query = $dbh->prepare($sql);
    $query->bindParam(':tid',$tid,PDO::PARAM_STR);
    $query->bindParam(':uid',$uid,PDO::PARAM_STR);
    $query->bindParam(':ordernumber',$ordernumber,PDO::PARAM_STR);
    $query->bindParam(':fullname',$fullname,PDO::PARAM_STR);
    $query->bindParam(':email',$email,PDO::PARAM_STR);
    $query->bindParam(':mobnum',$mobnum,PDO::PARAM_STR);
    $query->bindParam(':quantity',$quantity,PDO::PARAM_STR);
    $query->bindParam(':fromdate',$fromdate,PDO::PARAM_STR);
    $query->bindParam(':todate',$todate,PDO::PARAM_STR);
    $query->bindParam(':time',$time,PDO::PARAM_STR);
    $query->bindParam(':address',$address,PDO::PARAM_STR);
$query->execute();

    $LastInsertId=$dbh->lastInsertId();
    if ($LastInsertId>0) {
        echo '<script>alert("Your tiffin has been order successfully . Your Order
number is "+"'.$ordernumber.'")</script>';
echo "<script>window.location.href ='index.php'</script>";
    }
    else
    {
        echo '<script>alert("Something Went Wrong. Please try
again")</script>';
    }

}

?>

<!DOCTYPE html>
<html>
<head>
<title>Meal Manager | Order Page</title>

```

```

<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->

<script type="application/x-javascript"> addEventListener("load", function()
{ setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!--webfont-->
<link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,900,200italic,300italic,400italic,600italic,700italic,900italic'
rel='stylesheet' type='text/css'>
<link
href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700italic' rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
    new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
            event.preventDefault();

            $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
        });
    });
</script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>
    <!-- header-section-starts -->
    <div class="header">

        <?php include_once('includes/header.php');?>
    <!-- header-section-ends -->
    <div class="contact-section-page">

```

```

<div class="contact-head">
    <div class="container">
        <h3>Meal Order</h3>
        <p>Home/Meal Order</p>
    </div>
</div>
<div class="contact_top">
    <div class="container">
        <div class="col-md-8 contact_left wow fadeInRight"
data-wow-delay="0.4s">
            <h4>Meal Order Form</h4>
            <p>Ordering Food Was Never So Simple !!!!!!!.</p>
            <form method="post">
                <div class="form_details">
<?php
$uid=$_SESSION['otssuid'];
$sql ="SELECT Email,FullName,MobileNumber FROM tbluser WHERE ID=:uid";
$query= $dbh -> prepare($sql);
$query-> bindParam(':uid', $uid, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
foreach ($results as $result) {
?>

<p><strong>Name</strong><br />
<input type="text" class="text" placeholder="Name" readonly="true"
name="fullname" value="<?php echo htmlentities($result->FullName)?>"></p>
<input type="text" class="text" placeholder="Email Address" readonly="true"
name="email" value="<?php echo htmlentities($result->Email)?>">
<input type="text" class="text" placeholder="Mobile Number" maxlength="10"
pattern="[0-9]+" readonly="true" name="mobnum" value="<?php echo
htmlentities($result->MobileNumber)?>">
                <?php } ?>
                <input type="text" class="text"
placeholder="Quantity(eg:1,2 etc)" required="true" name="quantity">
                <div class="clearfix"> </div>
                <p>From Date: </p>
                <input type="date" required="true"
name="fromdate" style="margin-top: -1%">
                <div class="clearfix" style="padding-
top: 20px"> </div>
                <p>To Date: </p>
                <input type="date" required="true"
name="todate" style="margin-top: -1%">
            </div>
        </div>
    </div>
</div>

```

```

        <div class="clearfix" style="padding-
top: 20px"> </div>
        <input type="time" required="true"
name="time" placeholder="Tiffin Required Time">
        <div class="clearfix" style="padding-
top: 20px"> </div>
        <textarea name="address" rows="2"
placeholder="Address" required="true"></textarea>

<div class="clearfix" style="padding-top: 20px"> </div>
        <div class="sub-button wow swing
animated" data-wow-delay= "0.4s">
                <input name="submit" type="submit"
value="Order Now" >
        </div>
    </div>
</form>
</div>
<div class="col-md-6 company-right wow
fadeInLeft" data-wow-delay="0.4s">
    <?php
        $oid=$_GET['oid'];
        $sql="SELECT * from tbltiffin where ID=$oid";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <div>
            
        </div>

        <div class="company-right">
            <div class="company_ad">
                <h4>Title</h4>
                <span><?php echo htmlentities($row-
>Title);?></span>

                <p><strong>Cost :</strong>

                <?php echo htmlentities($row->Cost);?></p>

```



```

        </div>
        </div>
        <div class="follow-us">
            <h4>Description</h4>
            <?php echo htmlentities($row-
>Description);?>

        </div>

        </div>
        <?php $cnt=$cnt+1;}} ?>
    </div>
</div>

</div>

<?php include_once('includes/footer.php');?>
<script type="text/javascript">
    $(document).ready(function() {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading
element hover id

            scrollSpeed: 1200,
            easingType: 'linear'

        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>
<a href="#" id="toTop" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>

</body>
</html><?php } ?>

<?php
session_start();
error_reporting(0);

```

```

include('includes/dbconnection.php');
?>
<!DOCTYPE html>
<html>
<head>
<title>Meal Manager | Contact Page</title>
<link href="css/bootstrap.css" rel='stylesheet' type='text/css' />
<!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
<script src="js/jquery.min.js"></script>
<!-- Custom Theme files -->
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<!-- Custom Theme files -->

<script type="application/x-javascript"> addEventListener("load", function()
{ setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<!--webfont-->
<link
href='//fonts.googleapis.com/css?family=Source+Sans+Pro:200,300,400,600,700,9
00,200italic,300italic,400italic,600italic,700italic,900italic'
rel='stylesheet' type='text/css'>
<link
href='//fonts.googleapis.com/css?family=Lobster+Two:400,400italic,700,700ital
ic' rel='stylesheet' type='text/css'>
<!--Animation-->
<script src="js/wow.min.js"></script>
<link href="css/animate.css" rel='stylesheet' type='text/css' />
<script>
    new WOW().init();
</script>
<script type="text/javascript" src="js/move-top.js"></script>
<script type="text/javascript" src="js/easing.js"></script>
<script type="text/javascript">
    jQuery(document).ready(function($) {
        $(".scroll").click(function(event){
            event.preventDefault();

            $('html,body').animate({scrollTop:$(this.hash).offset().top},1200);
        });
    });
</script>
<script src="js/simpleCart.min.js"> </script>
</head>
<body>

```

```

<!-- header-section-starts -->
<div class="header">

    <?php include_once('includes/header.php');?>
<!-- header-section-ends -->
<div class="contact-section-page">
    <div class="contact-head">
        <div class="container">
            <h3>Contact</h3>
            <p>Home/Contact</p>
        </div>
    </div>
    <div class="contact_top">
        <div class="container">
            <?php
$sql="SELECT * from tblpage where PageType='contactus'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <div class="col-md-12 company-right wow
fadeInLeft" data-wow-delay="0.4s">
            <div class="contact-map">
                <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d1578265.0941403757
!2d-
98.9828708842255!3d39.41170802696131!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!
3m3!1m2!1s0x54eab584e432360b%3A0x1c3bb99243deb742!2sUnited+States!5e0!3m2!1se
n!2sin!4v1407515822047"> </iframe>
            </div>

            <div class="company-right">
                <div class="company_ad">
                    <h3><?php echo htmlentities($row-
>PageTitle);?></h3>

                    <span>KIET Group Of
Instituions</span>

                    <address>

```

```

                                <p>Email:<?php echo
htmlentities($row->Email);?></p>
                                <p>Phone: <?php echo
htmlentities($row->MobileNumber);?></p>
                                <p>Address: <?php echo
htmlentities($row->PageDescription);?></p>

                                </address>
                                </div>
                                </div>
                                <div class="follow-us">
                                <h3>follow us on</h3>
                                <a href="#"><i
class="facebook"></i></a>
                                <a href="#"><i
class="twitter"></i></a>
                                <a href="#"><i class="google-
pluse"></i></a>
                                </div>

                                </div>
                                </div> <?php $cnt=$cnt+1;}} ?>
                                </div>

</div>
<?php include_once('includes/footer.php');?>
<script type="text/javascript">
    $(document).ready(function() {
        /*
        var defaults = {
            containerID: 'toTop', // fading element id
            containerHoverID: 'toTopHover', // fading
element hover id

            scrollSpeed: 1200,
            easingType: 'linear'

        };
        */

        $().UItoTop({ easingType: 'easeOutQuart' });

    });
</script>

```

```

                <a href="#" id="toTop" style="display: block;"> <span
id="toTopHover" style="opacity: 1;"> </span></a>

</body>
</html>
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssaid']==0)) {
    header('location:logout.php');
} else{

    ?>
<!DOCTYPE html>
<html dir="ltr" lang="en">
<head>

    <title>Meal Manager - All Meal Order</title>

    <link href="assets/extra-libs/datatables.net-
bs4/css/dataTables.bootstrap4.css" rel="stylesheet">

    <link href="dist/css/style.min.css" rel="stylesheet">

</head>

<body>

    <div class="preloader">
        <div class="lds-ripple">
            <div class="lds-pos"></div>
            <div class="lds-pos"></div>
        </div>
    </div>
    <!-- ===== -->
    <!-- Main wrapper - style you can find in pages.scss -->
    <!-- ===== -->
    <div id="main-wrapper" data-theme="light" data-layout="vertical" data-
navbarbg="skin6" data-sidebartype="full" data-sidebar-position="fixed" data-
header-position="fixed" data-boxed-layout="full">

```

[illegible]

```

        <table id="zero_config" class="table
table-striped table-bordered no-wrap">
        <thead>
            <tr>
                <th>S.No</th>
                <th>Order Number</th>
                <th>Name</th>
                <th>Mobile Number</th>
                <th>Order Date</th>
                <th>Status</th>
                <th>Action</th>
            </tr>
        </thead>
        <tbody>
            <?php

$sql="SELECT * from tblorder";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

            <tr>
                <td><?php echo
htmlentities($cnt);?></td>
                <td><?php echo
htmlentities($row->OrderNumber);?></td>
                <td><?php echo
htmlentities($row->FullName);?></td>
                <td><?php echo
htmlentities($row->MobileNumber);?></td>
                <td><?php echo
htmlentities($row->OrderDate);?></td>
                <?php if($row->Status==""){
?>

                    <td class="font-w600"><?php echo "Not Updated Yet";
?></td>
                <?php } else { ?>

                    <td class="d-none d-sm-table-cell">

```

```

                                <span class="badge badge-
primary"><?php echo htmlentities($row->Status);?></span>
                                </td>
<?php } ?>
                                <td><a href="view-order-
detail.php?viewid=<?php echo htmlentities ($row->ID);?>"><i class="fa fa-eye"
aria-hidden="true"></i></a></td>
                                </tr>
                                <?php $cnt=$cnt+1;}} ?>
                                </tbody>
                                </table>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <?php include_once('includes/footer.php');?>
                                </div>
                                </div>

<script src="assets/libs/jquery/dist/jquery.min.js"></script>
<!-- Bootstrap tether Core JavaScript -->
<script src="assets/libs/popper.js/dist/umd/popper.min.js"></script>
<script src="assets/libs/bootstrap/dist/js/bootstrap.min.js"></script>
<!-- apps -->
<!-- apps -->
<script src="dist/js/app-style-switcher.js"></script>
<script src="dist/js/feather.min.js"></script>
<!-- slimscrollbar scrollbar JavaScript -->
<script src="assets/libs/perfect-scrollbar/dist/perfect-
scrollbar.jquery.min.js"></script>
<script src="assets/extra-libs/sparkline/sparkline.js"></script>
<!--Wave Effects -->
<!-- themejs -->
<!--Menu sidebar -->
<script src="dist/js/sidebarmenu.js"></script>
<!--Custom JavaScript -->
<script src="dist/js/custom.min.js"></script>
<!--This page plugins -->

```



```

        <script src="assets/extra-
libs/datatables.net/js/jquery.dataTables.min.js"></script>
        <script src="dist/js/pages/datatable/datatable-basic.init.js"></script>
</body>

</html>
<?php } ?>

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['otssaid']==0)) {
    header('location:logout.php');
} else{

    ?>
<!DOCTYPE html>
<html dir="ltr" lang="en">
<head>

    <title>Meal Manager - Confirmed Meal Order</title>

    <link href="assets/extra-libs/datatables.net-
bs4/css/dataTables.bootstrap4.css" rel="stylesheet">

    <link href="dist/css/style.min.css" rel="stylesheet">

</head>

<body>

    <div class="preloader">
        <div class="lds-ripple">
            <div class="lds-pos"></div>
            <div class="lds-pos"></div>
        </div>
    </div>
    <!-- ===== -->
    <!-- Main wrapper - style you can find in pages.scss -->
    <!-- ===== -->

```

```
<div id="main-wrapper" data-theme="light" data-layout="vertical" data-
navbarbg="skin6" data-sidebartype="full" data-sidebar-position="fixed" data-
header-position="fixed" data-boxed-layout="full">
    <!-- =====
->
    <!-- Topbar header - style you can find in pages.scss -->
    <!-- =====
->

    <?php include_once('includes/header.php');?>

    <?php include_once('includes/sidebar.php');?>
    <div class="page-wrapper">
        <!--
===== -->
        <!-- Bread crumb and right sidebar toggle -->
        <!--
===== -->

        <div class="page-breadcrumb">
            <div class="row">
                <div class="col-7 align-self-center">
                    <h4 class="page-title text-truncate text-dark font-
weight-medium mb-1">Confirmed Meal Order</h4>
                    <div class="d-flex align-items-center">
                        <nav aria-label="breadcrumb">
                            <ol class="breadcrumb m-0 p-0">
                                <li class="breadcrumb-item"><a
href="dashboard.php" class="text-muted">Home</a></li>
                                <li class="breadcrumb-item text-muted
active" aria-current="page">Confirmed Meal Order</li>
                            </ol>
                        </nav>
                    </div>
                </div>
            </div>

        </div>
    </div>

    <div class="container-fluid">

        <div class="row">
            <div class="col-12">
                <div class="card">
                    <div class="card-body">
```

```

        <h4 class="card-title">Confirmed Meal
Order</h4>

        <div class="table-responsive">
            <table id="zero_config" class="table
table-striped table-bordered no-wrap">
                <thead>
                    <tr>
                        <th>S.No</th>
                        <th>Order Number</th>
                        <th>Name</th>
                        <th>Mobile Number</th>
                        <th>Order Date</th>
                        <th>Status</th>
                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
$sql="SELECT * from tblorder where Status='Confirmed'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>
                <tr>
                    <td><?php echo
htmlentities($cnt);?></td>
                    <td><?php echo
htmlentities($row->OrderNumber);?></td>
                    <td><?php echo
htmlentities($row->FullName);?></td>
                    <td><?php echo
htmlentities($row->MobileNumber);?></td>
                    <td><?php echo
htmlentities($row->OrderDate);?></td>
                    <?php if($row->Status==""){
?>

```

```

        <td class="font-w600"><?php echo "Not Updated Yet";
?></td>
<?php } else { ?>
        <td class="d-none d-sm-table-cell">
            <span class="badge badge-
primary"><?php echo htmlentities($row->Status);?></span>
            </td>
<?php } ?>
        <td><a href="view-order-
detail.php?viewid=<?php echo htmlentities ($row->ID);?>"><i class="fa fa-eye"
aria-hidden="true"></i></a></td>
        </tr>
<?php $cnt=$cnt+1;}} ?>
    </tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php include_once('includes/footer.php');?>
</div>
</div>
<script src="assets/libs/jquery/dist/jquery.min.js"></script>
<!-- Bootstrap tether Core JavaScript -->
<script src="assets/libs/popper.js/dist/umd/popper.min.js"></script>
<script src="assets/libs/bootstrap/dist/js/bootstrap.min.js"></script>
<!-- apps -->
<!-- apps -->
<script src="dist/js/app-style-switcher.js"></script>
<script src="dist/js/feather.min.js"></script>
<!-- slimscrollbar scrollbar JavaScript -->
<script src="assets/libs/perfect-scrollbar/dist/perfect-
scrollbar.jquery.min.js"></script>
<script src="assets/extra-libs/sparkline/sparkline.js"></script>
<!--Wave Effects -->
<!-- themejs -->
<!--Menu sidebar -->

```

```
<script src="dist/js/sidebarmenu.js"></script>
<!--Custom JavaScript -->
<script src="dist/js/custom.min.js"></script>
<!--This page plugins -->
<script src="assets/extra-
libs/datatables.net/js/jquery.dataTables.min.js"></script>
<script src="dist/js/pages/datatable/datatable-basic.init.js"></script>
</body>

</html>
<?php } ?>
```