User manual

When power is turned on, you need to set current time:

To decrease time: press [SW3] -button. To increase time: press [SW2] -button.

HINT: It's possible to <u>fast-adjust</u> by first holding [SW3] + [SW2], after which you should let go of either [SW3] or [SW2] depending on which direction you wish to adjust time.

After you have entered the current time you can "accept" it by pressing **[SW4]** once. Mode will be changed to "Curr" representing *current time*.

After powering on:

Current mode is changed by holding down **[SW4]** until the desired mode is lit on the display. (Mode 1: CURR/current time. Mode 2: ALAR/alarm)

CURR -mode:

Using this mode you can view *the current time*. Current time value can be modified by simultaneously pressing **[SW4] + [SW3] + [SW2]** once, after which the display should blink with "EDIT" representing that you are now modifying the current time value. The chosen current time value is then saved by pressing **[SW4]** once.

ALAR -mode:

Using this mode you can set or delete an existing alarm.

To "move" left in this mode press [SW3] and to "move" right press [SW2] -button.

HINT: It's possible to <u>fast-move</u> by first holding [SW3] + [SW2], after which you should let go of either [SW3] or [SW2] depending on which direction you wish to "move".

Once you have entered the desired alarm time you can "accept" it by pressing **[SW4] + [SW2]** simultaneously. The mode will be automatically changed to "Curr" for current time and your alarm has now been set to ring.

Active alarm can be "signed" by pressing [SW2]. You can undo alarm by pressing [SW4] + [SW3] + [SW2].

(requires a 5V power supply)