



PizzaManSalesGIT

PIZZAMAN

ABOUT ME

MY NAME IS MAHD, AND I AM NEW TO THE FIELD OF DATA ANALYSIS AND THIS BEING THE FIRST PROJECT HAS BEEN A GOOD LEARNING, THANKS AND CREDIT GOES TO THE YOUTUBE CHANNEL WSCUBE TECH, TUTOR AYUSHI JAIN



ABOUT OUR PIZZA



1

Chicken

2

Supreme

3

Classic

4

Veggie





BEST SELLER

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE.

PIZZA_NAME	CONTAINS
The Thai Chicken Pizza	Chicken, Pineapple, Tomatoes, Red Peppers, Thai Sweet Chilli Sauce
The Barbecue Chicken Pizza	Barbecued Chicken, Red Peppers, Green Peppers, Tomatoes, Red Onions, Barbecue Sauce
The California Chicken Pizza	Chicken, Artichoke, Spinach, Garlic, Jalapeno Peppers, Fontina Cheese, Gouda Cheese

Order Now

@Moody-Farooque

OUR MENU



- The Five Cheese Pizza
- The Four Cheese Pizza
- The Greek Pizza
- The Green Garden Pizza
- The Hawaiian Pizza
- The Italian Capocollo Pizza
- The Italian Supreme Pizza
- The Italian Vegetables Pizza
- The Mediterranean Pizza
- The Mexicana Pizza
- The Napolitana Pizza
- The Pepper Salami Pizza
- The Pepperoni Pizza
- The Pepperoni, Mushroom, and Peppers Pizza
- The Prosciutto and Arugula Pizza
- The Sicilian Pizza
- The Soppressata Pizza
- The Southwest Chicken Pizza
- The Spicy Italian Pizza
- The Spinach and Feta Pizza
- The Spinach Pesto Pizza
- The Spinach Supreme Pizza
- The Thai Chicken Pizza
- The Vegetables + Vegetables Pizza



More Information

@Moody-Farooque

OUR QUERY

QUERY 01

Q1 RETRIEVE THE TOTAL
NUMBER OF ORDERS
PLACED.



```
select count(order_id) as Total_Orders_Placed from orders;
```

SOLUTION 01



Result Grid		Filter Rows:
	Total_Orders_Placed	
	21350	

@Moody-Farooque

OUR QUERY

QUERY 02

**Q2 CALCULATE THE
TOTAL REVENUE
GENERATED FROM PIZZA
SALES.**

```
select round(sum(order_details.quantity * pizzas.price),2) as Total_Sales
from order_details join pizzas
on pizzas.pizza_id = order_details.pizza_id
```

SOLUTION 02



Result Grid		Filter
	Total_Sales	
▶	817860.05	

@Moody-Farooque

OUR QUERY

QUERY 03

IDENTIFY THE HIGHEST-PRICED PIZZA.



SOLUTION 03

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 01;
```




Result Grid			Filter Rows:
	name	price	
▶	The Greek Pizza	35.95	

@Moody-Farooque

OUR QUERY

QUERY 05.1

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.



SOLUTION 05.1

```
SELECT
  pizza_types.name, SUM(order_details.quantity) AS Qty_Ordered
FROM
  pizza_types
  JOIN
  pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
  JOIN
  order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY Qty_Ordered DESC
LIMIT 5;
```

Result Grid			Filter Rows:
	name	Qty_Ordered	
▶	The Classic Deluxe Pizza	2453	
	The Barbecue Chicken Pizza	2432	
	The Hawaiian Pizza	2422	
	The Pepperoni Pizza	2418	
	The Thai Chicken Pizza	2371	

OUR QUERY

QUERY 05.2

IF IT HAS TO BE ALPHABETICAL YOU CAN USE THE NAME BASED COLUMN AS A BASIS OF ORDER

THIS HAS BEEN LIMITED TO 10



```
SELECT
    SUM(order_details.quantity)AS Qty_Ordered,pizza_types.name AS PIZZAS_NAME
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY PIZZAS_NAME DESC
LIMIT 10;
```



Result Grid			Filter Rows:	Export:	W
	Qty_Ordered	PIZZAS_NAME			
▶	1526	The Vegetables + Vegetables Pizza			
	2371	The Thai Chicken Pizza			
	950	The Spinach Supreme Pizza			
	970	The Spinach Pesto Pizza			
	1446	The Spinach and Feta Pizza			
	1924	The Spicy Italian Pizza			
	1917	The Southwest Chicken Pizza			
	961	The Soppressata Pizza			
	1938	The Sicilian Pizza			
	1457	The Prosciutto and Arugula Pizza			

SOLUTION 5.2

OUR QUERY

QUERY 08

JOIN RELEVANT TABLES
TO FIND THE CATEGORY-
WISE DISTRIBUTION OF
PIZZAS.



```
select category, count(name) from pizza_types  
group by category;
```

SOLUTION 08



Result Grid		Filter Rows:
category	count(name)	
Chicken	6	
Classic	8	
Supreme	9	
Veggie	9	

OUR QUERY

QUERY 10

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE.

ADDITIONAL INFO

A SELECT FROM A DIFFERENT TABLE REQUIRES A JOIN AND ALSO GOES INTO GROUP, WITHOUT BEING IN THE GROUP A COLUMN FROM A DIFFERENT TABLE WONT WORK, HERE TWO COLUMN FROM A DIFFERENT TABLE THAT BEING NAME AND INGRIDENET (AS CONTAINS) WAS ADDED, SIMILARLY IF A COLUMN WAS ADDED FROM PIZZAS.PIZZATYPE ID, JOIN WONT BE REQUIRED AS IS ALREADY JOIN USED.



```
SELECT
  pizzas.pizza_type_id AS PIZZA_TYPE,
  ROUND(SUM(order_details.quantity * pizzas.price),0) AS REVENUE,
  pizza_types.name AS PIZZA_NAME, pizza_types.ingredients AS CONTAINS
FROM
  pizzas
  JOIN
  order_details ON pizzas.pizza_id = order_details.pizza_id
  JOIN pizza_types
ON pizzas.pizza_type_id = pizza_types.pizza_type_id
GROUP BY pizzas.pizza_type_id,PIZZA_NAME, CONTAINS
order by REVENUE DESC limit 3;
```



PIZZA_TYPE	REVENUE	PIZZA_NAME	CONTAINS
thai_ckn	43434	The Thai Chicken Pizza	Chicken, Pineapple, Tomatoes, Red Peppers, Thai Sweet Chilli Sauce
bbq_ckn	42768	The Barbecue Chicken Pizza	Barbecued Chicken, Red Peppers, Green Peppers, Tomatoes, Red Onions, Barbecue Sauce
cali_ckn	41410	The California Chicken Pizza	Chicken, Artichoke, Spinach, Garlic, Jalapeno Peppers, Fontina Cheese, Gouda Cheese



SOLUTION 10



OUR QUERY

QUERY 11.1

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.

REQUIRED BREAKDOWN

- total revenue
- contributed by each pizzatype
- in percerntage

SOLUTION 11.1

```
FOR EACH PIZZA'S CONTRIBUTION TO REVENUE IN PERCENTAGE
SELECT
  round(SUM(pizzas.price * order_details.quantity),2) AS Rev,
  pizza_types.name AS PName,
  pizza_types.pizza_type_id AS PizzaType,
  -- (((SUM(pizzas.price * order_details.quantity)/SUM((sum(pizzas.price * order_details.quantity)))*100) AS PERCENTOFTOTAL, SUMMATIO
  SUMMATION ISNT ALLOWED IN SQL A WINDOW FUNCTION IS NEEDED HERE. AS IS BELOW
  ROUND(
    SUM(pizzas.price * order_details.quantity) * 100.0 / SUM(SUM(pizzas.price * order_details.quantity)) OVER (), 2
  ) AS Percent_Of_Total
FROM
  order_details
  JOIN
  pizzas ON order_details.pizza_id = pizzas.pizza_id
  join pizza_types
  on pizzas.pizza_type_id=pizza_types.pizza_type_id
GROUP BY PizzaType, pizza_types.name
ORDER BY Rev DESC ;
```

Result Grid		Filter Rows:	Export:	Wrap Cell C
Rev	PName	PizzaType	Percent_Of_Total	
43434.25	The Thai Chicken Pizza	thai_ckn	5.31	
42768	The Barbecue Chicken Pizza	bbq_ckn	5.23	
41409.5	The California Chicken Pizza	cali_ckn	5.06	
38180.5	The Classic Deluxe Pizza	classic_dlx	4.67	
34831.25	The Spicy Italian Pizza	spicy_ital	4.26	
34705.75	The Southwest Chicken Pizza	southw_ckn	4.24	
33476.75	The Italian Supreme Pizza	ital_supr	4.09	
32273.25	The Hawaiian Pizza	hawaiian	3.95	
32265.7	The Four Cheese Pizza	four_cheese	3.95	
30940.5	The Sicilian Pizza	sicilian	3.78	
30161.75	The Pepperoni Pizza	pepperoni	3.69	
28454.1	The Greek Pizza	the_greek	3.48	
26780.75	The Mexicana Pizza	mexicana	3.27	
26066.5	The Five Cheese Pizza	five_cheese	3.19	
25529	The Pepper Salami Pizza	peppr_salami	3.12	
25094	The Italian Capocollo Pizza	ital_cpdlo	3.07	
24374.75	The Vegetables + Vegetable...	veggie_veg	2.98	
24193.25	The Prosciutto and Arugula ...	prsc_argla	2.96	
24087	The Napolitana Pizza	napolitana	2.95	
23271.25	The Spinach and Feta Pizza	spinach_fet	2.85	
22968	The Big Meat Pizza	big_meat	2.81	
18834.5	The Pepperoni, Mushroom, ...	pep_msh_pep	2.3	
16900.25	The Chicken Alfredo Pizza	ckn_alfredo	2.07	
16701.75	The Chicken Pesto Pizza	ckn_pesto	2.04	
16425.75	The Soppressata Pizza	soppressata	2.01	
16019.25	The Italian Vegetables Pizza	ital_veggie	1.96	
15934.25	The Calabrese Pizza	calabrese	1.95	
15596	The Spinach Pesto Pizza	spin_pesto	1.91	
15360.5	The Mediterranean Pizza	mediterraneo	1.88	
15277.75	The Spinach Supreme Pizza	spinach_supr	1.87	
13955.75	The Green Garden Pizza	green_garden	1.71	
11588.5	The Brie Carre Pizza	brie_carre	1.42	

OUR QUERY

QUERY 11.2

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.


FOR CATEGORY:

- total revenue
- contributed by each pizzatype
- in percerntage

SOLUTION 11.2



```
SELECT
  round(SUM(pizzas.price * order_details.quantity),2) AS Rev,
  pizza_types.category AS PizzaCATEGORY,
  ROUND(
    SUM(pizzas.price * order_details.quantity) * 100.0 /
    SUM(SUM(pizzas.price * order_details.quantity)) OVER (), 2 -- (THIS IS HOW THE TOTAL SALES EXPRESSION CAN BE WRITTEN)
  ) AS Percent_Of_Total
FROM
  order_details
  JOIN
  pizzas ON order_details.pizza_id = pizzas.pizza_id
  JOIN pizza_types
  ON pizzas.pizza_type_id=pizza_types.pizza_type_id
GROUP BY PizzaCATEGORY
ORDER BY Rev DESC
```



Rev	PizzaCATEGORY	Percent_Of_Total
220053.1	Classic	26.91
208197	Supreme	25.46
195919.5	Chicken	23.96
193690.45	Veggie	23.68

OUR QUERY

QUERY 12

ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME.

ADDITIONAL INFO

-- THE TUTORIAL SHOWED ONLY THE CUMMULATIVE REV, I HAVE SHOWN THE THE CUMMULATIVE AS WELL AS THE DAY REV. ALHAMDOLILLAH A BIT OF ADDITION.
- THESE ARE SNAP POSITION OF VARIOUS TIMES OF YEAR, WITH CUMMULATIVE EFFECT



SOLUTION 12 =

```
select Order_DAY, Day_Rev,
sum(Day_Rev) over (order by Order_DAY) as Cumm_REV
from
(select orders.order_date as Order_DAY,
round(sum( order_details.quantity * pizzas.price),0) as Day_REV
from order_details
join pizzas
on order_details.pizza_id = pizzas.pizza_id
join orders
on order_details.order_id = orders.order_id
group by Order_DAY) as Day_Sales;
```



Order_DAY	Day_Rev	Cumm_R
2015-01-07	2202	16560
2015-01-08	2838	19398
2015-01-09	2127	21525
2015-01-10	2464	23989
2015-01-11	1872	25861
2015-01-12	1919	27780
2015-01-13	2050	29830
2015-01-14	2527	32357
2015-01-15	1985	34342
2015-01-16	2594	36936
2015-01-17	2064	39000
2015-01-18	1977	40977
2015-01-19	2387	43364
2015-01-20	2398	45762
2015-01-21	2041	47803
2015-01-22	2497	50300
2015-01-23	2424	52724
2015-01-24	2289	55013
2015-01-25	1618	56631
2015-01-26	1884	58515
2015-01-27	2528	61043
2015-01-28	2016	63059

Order_DAY	Day_Rev	Cumm_R
2015-09-05	2538	566526
2015-09-06	1492	568018
2015-09-07	2283	570301
2015-09-08	2250	572551
2015-09-09	2580	575131
2015-09-10	2416	577547
2015-09-11	2762	580309
2015-09-12	2588	582897
2015-09-13	1838	584735
2015-09-14	2165	586900
2015-09-15	2550	589450
2015-09-16	2185	591635
2015-09-17	2242	593877
2015-09-18	2722	596599
2015-09-19	2287	598886
2015-09-20	1829	600715
2015-09-21	2131	602846
2015-09-22	2170	605016
2015-09-23	2163	607179
2015-09-26	2247	609426
2015-09-27	2315	611741
2015-09-28	2035	613776
2015-09-29	2762	616538

Order_DAY	Day_Rev	Cumm_REV
2015-12-09	2572	774394
2015-12-10	1986	776380
2015-12-11	2634	779014
2015-12-12	1960	780974
2015-12-13	2245	783219
2015-12-14	2173	785392
2015-12-15	2387	787779
2015-12-16	2235	790014
2015-12-17	1881	791895
2015-12-18	2886	794781
2015-12-19	2304	797085
2015-12-20	2105	799190
2015-12-21	2101	801291
2015-12-22	1883	803174
2015-12-23	2244	805418
2015-12-24	2138	807556
2015-12-26	1643	809199
2015-12-27	1419	810618
2015-12-28	1637	812255
2015-12-29	1353	813608
2015-12-30	1338	814946
2015-12-31	2916	817862

OUR QUERY

QUERY 13

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE FOR EACH PIZZA CATEGORY.

ADDITIONAL INFO

TOP 3 OF EACH CATEGORY BASED ON REVENUE IS GIVEN, THE FUNCTION OF RANKING IS USED IN HERE.AND WHERE AT END LIMITS IT TO 3.

SOLUTION 13

```
select P_NAME, Revenue, P_Category,Rnk from
(select P_Category, P_NAME, Revenue,
rank () over(partition by P_Category order by Revenue desc ) as Rnk
from (select pizza_types.category as P_Category, pizza_types.pizza_type_id, pizza_types.name as P_NAME,
sum(order_details.quantity*pizzas.price) as Revenue from
pizzas
join
pizza_types
on
pizza_types.pizza_type_id = pizzas.pizza_type_id
join
order_details
on
pizzas.pizza_id = order_details.pizza_id
group by P_Category, pizza_types.pizza_type_id,P_NAME
) as RevCAT) as RNKCAT
where Rnk <=3
;
```



P_NAME	Revenue	P_Category	Rnk
The Thai Chicken Pizza	43434.25	Chicken	1
The Barbecue Chicken Pizza	42768	Chicken	2
The California Chicken Pizza	41409.5	Chicken	3
The Classic Deluxe Pizza	38180.5	Classic	1
The Hawaiian Pizza	32273.25	Classic	2
The Pepperoni Pizza	30161.75	Classic	3
The Spicy Italian Pizza	34831.25	Supreme	1
The Italian Supreme Pizza	33476.75	Supreme	2
The Sicilian Pizza	30940.5	Supreme	3
The Four Cheese Pizza	32265.700000000065	Veggie	1
The Mexicana Pizza	26780.75	Veggie	2
The Five Cheese Pizza	26066.5	Veggie	3



OUR SERVICE

1

The purpose of this presentation is to give a glimpse of how SQL is used to solve the problems, and help analyse the data. sales segmentation and cost sheets will be more of a learning

2

The Credit of this work goes majorly to Ayushi Jain, who showed how this is done, and a bit of additions are my own and due to my understanding and experimentation.

@Mahd Farooque



OUR PORTFOLIO

Various types of business and non business problems can be solved via the SQL and The main objective if SQL is playing with the data and using it to get an in-depth analysis of looking at things. It depends on the knowledge of people using it, as someone having a background of management accounting, i see it capable of being used in various ways. Yet to see its potential.

OUR PORTFOLIO

This is the first ever project tutoredl, by Ayushi Jain. uplaoded osnthe youtube channel of WSTECHCUBE. Will be loading others too, My approach is simple, whichj follows he hands on approach, there were things that i leant about in other places and did here, i did follow a tutorial By Harris Khan, of CODE WITH HARRY.



www.reallygreatsite.com

THANK YOU

Feedback will be much appreciated, the first effort
in practice

