Quiz about QuickStart3 in em, Blemacsne Mooers yr2021mo09day08hr12min59sec34

1. To delete from the cursor to the beginning of a sentence, enter C-x
2. At the left margin of the mode line, the symbol means that the buffer has been modified since
modified.
3. After editing a document in emacs and trying to quit before saving it, you will be prompted with several
options. Enter _ to save the current file and then quit.
4. Enter to display a list of all buffers.
5. Emacs opens an empty buffer named
6. To create a duplicate of a window, enter
7. At the left margin of the mode line, the symbol means that the buffer has not been modified.
8. To display in a new buffer a list of all of the open buffers, enter
9. Enter to access the help facility.
10. Other tha C-/ and C-x u, the key sequence will undo the last operation.
11. As you work, the cursor is always in one window, called the SELECTED WINDOW or WINDOW.
12. To insert the control circumflex character, enter C-q
13. Enter to erase the current selection.
14. The key sequence will repeat the last operation.
15. To split a line at the cursor when evil mode is off, move the cursor to inside of the line and enter
16. To delete from the cursor to the beginning of a sentence, enter BS.
17. Every Emacs COMMAND is a function that has been designed for interactive use.
18. Enter to display a different buffer in the selected window.
19. To run the spell checker in a buffer, enter M-x
20. Emacs keeps a separate storage area, called a, for each particular task.
21. To open a new line above the current line when evil mode is off, move the cursor to the beginning of the
line and enter
22. Thebuffer command helps you check the spelling of all the words in your buffer.
23. To move the cursor up one line, enter
24. The below each window contains information about the buffer.
25. To open a new line below the current line when evil mode is off, move the cursor to the end of the line
and enter
26. After entering C-x z to repeat a command, repeat it again by entering
27. To move the cursor down one line, enter
28. At the left margin of the mode line, the symbol% means that the buffer has not been modified since
modified while in the read-only mode.
29. When Emacs wants to be sure that you are making the right decision, Emacs will ask you to answer
rather than y.
30. To move the cursor one character forward, enter
31. After editing a document in emacs and trying to quit before saving it, you will be prompted with several
options. Enter _ to save nothing and quit.
32. To run the spell checker in a buffer, enter M-xbuffer.
33. After editing a document in emacs and trying to quit before saving it, you will be prompted with several
options. Enter _ to save all files and quit.
34. Enter to delete file and associated buffer.
35. To delete from the cursor four sentences backwards, enter C-x ; ;z; z;.
36. The command kills the buffer in which the program is running.
37. At the left margin of the mode line, the symbol* means that the buffer has been modified since
modified while in the read-only mode.
38. To select the all of the buffer enter

39. At all times, Emacs ensures that at least buffer(S) are open.
40. You can toggle the read-only mode on and off by entering
41. Other tha C and C-x u, the key sequence will undo the last operation.
42. To get out of Emacs help, enter
43. Enter to select all of the buffer and erase the current selection.
44. To move the cursor backward one character, enter

Answers to quiz about QuickStart3 in em yr2021mo09day08hr12min59sec34

- 1. BS
- 2. *
- 3. .
- 4. C-x C-b
- 5. *scratch*
- 6. C-x 2
- 7. -
- 8. C-x C-b
- 9. C-h i
- 10. C-_
- 11. CURRENT
- 12. C-c
- 13. C-w
- 14. C-x z
- 15. C-o
- 16. C-x
- 17. Lisp
- 18. C-x b
- 19. ispell-buffer
- 20. buffer
- 21. C-o
- 22. ispell
- 23. С-р
- 24. mode line
- 25. C-o
- 26. z
- 27. C-n
- 28. %
- 29. yes
- 30. C-f
- 31. q
- 32. ispell
- 33. !
- 34. C-c D
- 35. C-x z
- 36. C-x k
- 37. %
- 38. C-x h
- 39. 1
- 40. C-x C-q
- 41. C-/
- 42. q
- 43. C-x h C-w
- 44. M-f