

## Quiz about Orgmode\_agenda2 in em, Blemacsne Mooers yr2021mo09day15hr07min48sec00

1. To view a subtree in column view, enter \_\_\_ C-x \_\_\_.
2. With the cursor on the text of an item in a checklist, enter \_\_\_ \_\_\_ to check off an item as being done in a checklist.
3. To stop a timer, enter \_\_\_ \_\_\_ \_\_\_.
4. To switch tasks with a timer, enter \_\_\_ \_\_\_ \_\_\_.
5. After a break, to restart a timer, enter \_\_\_ \_\_\_ \_\_\_.
6. To submit a note prompted by a change in TODO state, enter \_\_\_ \_\_\_.
7. To insert a timestamp, enter \_\_\_ \_\_\_ \_\_\_.
8. Enter \_\_\_ to start a checklist.
9. Enter C-c C-x \_ to insert a new custom drawer.
10. To count the words in LaTeX file and not include the LaTeX markup in the word count, enter \_\_\_.
11. With the cursor on the text of an item in a checklist, enter \_\_\_ \_\_\_ to uncheck an item as being done in a checklist.
12. Enter C-c C-s with the cursor in an org file on a TODO line to \_\_\_ an item.
13. To move a cursor to headline that is clocked-in, place the cursor on the task and enter \_\_\_ \_\_\_ \_\_\_.
14. To save a thought after entering in the capture box, enter C-c \_ to close the capture box.
15. The countdown timer is started by entering \_\_\_ \_\_\_ \_\_\_ . You will be prompted for the time.
16. To clock in on a project, put the pointer on the headline and enter \_\_\_ C-x tab.
17. To close the agenda buffer, place the cursor in the agenda buffer and enter \_\_\_.
18. To kill a note prompted by a change in TODO state, enter \_\_\_ \_\_\_.
19. To order tasks such that one task must be done before another, enter \_\_\_ \_\_\_ S-o.
20. To clock in on a project, put the pointer on the headline and enter \_\_\_ \_\_\_ tab.
21. To split the window vertically with a new buffer appearing on the right, enter C-x \_\_\_.
22. With the cursor on the text of an item in a checklist, enter C-c \_\_\_ to uncheck an item as being done in a checklist.
23. After the appropriate additions to the config.org file, enter M-<\_\_\_> to move a line up. This works in normal and insert mode of evil-mode.
24. Clock in on a task by placing the cursor on the task and enter \_\_\_ \_\_\_ \_\_\_.
25. With the cursor on the text of an item in a checklist, enter \_\_\_ \_\_\_ \_\_\_ to make another item to the bottom of a checklist.
26. To order tasks such that one task must be done before another, enter \_\_\_ \_\_\_ \_\_\_.
27. You cannot put a \_\_\_ or another drawer in a drawer.
28. The countdown timer is started for 5 minutes by entering \_\_\_ \_\_\_ \_\_\_ \_\_\_ . You will be prompted for the time.
29. Enter \_\_\_ C-s in an org file with the mouse pointer on a TODO line to schedule an item.
30. To reload the config.org file, enter M-x \_\_\_ and then give the path to the init.el file.
31. To split the window vertically with a new buffer appearing on the right, enter \_\_\_ \_\_\_.
32. To save all modified org files, enter \_\_\_ \_\_\_ when the cursor or point is in the agenda buffer.
33. Enter \_\_\_ C-d in an org file on a TODO line to set the deadline for an item.
34. To start a timer, enter \_\_\_ \_\_\_ \_\_\_.
35. To pause a timer, enter \_\_\_ \_\_\_ \_\_\_.
36. To save a thought after entering in the capture box, enter \_\_\_ C-c to close the capture box.

**Answers to quiz about Orgmode\_agenda2 in em yr2021mo09day15hr07min48sec00**

1. C-c C-c
2. C-c C-c
3. C-u C-c C-x .
4. C-u C-c C-x C-x
5. C-c C-x C-x
6. C-c C-c
7. C-c C-x -
8. - [ ]
9. d
10. C-c w
11. C-c C-c
12. schedule
13. C-c C-x C-j
14. C-c
15. C-c C-x ;
16. C-c
17. q
18. C-c C-k
19. C-c C-x
20. C-c C-x
21. 3
22. C-c
23. up arrow
24. C-c C-x C-q
25. S-M-return
26. C-c C-x S-o
27. headline
28. C-u 5 C-c C-x ;
29. C-c
30. load-file
31. C-x 3
32. C-x C-s
33. C-c
34. C-c C-x 0
35. C-c C-x .
36. C-c

**References cited in quiz about Orgmode\_agenda2 in em    yr2021mo09day15hr07min48sec00**

- 1.
2. 'Living in Emacs' on [ibm.com/developerWorks](https://ibm.com/developerWorks)