Quiz about QuickStart2 in em, Blemacsne Mooers yr2021mo09day08hr12min59sec27

1. To start the built-in emacs tutorial, enter t.
2. In Emacs documentation, the abbreviation for Meta- is
3. To open an existing file, enter C-f.
4. Enter] to insert a citation at the cursor.
5. The semi-mythical organization of Lisp hackers was called the
6. In Emacs documentation, the abbreviation for Tab is
7. APL is programming language created by Ken Iverson in the 1960s.
8. Enter M to open a prompt for a shell command like Is -a.
9. Enter C-x to repeat a command. Enter _ again to repeat it again.
10. Enter C-c C-e to export an org doc to pdf.
11. In Emacs documentation, the abbreviation for backspace is
12. To backward-delete a word, enter
13. To recover a file from the last Emacs backup, enter M-x
14. To recover a file from the last Emacs backup, enter recover-file.
15. Enter C-c to exit emacs
16. Enter C-e lo to export an org doc to pdf.
17. When editing a file, the command to move down one screeful is
18. In Emacs documentation, the abbreviation for Meta-Ctrl- is
19. To start emacs using the terminal rather than the GUI, enter emacs <document>.</document>
20. Enter ESC to open a prompt for a shell command like ls -a.
21. Other tha C-/ and C, the key sequence will undo the last operation.
22. The key in the Gnome Terminal is a short-cut for accessing the top menu. There is a need to
disable menu access.
23. To exit Emacs, enter C-x
24. To start the built-in emacs tutorial, enter
25. To save the current file, enter C-x
26. The meta character on the Mac is the same as the key.
27. In Emacs documentation, the abbreviation for Return is
28. In Emacs documentation, the abbreviation for Escape is
29. To recover a file from the last Emacs backup, enter
30. To start the built-in emacs tutorial, enter C-h
31. Niklaus Worth is the inventor of the programming language.
32. In Emacs documentation, the abbreviation for Delete is
33. When editing a file, the command to move up one screeful is
34. In Emacs documentation, the abbreviation for Space is
35. After editing a document in emacs and trying to quit before saving it, you will be prompted with severa
options. Enter _ to save the file and quit.
36. ASCII stands for American for
37. Enter to exit emacs.
38. To open a file in the read-only mode, enter emacs document read-only-mode.
39. After editing a document in emacs and trying to quit before saving it, you will be prompted with severa
options. Enter _ not to save the file and quit.
40. The orginal use of the Meta key was to switch on the acces to characters 128 to characters of
ASCII.
41. The ESC key can be used in place of the Meta key, but the ESC key use differs in that it is
and released before entering the next key.
42. Start emacs with at the end of the command to free up the prompt.

43. In Emacs documentation, the abbreviation for Ctrl- is
44. To install a package with an abbreviated command, enter p-ins.
45. The key sequence will undo the last operation.
46. When Eamcs is started with the option tells Emacs to execute the Lisp function specified after the
option.
47. Start emacs from the to inherit the environment settings of the shell.

Answers to quiz about QuickStart2 in em yr2021mo09day08hr12min59sec27

1. C-h 2. M-3. C-x 4. C-c 5. Knights of the Lambda Calculus 6. TAB 7. mathematical 8. ! 9. z 10. lo 11. BS 12. M-Delete 13. recover-file 14. M-x 15. C-x 16. C-c 17. C-v 18. M-C-19. -nw 20. ! 21. C-x u 22. Meta 23. C-c 24. C-h t 25. C-s 26. alt 27. RET 28. ESC 29. M-x recover-file 30. t 31. Pascal 32. DEL 33. M-v 34. SPC 35. y 36. Standard Code Information Interchange 37. C-x C-c 38. -f 39. n 40. 256 41. held down 42. & 43. C-44. M-x 45. C-x u

46. -f 47. terminal