## Quiz about Latex in em, Blaine Mooers yr2022mo09day01hr09min05sec27

1. To insert the document begin and end environment pair, enter $\_\_$	RET document RET RET.
2. To kill the current tex file compilinging, enter	
3. When the cursor is between braces, enter to move the cursor	just beyond the right brace.
4. In Emacs parlance, syntax hghlighting is called	
5. To close the last unclosed latex block, enter	
6. Enter to move the point past the right brace when it is between	braces.
7. Enter to compile a LaTeX tex file.	
8. To fill and indent the current paragraph, enter	
9. To insert two braces with the cursor (or point) between the braces, er	nter
10. To terminate a paragraph with two hard Returns, enter	
11. To type a literal quotation mark, enter	
12. To view a dvi file in Emacs, enter	
13. Enter to fill and indent the current section.	
14. M-q is an alias for	
15. To wrap a region in a command pair after writing the region, enter $\_$	·
16. Enter at the end of a line in an itemize list to insert a n	ew indented item.
17. To check a region for mismatched braces or dollar signs before con	npiling, enter
18. Enter to insert opening and closing braces and positioning the	between the braces.
19. The default dvi viewer on Linux and Macs is	
<ol><li>Position the cursor right after a left brace and enterto find the</li></ol>	matching right brace.
21. To insert an item in the middle of list, enter	
22. Enter to comment out a paragraph.	
23. Enter to reload a LaTeX tex file.	
24. Errors are listed in an *occur* buffer. Goto to line with error, with the	command.
25. To view the dvi file, enter	
26. To check the entire buffer for syntax errors before compiling, enter _	·
27. To run M-x tex-bibtex-file, enter	
28. Enter in a document with chapters, sections, or both to displa	y a navigable Table of Contents in a
separate buffer.	
29. To check the buffer for syntax errors, enter	
30. Enter to fill and indent the current region.	
31. To save and compile the current file, enter	
32. Enter to invoke LFD: newline and indent cursor (or point).	
33. Enter to fill and indent the current environment.	
34. To compile the current buffer, enter	
35. Enter to comment out a region.	
36. To put the erorr message shell on the screen, enter	
37. To print the dvi output, enter	
38. Linebreaks are inserted automatically when line filling is enabled wit	
39. Enter to compile a LaTeX tex file and display the PDF in your	systems default PDF-viewer.
40. To check the region for syntax errors, enter	
41. To close a command pair, enter	
42. To count the words in LaTeX file and not include the LaTeX markup	in the word count, enter
43. To process a file, enter	

## Answers to quiz about Latex in em yr2022mo09day01hr09min05sec27

- 1. С-с С-е
- 2. C-c C-k
- 3. C-c }
- 4. font locking
- 5. C-c C-u
- 6. C-c }
- 7. C-c C-c
- 8. M-q
- 9. C-c {
- 10. C-j
- 11. C-q "
- 12. C-c C-v
- 13. C-c C-q C-s
- 14. C-c C-q C-p
- 15. C-c C-e
- 16. C-c C-j
- 17. M-x tex-validate-region
- 18. C-c {
- 19. xdvi
- 20. C-c }
- 21. M-RET
- 22. C-c %
- 23. C-c C-n
- 24. M-x goto-line
- 25. C-c C-v
- 26. M-x tex-validate-buffer
- 27. C-c TAB
- 28. C-c =
- 29. M-x tex-validate-buffer
- 30. C-c C-q C-r
- 31. C-c C-f
- 32. C-j
- 33. C-c C-q C-e
- 34. C-c c-b
- 35. C-c;
- 36. C-c C-d
- 37. С-с С-р
- 38. auto-fill
- 39. C-c C-a
- 40. M-x tex-validate-buffer
- 41. C-c C-e
- 42. C-c w
- 43. C-c C-f

## References cited in quiz about Latex in em yr2022mo09day01hr09min05sec27

- 1.
- 2. 'Living in Emacs' on ibm.com/developerWorks