Quiz about Latex in em, Blaine Mooers   yr2022mo09day01hr09min06sec05

1. Enter _____ to insert opening and closing braces and positioning the between the braces.

2. To insert the document begin and end environment pair, enter ___ ___ RET document RET RET.

3. Enter ___ ___ ___ to fill and indent the current section.

4. The default dvi viewer on Linux and Macs is _____.

5. To wrap a region in a command pair after writing the region, enter _____ _____.

6. To check the region for syntax errors, enter _____ _____.

7. To fill and indent the current paragraph, enter _____.

8. To count the words in LaTeX file and not include the LaTeX markup in the word count, enter _____.

9. M-q is an alias for _____ _____ _____.

10. Enter ___ ___ ___ to fill and indent the current environment.

11. Enter _____ to reload a LaTeX tex file.

12. To close the last unclosed latex block, enter ___ ___

13. To insert an item in the middle of list, enter ___ ___.

14. To insert two braces with the cursor (or point) between the braces, enter _____.

15. To terminate a paragraph with two hard Returns, enter _____.

16. To view a dvi file in Emacs, enter _____ _____.

17. Enter _____ to compile a LaTeX tex file.

18. Enter _____ to comment out a paragraph.

19. Enter _____ _____ at the end of a line in an itemize list to insert a new indented item.

20. Enter __ __ in a document with chapters, sections, or both to display a navigable Table of Contents in a separate buffer.

21. Position the cursor right after a left brace and enter _____to find the matching right brace.

22. Enter ___ to invoke LFD: newline and indent cursor (or point).

23. Enter ___ ___ ___ to fill and indent the current region.

24. To compile the current buffer, enter ___ ___.

25. To run M-x tex-bibtex-file, enter _____.

26. To print the dvi output, enter _____.

27. To check the entire buffer for syntax errors before compiling, enter _____ _____.

28. Errors are listed in an *occur* buffer. Goto to line with error, with the ___ _____ command.

29. To view the dvi file, enter _____.

30. When the cursor is between braces, enter ___ __ to move the cursor just beyond the right brace.

31. To put the erorr message shell on the screen, enter __ _____.

32. To check a region for mismatched braces or dollar signs before compiling, enter _____ _____.

33. Linebreaks are inserted automatically when line filling is enabled with the _____-mode.

34. Enter _____ to move the point past the right brace when it is between braces.

35. To process a file, enter _____.

36. To close a command pair, enter _____.

37. Enter _____ to compile a LaTeX tex file and display the PDF in your systems default PDF-viewer.

38. In Emacs parlance, syntax hghlighting is called _____ ___.

39. Enter _____ to comment out a region.

40. To kill the current tex file compilinging, enter ___ _____.

41. To type a literal quotation mark, enter _____.

42. To check the buffer for syntax errors, enter _____ _____.

43. To save and compile the current file, enter ___ ___.

Answers to quiz about Latex in em   yr2022mo09day01hr09min06sec05

1. C-c {
2. C-c C-e
3. C-c C-q C-s
4. xdvi
5. C-c C-e
6. M-x tex-validate-buffer
7. M-q
8. C-c w
9. C-c C-q C-p
10. C-c C-q C-e
11. C-c C-n
12. C-c C-u
13. M-RET
14. C-c {
15. C-j
16. C-c C-v
17. C-c C-c
18. C-c %
19. C-c C-j
20. C-c =
21. C-c }
22. C-j
23. C-c C-q C-r
24. C-c c-b
25. C-c TAB
26. C-c C-p
27. M-x tex-validate-buffer
28. M-x goto-line
29. C-c C-v
30. C-c }
31. C-c C-d
32. M-x tex-validate-region
33. auto-fill
34. C-c }
35. C-c C-f
36. C-c C-e
37. C-c C-a
38. font locking
39. C-c ;
40. C-c C-k
41. C-q "
42. M-x tex-validate-buffer
43. C-c C-f

References cited in quiz about Latex in em   yr2022mo09day01hr09min06sec05

1.

2. 'Living in Emacs' on ibm.com/developerWorks