

## Quiz about Org\_mode1 in em, Blemacsne Mooers yr2021mo09day08hr12min58sec16

1. Org headlines start on the left margin with one or more \_\_\_\_ followed by a space.
2. The \_\_\_\_ shows only top headlines.
3. Enter \_\_\_\_ to readjust the column widths of a table in a org file.
4. Enter \_\_\_\_ to insert a citation at the cursor.
5. Enter \_\_\_\_ to narrow buffer to current subtree
6. Rotate the entire buffer through overview -> contents -> show-all by entering \_\_\_\_.
7. C-c ^ \_\_\_\_ with cursor in evil command mode on row in a table column of text will sort the column in alphabetical order in an org file.
8. Enter \_\_\_\_ to promote current heading by one level.
9. Move the cursor to the next heading in the orgmode by entering \_\_\_\_.
10. Enter \_\_\_\_ to cycle through reasonable levels.
11. C-c ^ A with cursor in evil command mode on row in a table column of text will sort the column in \_\_\_\_ order in an org file.
12. Enter \_\_\_\_ to move subtree up.
13. C-c ^ N with cursor in evil command mode on number in a table column will sort the column in \_\_\_\_ order in an org file.
14. Move the cursor backward to the higher level by entering \_\_\_\_.
15. M-arrow with cursor on a line can be used to move a \_\_\_\_ in a table up or down in an org file.
16. To create a link in org-mode, inside of enclosing square brackets, enter [\_\_\_\_\_] then [description].
17. Enter \_\_\_\_ ] to insert a citation at the cursor.
18. To create a link in org-mode, inside of enclosing square brackets, enter [url] then [\_\_\_\_\_] .
19. Enter \_\_\_\_ to demote current headingl by one level.
20. C-c ^ \_\_\_\_ with cursor in evil command mode on number in a table column will sort the column in descending order in an org file.
21. Move the cursor to the next heading at the same level by entering \_\_\_\_.
22. C-c ^ a with cursor in evil command mode on row in a table column of text will sort the column in \_\_\_\_ order in an org file.
23. Enter \_\_\_\_ to widen buffer to current subtree
24. C-c ^ \_ with cursor in evil command mode on number in a table column will sort the column in ascending order in an org file.
25. The greater the number of astericks, the \_\_\_\_ the level in the heirarchy.
26. Every headline starts with one or more \_\_\_\_.
27. Move the cursor to the previous heading in the orgmode by entering \_\_\_\_.
28. Enter \_\_\_\_ KB, to check on a KB's availability. KB means keyboard shortcut or keyboard binding.
29. Insert new TODO entry with the same level as the current level by entering \_\_\_\_.
30. Enter \_\_\_\_ to move subtree down.
31. Enter \_\_\_\_ - up or down with cursor on section or bullet list item to change its order while in org-mode.
32. Enter C-c \_ to insert a citation at the cursor.
33. Enter \_\_\_\_ to search for a word.
34. Rotate the current subtree through folded-> children -> subtree by entering \_\_\_\_.
35. Enter C-u C-u C-u \_\_\_\_ to show all contents including drawers.
36. Move the cursor to the previous heading at the same level by entering \_\_\_\_.
37. C-c ^ \_\_\_\_ with cursor in evil command mode on row in a table column of text will sort the column in reverse alphabetical order in an org file.
38. Enter \_\_\_\_ TAB to show all contents including drawers.
39. C-c ^ n with cursor in evil command mode on number in a table column will sort the column in \_\_\_\_ order in an org file.

40. Insert new heading with the same level as the current level by entering \_\_\_\_\_.

**Answers to quiz about Org\_mode1 in em yr2021mo09day08hr12min58sec16**

1. \*
2. OVERVIEW
3. TAB
4. C-c ]
5. C-x n s
6. S-TAB
7. a
8. M-left
9. C-c C-n
10. TAB
11. reverse alphabetical
12. M-up
13. descending
14. C-c C-u
15. row
16. url
17. C-c
18. description
19. M-right
20. N
21. C-c C-f
22. alphabetical
23. C-x n w
24. n
25. lower
26. \*
27. C-c C-p
28. C-h k
29. M-S RET
30. M-down
31. M
32. ]
33. C-s
34. TAB
35. TAB
36. C-c C-b
37. A
38. C-u C-u C-u
39. ascending
40. M-RET