

Quiz about Buffers4 in em, Blaine Mooers yr2021mo10day03hr21min19sec50

1. In the Buffer List, enter `__` to replace the Buffer List with the buffer under the cursor.
2. In the buffer list window, enter `__` to open the buffer under the cursor.
3. The name of a backup file is filename`_`.
4. Creat two vertical windows side-by-side by entering `__` `__`.
5. To display a buffer in the Buffer List in a full screen, move the cursor to it and enter `__`.
6. In the Buffer list window, enter `__` to move the cursor down one line. The evil-mode has to be off for this to work.
7. To split a window horizontally, enter `_____`.
8. To display a buffer in the Buffer List in a horizontal window, move the cursor to it and enter `__`.
9. To make a window larger horizontally by one column when split vertically, enter `__` `__`.
10. To recreate horizontal windows of equal size, enter `_____` .
11. In vertical, side-by-side windows, enter `__` `__` to scroll to the left.
12. In vertical, side-by-side windows, enter `__` `__` to scroll to the right.
13. The CRM column name in the buffer list table means Current, Modified, and `_____`.
14. You can list only buffers that are visiting files in the Buffer List buffer by entering `__` `__` `_____`.
15. To shrink a window horizontally by one column when split vertically, enter `__` `__`.
16. In the Buffer List, enter `__` to close the Buffer List.
17. In horizontal windows, enter `_____` to make the window taller by one line.
18. In the Buffer List window, enter `__` to move the cursor up one line. The evil-mode has to be off for this to work.
19. The buffer list window is not static. You can execute commands in it. Move the cursor to it by entering `__` `__` .
20. In the Buffer List, enter `__` to close the Buffer List and leave one window open for the buffer under the cursor.
21. In the Buffer List, enter `o` for each buffer that you want displayed in separate windows upon entering `__`
The symbol that appears in the CRM column will be `>`.
22. To scroll a neighboring window from a vertical window, enter `__` `__`
23. In the Buffer List, enter `__` to replace the other winodw with the buffer under the cursor.
24. To recreate vertical windows of equal size, enter `_____` .
25. To open another buffer in a neighboring window, enter `__` `__`
26. In the Buffer List, enter `__` to replace the other window with the buffer under the cursor.
27. In the Buffer List, enter `__` for each buffer that you want displayed in separate windows upon entering `v`.
The symbol that appears in the CRM column will be `>`.
28. To close the current window, enter `__` `__`.
29. To toggle the read-only status in the Buffer List, enter `__`.
30. To open another file in a neighboring window, enter `__` `__`
31. In the Buffer List, enter `o` for each buffer that you want displayed in separate windows upon entering `v`.
The symbol that appears in the CRM column will be `__`.
32. In horizontal windows, enter `_____` to make the window taller by four lines.
33. To make a window larger horizontally by four columns when split vertically, enter `__` `__`.
34. In the Buffer List, enter `__` to quit the Buffer List.
35. To make a window larger horizontally by four columns when split vertically, enter `__` `__`.
36. To save some of the open buffers to files, enter `__` `__` .
37. Tggle a buffer between read-only and read-write by entering `__` `__`.
38. To close all other windows, enter `_____` `__`.

Answers to quiz about Buffers4 in em yr2021mo10day03hr21min19sec50

1. f
2. C-x j
3. ~
4. C-x 3
5. 1
6. C-n
7. C-x 2
8. 2
9. C-x }
10. C-x +
11. C-x <
12. C-x >
13. read-only
14. C-u C-x C-b
15. C-x {
16. C-x 0
17. C-x ^
18. C-p
19. C-x o
20. C-x 1
21. v
22. C-M-v
23. o
24. C-x +
25. C-x 4 b
26. o
27. o
28. C-x 0
29. %
30. C-x 4 f
31. >
32. C-u C-x ^
33. C-u C-x {
34. q
35. C-u C-x }
36. C-x s
37. C-x C-q
38. C-x 1

References cited in quiz about Buffers4 in em yr2021mo10day03hr21min19sec50

1. Cameron2005LearningGNUMac3rdEdition