Quiz about Org_agenda4 in em, Blaine Mooers yr2021mo09day16hr21min50sec39

1. To create a drawer, enter
2. To count the words in LaTeX file and not include the LaTeX markup in the word count, enter
3. To move a column in a table, enter <arrow>.</arrow>
4. The UUID for an item is digits long.
5. Named targets for internal links are defined with a line that starts with
6. The UUID is stored in a file that is specified with the variable
7. To create a drawer, enter C-c
8. To attach a file to headline, put the cursor on the headline and enter This will invoke a menu
with a list of options. Enter y to attach the file as a symbolic link.
9. External links are external to the current file.
10. The table formula are defined just below the bottom row of the table with a line starting with
11. To assign a priority to a headline, enter <down arrow=""> to cycle through the options.</down>
12. A radio link to TBD has the form of
13. Follow a link by entering C-c
14. To enter a horizontal line is a table in org-mode, enter You will get the option to extend the line to 40
or 100 percent of the text area.
15. There are four kinds of internal links available in emacs:, named targets, custom IDs, and radio
targets.
16. Edit links by entering C-I.
17. The link to the name target TBD has the form of [[description]].
18. The alternate form of the link to the target TBD is
19. Internal links can be made to a property called a
20. Edit links by entering
21. External links are of the form:location.
22. The link to Rainer's blog would have the form http://koenig-hauntetten.de][Rainer's blog]].
23. Every headline in an Org file can serve as a for internal links.
24. The link to an item with a CUSTOM_ID of #MyID123 has the form of
25. Link to the headline TBD has the form of
26. To view an attached file via a direct link, enter [[:fileiD][description]].
27. To create a UUID, place the cursor on the item and enter M-x This will add the ID as a new
property called ID.
28. To assign a priority to a headline, enter S to cycle through the options.
29. Follow a link by entering
30. To view an attached file, enter C-c C-a and then
31. Return from a link to your starting location by entering
32. Activate radio targets by entering
33. After a link is defined, every other occurrence of the term in the org file is linked to that initial link.
34. With a predefined effort property at the top of the org file and the subtree in column view (C-c C-x C-c),
place the cursor on the time column and enter <right arrow=""> to step through the predefined times to set</right>
the estimated time to do a task.
35. The UUID is created wiht the function .

Answers to quiz about Org_agenda4 in em yr2021mo09day16hr21min50sec39

- 1. C-x C-c d
- 2. C-c w
- 3. M
- 4. 25
- 5. #+NAME:
- 6. org-id-locations-file
- 7. C-x d
- 8. C-c C-a
- 9. org
- 10. #+TBLFM:
- 11. S
- 12. <<<TBD>>>
- 13. C-o
- 14. |-
- 15. headline
- 16. C-c
- 17. [TBD]
- 18. <TBD>
- 19. CUSTOM_ID
- 20. C-c C-l
- 21. protocol
- 22. [[
- 23. target
- 24. [[#MyID123]]
- 25. [[TBD]]
- 26. attachment
- 27. org-ide-get-create
- 28. <down arrow>
- 29. C-c C-o
- 30. o
- 31. C-c &
- 32. C-c C-c
- 33. radio
- 34. S
- 35. org-id-get-create

References cited in quiz about Org_agenda4 in em yr2021mo09day16hr21min50sec39

- 1. 'Living in Emacs' on ibm.com/developerWorks
- 2. Rainer Konig (2020) Getting yourself organized with Org-mode. A supplement for the video course. Self published. Udemy course.