

## Quiz about Bookmarks in em, Blaine Mooers yr2021mo10day03hr21min20sec29

1. To jump to a bookmark, enter \_\_ \_ \_.
2. In the \*Bookmark List\* buffer and with evil-mode off, enter \_\_ to display the filepath to the file in the minibuffer.
3. In the \*Bookmark List\* buffer, enter \_\_ to rename the bookmark.
4. In the \*Bookmark List\* buffer, enter \_\_ to display all of the annotations for all bookmarks in the buffer.
5. A series of marked bookmarks can be opened in separate windows by entering \_\_ to mark the bookmarks and v to open the files that they are stored it.
6. After editing the annotation for a bookmark in the \*Bookmark Annotation Compose\* buffer, enter \_\_ \_ \_ .
7. In the \*Bookmark List\* buffer and with evil-mode off, enter o or \_\_ to open the associated bookmarked file in a new window.
8. In the \*Bookmark List\* buffer, enter \_\_ to display the annotation for a bookmark.
9. In the \*Bookmark List\* buffer and with evil-mode off, enter n or \_\_\_\_\_ to move the cursor down a line.
10. A series of marked bookmarks can be opened in separate windows by entering m to mark the bookmarks and \_\_ to open the files that they are stored it.
11. In the \*Bookmark List\* buffer, enter \_\_ to open the \*Bookmark Annotation Compose\* buffer and to edit the template for annotations.
12. In the \*Bookmark List\* buffer and with evil-mode off, enter \_\_ or C-o to open the associated bookmarked file in a new window.
13. In the \*Bookmark List\* buffer, enter \_\_ and then x to delete the bookmark.
14. In the \*Bookmark List\* buffer, enter f or \_\_ to display the bookmarked file in place of the \*Bookmark List\* buffer.
15. In the \*Bookmark List\* buffer, enter \_\_ to toggle the display of the filenames associated with each bookmark.
16. Save the bookmarks by entering \_\_ \_\_\_\_\_.
17. In the \*Bookmark List\* buffer, enter \_\_ to save all of the bookmarks.
18. The command C-x r l opens the \* \_\_\_\_\_ \* buffer.
19. In the \*Bookmark List\* buffer, enter \_\_ or j to display the bookmarked file in place of the \*Bookmark List\* buffer.
20. In the \*Bookmark List\* buffer, enter d and then \_\_ to delete the bookmark.
21. Set a book mark by entering \_\_ \_ \_.
22. In the \*Bookmark List\* buffer and with evil-mode off, enter \_\_ to leave the bookmark list.
23. In the \*Bookmark List\* buffer and with evil-mode off, enter \_\_ to move the cursor up a line.
24. Open the list of bookmarks by entering \_\_ \_ \_.
25. In the \*Bookmark List\* buffer, bookmarks with an annotation have \_\_ by the name of bookmark.
26. In the \*Bookmark List\* buffer and with evil-mode off, enter \_\_ or space to move the cursor down a line.

**Answers to quiz about Bookmarks in em yr2021mo10day03hr21min20sec29**

1. C-x r b
2. w
3. r
4. A
5. m
6. C-c C-c
7. C-o
8. a
9. space
10. v
11. s
12. o
13. d
14. j
15. t
16. M-x bookmark-save
17. s
18. Bookmark List
19. f
20. x
21. C-x r m
22. q
23. p
24. C-x r l
25. \*
26. n

**References cited in quiz about Bookmarks in em    yr2021mo10day03hr21min20sec29**

1. Cameron2005LearningGNUEmacs3rdEdition