

S3 Ghana MED422 — Final 2 lecture-focus report

Scope: 48 questions from Final 2 only ·
43/50 canonical lectures represented · 17
genuine cross-lecture overlaps.

Counts use each question's primary likely lecture. They are revision signals from this paper—not guarantees of future exam weighting. Answer-key provenance and lecture-match confidence are kept separate.

Bottom line

- **Broad-coverage paper:** 43 distinct primary lectures appear across 48 questions; no lecture appears more than **2 times**.
- Only **5 lectures** repeat; the other 38 represented lectures appear once each.

- **Even test-group spread:** Test 1, Test 2, and Test 3 each contribute **16 questions**.
- Best use: revise broadly across all three tests, then give the 5 repeated lectures a short extra pass. Do not overfit to a narrow cluster.

Revision order

Give these 5 an extra pass

These are the only lectures repeated in Final 2.

- **T1.L4 — Preconceptional counselling and antenatal care**
 - Q8, Q23 · 4.2% of the paper
- **T1.L7 — Polycystic ovary syndrome**
 - Q16, Q48 · 4.2% of the paper
- **T2.L2 — Menopause**
 - Q10, Q14 · 4.2% of the paper
- **T2.L13 — Fetal malposition & malpresentations**
 - Q4, Q45 · 4.2% of the paper
- **T3.L2 — Gynecological problems in childhood & adolescence**
 - Q31, Q42 · 4.2% of the paper

Then revise broadly

The remaining 38 questions each map to a different lecture. Final 2 rewards breadth more than narrow topic prediction.

Test-group distribution

- **Test 1: 16 questions (33.3%)**
 - 14 distinct primary lectures
- **Test 2: 16 questions (33.3%)**
 - 14 distinct primary lectures
- **Test 3: 16 questions (33.3%)**
 - 15 distinct primary lectures

Complete lecture footprint

Every retained question appears below under its primary likely lecture.

- **T1.L4 — Preconceptional counselling and antenatal care**
 - 2 questions · 4.2% · Q8, Q23
- **T1.L7 — Polycystic ovary syndrome**
 - 2 questions · 4.2% · Q16, Q48
- **T2.L2 — Menopause**
 - 2 questions · 4.2% · Q10, Q14

- **T2.L13 — Fetal malposition & malpresentations**
 - 2 questions · 4.2% · Q4, Q45
- **T3.L2 — Gynecological problems in childhood & adolescence**
 - 2 questions · 4.2% · Q31, Q42
- **T1.L1 — The menstrual cycle & reproductive endocrinology**
 - 1 question · 2.1% · Q35
- **T1.L2 — Fetus, placenta, membranes and amniotic fluid**
 - 1 question · 2.1% · Q24
- **T1.L3 — Sexual development & Puberty**
 - 1 question · 2.1% · Q1
- **T1.L5 — Prenatal screening and diagnosis**
 - 1 question · 2.1% · Q21
- **T1.L6 — Amenorrhea-dysmenorrhea-PMS**
 - 1 question · 2.1% · Q47
- **T1.L8 — Bleeding in early pregnancy**
 - 1 question · 2.1% · Q38
- **T1.L9 — Antepartum hemorrhage**
 - 1 question · 2.1% · Q11

- **T1.L10 — Multifetal gestation**
 - 1 question · 2.1% · Q13
- **T1.L11 — Hyperemesis gravidarum**
 - 1 question · 2.1% · Q34
- **T1.L13 — Hypertension in pregnancy**
 - 1 question · 2.1% · Q46
- **T1.L14 — Medical Diseases & Pregnancy 1**
 - 1 question · 2.1% · Q19
- **T1.L16 — Medical Diseases & Pregnancy 3**
 - 1 question · 2.1% · Q9
- **T2.L1 — Infections & vaccinations in pregnancy**
 - 1 question · 2.1% · Q37
- **T2.L3 — RH isoimmunization**
 - 1 question · 2.1% · Q20
- **T2.L4 — Benign lesions of uterus & Cervix**
 - 1 question · 2.1% · Q36
- **T2.L6 — Infections of the genital tract**
 - 1 question · 2.1% · Q15
- **T2.L7 — Management of normal labour**
 - 1 question · 2.1% · Q18

- **T2.L8 — Disorders of fetal growth**
 - 1 question · 2.1% · Q5
- **T2.L11 — Benign diseases of the ovary**
 - 1 question · 2.1% · Q44
- **T2.L12 — Endometriosis and adenomyosis**
 - 1 question · 2.1% · Q41
- **T2.L14 — Endometrial hyperplasia and endometrial cancer**
 - 1 question · 2.1% · Q6
- **T2.L15 — Pelvic organ prolapse**
 - 1 question · 2.1% · Q17
- **T2.L16 — Urinary incontinence**
 - 1 question · 2.1% · Q27
- **T2.L17 — Operative vaginal delivery (case-based)**
 - 1 question · 2.1% · Q32
- **T3.L3 — Anesthesia and analgesia in labour**
 - 1 question · 2.1% · Q33
- **T3.L4 — Postmaturity and induction of labor**
 - 1 question · 2.1% · Q25

- **T3.L5 — Cesarean section**
 - 1 question · 2.1% · Q30
- **T3.L6 — Contraception**
 - 1 question · 2.1% · Q3
- **T3.L7 — Cervical cancer & screening**
 - 1 question · 2.1% · Q7
- **T3.L9 — Preterm labour and PROM**
 - 1 question · 2.1% · Q28
- **T3.L10 — Abnormal labour and its management (case-based)**
 - 1 question · 2.1% · Q40
- **T3.L11 — Emergency gynecology (case-based)**
 - 1 question · 2.1% · Q26
- **T3.L12 — Postnatal care and puerperal sepsis**
 - 1 question · 2.1% · Q29
- **T3.L13 — Atrophic & dystrophic conditions of the vulva**
 - 1 question · 2.1% · Q22
- **T3.L14 — Minimally invasive surgery in gynecology**
 - 1 question · 2.1% · Q39

- **T3.L15 — Malignant ovarian tumors**
 - 1 question · 2.1% · Q43
- **T3.L16 — Maternal collapse and its management (case-based)**
 - 1 question · 2.1% · Q12
- **T3.L17 — PPH & other Obstetric emergencies (case-based)**
 - 1 question · 2.1% · Q2

Mapping quality and answer provenance

- **Lecture match:** 45 strong · 3 likely · 0 possible
- **Answer key:** 0 circled · 1 inferred/reconstructed · 47 unknown

Final 2 has 47 questions with **unknown/unrecorded** answer provenance. Q41 alone is explicitly inferred/reconstructed from a truncated capture. Unknown is not treated as source-confirmed.

Lower-confidence mappings

Q18 — T2.L7 — Management of normal labour

Likely match. The normal-labour lecture covers intrapartum intermittent FHR auscultation and fetal surveillance; the item tests IA technique.

Q22 — T3.L13 — Atrophic & dystrophic conditions of the vulva

Likely match. The vulval-conditions lecture is the corpus's dedicated benign noninfectious vulval symptom/dermatosis topic, making it the closest source.

Q47 — T1.L6 — Amenorrhea-dysmenorrhea-PMS

Likely match. Amenorrhea covers hypothalamic low-FSH/LH stress amenorrhea; PCOS is the better alternate because it contrasts this pattern with PCOS.

Cross-lecture overlaps — 17/48

These are genuine overlaps, not duplicate assignments.

- **Q1**

- Primary: T1.L3 — Sexual development & Puberty
- Alternate: T1.L6 — Amenorrhea-dysmenorrhea-PMS

- **Q2**

- Primary: T3.L17 — PPH & other Obstetric emergencies (case-based)
- Alternate: T3.L16 — Maternal collapse and its management (case-based)

- **Q3**

- Primary: T3.L6 — Contraception
- Alternate: T3.L12 — Postnatal care and puerperal sepsis

- **Q4**

- Primary: T2.L13 — Fetal malposition & malpresentations
- Alternate: T2.L5 — Anatomy of the pelvis & mechanism of normal labor

- **Q10**

- Primary: T2.L2 — Menopause
- Alternate: T2.L10 — Psychosocial problems & women's health

- **Q13**

- Primary: T1.L10 — Multifetal gestation
- Alternate: T2.L9 — Role of Ultrasound in obstetric

- **Q17**

- Primary: T2.L15 — Pelvic organ prolapse
- Alternate: T2.L2 — Menopause

- **Q23**

- Primary: T1.L4 — Preconceptional counselling and antenatal care
- Alternate: T2.L9 — Role of Ultrasound in obstetric

- **Q26**

- Primary: T3.L11 — Emergency gynecology (case-based)
- Alternate: T2.L11 — Benign diseases of the ovary

- **Q31**

- Primary: T3.L2 — Gynecological problems in childhood & adolescence
- Alternate: T1.L3 — Sexual development & Puberty

- **Q32**

- Primary: T2.L17 — Operative vaginal delivery (case-based)
- Alternate: T2.L13 — Fetal malposition & malpresentations

- **Q33**

- Primary: T3.L3 — Anesthesia and analgesia in labour
- Alternate: T1.L14 — Medical Diseases & Pregnancy 1

- **Q40**

- Primary: T3.L10 — Abnormal labour and its management (case-based)
- Alternate: T3.L17 — PPH & other Obstetric emergencies (case-based)

- **Q42**

- Primary: T3.L2 — Gynecological problems in childhood & adolescence
- Alternate: T1.L3 — Sexual development & Puberty

- **Q44**

- Primary: T2.L11 — Benign diseases of the ovary
- Alternate: T3.L11 — Emergency gynecology (case-based)

- **Q47**
 - Primary: T1.L6 — Amenorrhea-dysmenorrhea-PMS
 - Alternate: T1.L7 — Polycystic ovary syndrome
- **Q48**
 - Primary: T1.L7 — Polycystic ovary syndrome
 - Alternate: T3.L1 — Subfertility

Source and item cautions

- **Q12:** the stem says oxygen “concentration,” while the options are flow rates; 15 L/min is supported by the maternal-collapse lecture.
- **Q18:** the exact Pinard/Doppler and timing technique is not stated in the verified normal-labour lecture.
- **Q19:** the sickle-cell item has potential single-best-answer ambiguity around prophylactic heparin wording.
- **Q22:** “vulvodynia” is absent from the verified corpus; the mapped vulval-conditions lecture is the closest topical source.

- **Q23:** wording differs between the first visible gestational sac and the earliest definitive yolk-sac sign; antenatal care is primary and ultrasound is alternate.
- **Q40:** the captured item has only three options, unlike surrounding four-option questions.
- **Q41:** the source capture was truncated; its options/key were reconstructed, although the Endometriosis lecture independently supports Sampson's theory.
- **Q43:** the ovarian-cancer lecture strongly supports the topic, but does not explicitly state "transcoelomic" as the most common route.

Detailed evidence

- `final-2-question-to-lecture-map.csv` — all 48 questions with full text, primary/alternate lecture, confidence, rationale, keyed answer, and provenance.
- `final-2-lecture-focus-data.json` — machine-readable deck-only counts and mappings.
- The quiz's **Likely lecture** flag shows the same mapping beside each live question.