



박용준

HTML/CSS 활용

		<div>Login</div> <div><input type="text"/></div> <div>Search</div>	
<div>Here -></div> <div></div>		<div>Menu Links</div> <div></div> <div></div> <div></div> <div></div>	
<div>Product's image</div> <div></div> <div>House image</div>		<div>Slide Products Introduce</div> <div>.....</div> <div>Name</div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div>Introduce</div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div>Price</div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div>Slide House Introduce</div> <div>.....</div> <div>New</div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div>Detail</div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div><input type="text"/></div> <div>Next Product</div> <div>→</div> <div>Next Image</div> <div>→</div>	
<div>Our Phone</div> <div><input type="text"/></div> <div><input type="text"/></div> <div>Facebook</div> <div><input type="text"/></div> <div><input type="text"/></div>	<div>Our Mail</div> <div><input type="text"/></div>	<div>Google Map</div> <div></div>	<div>Name</div> <div><input type="text"/></div> <div>Order id</div> <div><input type="text"/></div> <div>Product ID</div> <div><input type="text"/></div> <div>Feedback</div> <div><input type="text"/></div> <div>Send</div>

~~Product's Image~~

Slide Products Introduce

House image

Slide House Introduce

Our Phone

Our Mail

Google Map

Name

Product ID

Facebook

Order id


Feedback

Send


flex

- flex
- flex-direction
- flex-wrap
- justify-content
- align-items
- flex-grow
- flex-shrink
- flex-basis
- align-content
- align-self
- order


`display : flex`



flex-direction





row




row-reverse

column




column-reverse

flex-wrap




nowrap




wrap-reverse

박용준




wrap


justify-content



flex-start




flex-end




center


justify-content



space-between




space-around




space-evenly

align-items




stretch

박용준




flex-start

align-items




flex-end

박용준



center

align-items



base-line

```
flex : <grow> <shrink> <basis>;  
flex :    0          1      auto ;
```

```
flex-grow: 0;  
flex-shrink: 1;  
flex-basis: auto;
```

flex-grow

박용준

```
<main>  
  <div id="box_a" class="box">A</div>  
  <div id="box_b" class="box">B</div>  
  <div id="box_c" class="box">C</div>  
</main>
```



A => flex-grow : 1;

flex-grow

박용준

```
<main>
  <div id="box_a" class="box">A</div>
  <div id="box_b" class="box">B</div>
  <div id="box_c" class="box">C</div>
</main>
```




A => flex-grow : 1;

B => flex-grow : 1;

flex-grow

박용준



[예시 1] 팽창지수가 1 : 1 : 2 일 때



[예시 2] 팽창지수가 1 : 1 : 4 일 때



[예시 3] 팽창지수가 6 : 3 : 1 일 때



[예시 4] 팽창지수가 60 : 30 : 10 일 때

flex-shrink

flex-basis


```
<main>  
  <div id="box_a" class="box">A</div>  
  <div id="box_b" class="box">B</div>  
  <div id="box_c" class="box">C</div>  
</main>
```



grow => 0 : 1 : 1

A => flex-basis : 50px


flex-basis



grow => 1 : 1 : 1

flex-basis : auto

박용준



grow => 1 : 1 : 1

flex-basis : 0

flex-basis

- $\text{width} < \text{flex-basis}$

박용준

- content가 너무 많으면 (overflow) \Rightarrow max-width