





MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
courses
Tables
courses
enrollments
instructors
students
Views
Stored Procedures
Functions
-- The purpose of this query is to introduce a new instructor row into the instructor table.
-- Christopher Moore 10/22/2026
SELECT * FROM courses.instructors;
INSERT INTO instructors
VALUES
(4, "Harriet", "H");
SELECT * FROM instructors;
Schema: courses
instructor_id first_name last_name
1 Else E
2 Frank F
3 Gus G
4 Harriet H
Action Output
4 15:39:47 SELECT * FROM courses.instructors LIMIT 0, 15000 3 row(s) returned 0.000 sec / 0.000 sec
5 15:39:47 INSERT INTO instructors VALUES (4, "Harriet", "H") 1 row(s) affected 0.031 sec
6 15:39:50 SELECT * FROM courses.instructors LIMIT 0, 15000 4 row(s) returned 0.000 sec / 0.000 sec
7 15:40:36 SELECT * FROM instructors LIMIT 0, 15000 4 row(s) returned 0.000 sec / 0.000 sec
Query Completed
3:42 PM
10/22/2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
SCHEMAS
courses
Tables
courses
enrollments
instructors
students
Views
Stored Procedures
Functions
-- The purpose of this query is to add three new courses to the courses table.
-- Christopher Moore 10/22/2026
SELECT * FROM courses;
INSERT INTO courses
VALUES
(1200, "History 101", "Intro History", 4),
(1210, "History 102", "World History", 4),
(1220, "History 103", "Archaeology", NULL);
SELECT * FROM courses
Table: courses
Columns:
course_number
course_name
course_description
instructor_id
course_number course_name course_description instructor_id
1000 Math 101 Intro math 1
1010 Math 102 Statistics 1
1100 Science 101 Intro science 2
1110 Science 102 Biology 2
1120 Science 103 Chemistry NULL
1130 Science 104 Geology NULL
1200 History 101 Intro History 4
1210 History 102 World History 4
1220 History 103 Archaeology NULL
Action Output
37 15:50:33 SELECT * FROM courses LIMIT 0, 15000 6 row(s) returned 0.000 sec / 0.000 sec
38 15:50:33 INSERT INTO courses VALUES (1200, "History 101", "Intro History", 4), (1210, "History 102", "World History", 4), (1220, "History 103", "Archaeology", N... 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.016 sec
39 15:50:35 SELECT * FROM courses.courses LIMIT 0, 15000 9 row(s) returned 0.000 sec / 0.000 sec
40 15:51:07 SELECT * FROM courses LIMIT 0, 15000 9 row(s) returned 0.000 sec / 0.000 sec
Query Completed
3:52 PM
10/22/2026


MySQL Workbench
-- The purpose of this query is to assign instructor 3 to the History 103 course.
-- Christopher Moore 10/22/2026
SELECT * FROM courses.courses;
UPDATE courses
SET instructor_id = 3
WHERE course_number = 1220;
SELECT * FROM courses;
Table: courses
Columns:
course_number
course_name
course_description
instructor_id
Query Completed


MySQL Workbench
-- The purpose of this query is to assign instructor 3 to the Science 1120 & 1130 courses.
-- Christopher Moore 10/22/2026
SELECT * FROM courses.courses;
UPDATE courses
SET instructor_id = 3
WHERE course_number IN (1120, 1130);
SELECT * FROM courses;
Table: courses
Columns:
course_number
course_name
course_description
instructor_id
Query Completed



Part 6

The rows cannot be removed. I would assume this occurs because another table refers to these values.