

File to SOMIX

Rainer Wolfgang Winkler^{a,*}

^a*CubeServ GmbH, Am Prime-Parc 4, 65479 Raunheim, Germany*

Abstract

One of many possible ways to extract a SOMIX model from files with JavaScript coding is specified.

Keywords:

1. Introduction

This document describes how Moose2Model extracts a SOMIX meta-model [1] from file. This extraction follows the principles which are described in [2].

2. Extract JavaScript

JavaScript is expected to be the coding in html pages. The extraction logic searches therefore for the `<script>` tag in files which contain html. JavaScript coding is expected to be in the html file itself and in linked files which contain JavaScript code.

Declaration of Competing Interests

The author declares that he has no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

*Corresponding author

Email address: `rainer.winkler@cubeserv.com` (Rainer Wolfgang Winkler)

Acknowledgments

This work was funded by CubeServ GmbH. Many colleagues provided valuable support to make this project possible. I thank Patrick Michels for providing resources and support.

References

- [1] Moose2Model, <https://github.com/Moose2Model/SOMIX> (accessed 12 September 2022).
- [2] Winkler, Rainer Wolfgang, A Software Metamodel Restricted to Key Aspects of a Software System for Developers and a Method to Keep Manually Drawn Diagrams Up-to-Date and Correct. Available at SSRN: <https://ssrn.com/abstract=4049604> or <http://dx.doi.org/10.2139/ssrn.4049604>.