Discrete Mathematics, Section 001, Fall 2016

Lecture 1: Introduction, Definitions

Zsolt Pajor-Gyulai

zsolt@cims.nyu.edu

Courant Institute of Mathematical Sciences

September 7, 2016



Outline

- Introduction
 - Welcome to discrete mathematics
 - Assessment
 - Course policies
- 2 Definitions

This course is a one-semester introduction to discrete mathematics with an emphasis on the understanding, composition and critiquing of mathematical proofs.

This course is a one-semester introduction to discrete mathematics with an emphasis on the understanding, composition and critiquing of mathematical proofs.

Instructor Zsolt Pajor-Gyulai zsolt@cims.nyu.edu

Office WWH 1105A

Office hours Mon 7:50-8:50am, 4:00-5:00pm

Course Page via NYU Classess

This course is a one-semester introduction to discrete mathematics with an emphasis on the understanding, composition and critiquing of mathematical proofs.

Instructor Zsolt Pajor-Gyulai zsolt@cims.nyu.edu

Office WWH 1105A

Office hours Mon 7:50-8:50am, 4:00-5:00pm

Course Page via NYU Classess

Textbook:

Scheinerman, Mathematics: A Discrete Introduction. (3rd Ed)

By the end of the course, you will (hopefully) be able to:

 Write clear mathematical statements using standard notation and terminology.

By the end of the course, you will (hopefully) be able to:

- Write clear mathematical statements using standard notation and terminology.
- Understand and execute a variety of proof techniques (contradiction, induction, etc.).

By the end of the course, you will (hopefully) be able to:

- Write clear mathematical statements using standard notation and terminology.
- Understand and execute a variety of proof techniques (contradiction, induction, etc.).
- Show fluency in the language of basic set theory and Boolean logic.

By the end of the course, you will (hopefully) be able to:

- Write clear mathematical statements using standard notation and terminology.
- Understand and execute a variety of proof techniques (contradiction, induction, etc.).
- Show fluency in the language of basic set theory and Boolean logic.
- Understand the basic theorems and their implications in a variety of (discrete) fields including:
 - Function theory
 - Number theory
 - Graph theory

Distributed via NYU Classes site.

• Handwritten submission:

PDF submission:

Distributed via **NYU Classes** site.

- Handwritten submission:
 - Homeworks are due at the beginning of the lecture at the due date.

PDF submission:

Distributed via NYU Classes site.

- Handwritten submission:
 - Homeworks are due at the beginning of the lecture at the due date.
 - The lowest two homework score will be dropped. N.B. It is advised that students reserve this 'pass' for unexpected absences.

PDF submission:

- Handwritten submission:
 - Homeworks are due at the beginning of the lecture at the due date.
 - The lowest two homework score will be dropped. N.B. It is advised that students reserve this 'pass' for unexpected absences.
 - In fairness to all students and graders, no late homework will be accepted. No emailed homework will be accepted.
- PDF submission:

- Handwritten submission:
 - Homeworks are due at the beginning of the lecture at the due date.
 - The lowest two homework score will be dropped. N.B. It is advised that students reserve this 'pass' for unexpected absences.
 - In fairness to all students and graders, no late homework will be accepted. No emailed homework will be accepted.
- PDF submission:
 - You must produce an electronic copy, in PDF format. You
 may compose your assignment using a mathematics
 typesetting language like LaTeX, mathematical software like
 Mathematica, or a standard word processor like Word with
 an equation editor.

- Handwritten submission:
 - Homeworks are due at the beginning of the lecture at the due date.
 - The lowest two homework score will be dropped. N.B. It is advised that students reserve this 'pass' for unexpected absences.
 - In fairness to all students and graders, no late homework will be accepted. No emailed homework will be accepted.
- PDF submission:
 - You must produce an electronic copy, in PDF format. You
 may compose your assignment using a mathematics
 typesetting language like LaTeX, mathematical software like
 Mathematica, or a standard word processor like Word with
 an equation editor.
 - No photographed handwritten work will be accepted.

- Handwritten submission:
 - Homeworks are due at the beginning of the lecture at the due date.
 - The lowest two homework score will be dropped. N.B. It is advised that students reserve this 'pass' for unexpected absences.
 - In fairness to all students and graders, no late homework will be accepted. No emailed homework will be accepted.
- PDF submission:
 - You must produce an electronic copy, in PDF format. You
 may compose your assignment using a mathematics
 typesetting language like LaTeX, mathematical software like
 Mathematica, or a standard word processor like Word with
 an equation editor.
 - No photographed handwritten work will be accepted.
 - Upload via NYU Classes.

Quizzes (10%)

Quizzes will take place in discussion sections.

Quizzes (10%)

- Quizzes will take place in discussion sections.
- The lowest three of these will be dropped.

Quizzes (10%)

- Quizzes will take place in discussion sections.
- The lowest three of these will be dropped.
- No make ups for any other reason than the ones detailed under Course Policies below.

Exams

• In class Midterm 1 (20%): October 12

Exams

- In class Midterm 1 (20%): October 12
- In class Midterm 2 (20%): November 14

Exams

- In class Midterm 1 (20%): October 12
- In class Midterm 2 (20%): November 14
- Final (25%): Date: December 19, 8:00-10:50am



$$FS = 0.25 \cdot HW\% + 0.1 \cdot Q\% + 0.2 \cdot M1\% + 0.2 \cdot M2\% + 0.25 \cdot F\%$$

Cutoff	Letter Grade
93	Α
90	A-
87	B+
83	В
80	B-
77	C+
70	С
65	D

$$FS = 0.25 \cdot HW\% + 0.1 \cdot Q\% + 0.2 \cdot M1\% + 0.2 \cdot M2\% + 0.25 \cdot F\%$$

Cutoff	Letter Grade
93	Α
90	A-
87	B+
83	В
80	B-
77	C+
70	С
65	D

Curving:

Possible, but only downwards (i.e., towards better grades).

$$FS = 0.25 \cdot HW\% + 0.1 \cdot Q\% + 0.2 \cdot M1\% + 0.2 \cdot M2\% + 0.25 \cdot F\%$$

Cutoff	Letter Grade
93	Α
90	A-
87	B+
83	В
80	B-
77	C+
70	С
65	D

Curving:

- Possible, but only downwards (i.e., towards better grades).
- No information will be given out before the end of the semester.

$$FS = 0.25 \cdot HW\% + 0.1 \cdot Q\% + 0.2 \cdot M1\% + 0.2 \cdot M2\% + 0.25 \cdot F\%$$

Cutoff	Letter Grade
93	Α
90	A-
87	B+
83	В
80	B-
77	C+
70	С
65	D

Curving:

- Possible, but only downwards (i.e., towards better grades).
- No information will be given out before the end of the semester.
- No letter grades are assigned to any individual midterms.

- Religious holidays.
- University sponsored event.

Illness.

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.

Illness.

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.

Illness.

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.
 - Athletic practices or rehearsals don't qualify.

Illness.

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.
 - Athletic practices or rehearsals don't qualify.
 - Arrangement have to be one week in advance.
- Illness.

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.
 - Athletic practices or rehearsals don't qualify.
 - Arrangement have to be one week in advance.
 - Coach, conductor, or faculty advisor contact me.
- Illness.

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.
 - Athletic practices or rehearsals don't qualify.
 - Arrangement have to be one week in advance.
 - Coach, conductor, or faculty advisor contact me.
- Illness.
 - Detailed letter from a health care provider.

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.
 - Athletic practices or rehearsals don't qualify.
 - Arrangement have to be one week in advance.
 - Coach, conductor, or faculty advisor contact me.
- Illness.
 - Detailed letter from a health care provider.
 - Just stating you were there is not enough!

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.
 - Athletic practices or rehearsals don't qualify.
 - Arrangement have to be one week in advance.
 - Coach, conductor, or faculty advisor contact me.
- Illness.
 - Detailed letter from a health care provider.
 - Just stating you were there is not enough!

Note though:

 No homework make up, accommodation is only for submission.

Qualifying reasons for accommodations

- Religious holidays.
 - Arrangements have to be made one week in advance.
- University sponsored event.
 - E.g. athletic tournament, play, musical performance.
 - Athletic practices or rehearsals don't qualify.
 - Arrangement have to be one week in advance.
 - Coach, conductor, or faculty advisor contact me.
- Illness.
 - Detailed letter from a health care provider.
 - Just stating you were there is not enough!

Note though:

- No homework make up, accommodation is only for submission.
- NO ACCOMMODATION FOR MORE CONVENIENT TRAVEL!

Special accomodations

 Must present letter from Moses Center at the start of the course.

Special accomodations

- Must present letter from Moses Center at the start of the course.
- Must schedule Moses Center exams a week ahead.

• Get your hands dirty in class! Participate when we solve problems in class.

- Get your hands dirty in class! Participate when we solve problems in class.
- Spend time on written assignments. Expect each written assignment to take 4-8 hours.

- Get your hands dirty in class! Participate when we solve problems in class.
- Spend time on written assignments. Expect each written assignment to take 4-8 hours.
- Prepare for quizzes, for example, by practicing on textbook problems at the end of the section.

- Get your hands dirty in class! Participate when we solve problems in class.
- **Spend time** on written assignments. Expect each written assignment to take 4-8 hours.
- Prepare for quizzes, for example, by practicing on textbook problems at the end of the section.
- Get help early:
 - Form study groups.

- Get your hands dirty in class! Participate when we solve problems in class.
- Spend time on written assignments. Expect each written assignment to take 4-8 hours.
- Prepare for quizzes, for example, by practicing on textbook problems at the end of the section.
- Get help early:
 - Form study groups.
 - Attend instructor and TAs' office hours.

- Get your hands dirty in class! Participate when we solve problems in class.
- Spend time on written assignments. Expect each written assignment to take 4-8 hours.
- Prepare for quizzes, for example, by practicing on textbook problems at the end of the section.
- Get help early:
 - Form study groups.
 - Attend instructor and TAs' office hours.
 - Use the internet, but cautiously.

• Pre-rigorous:

Rigorous

- Pre-rigorous:
 - Informal, intuitive manner.

Rigorous

- Pre-rigorous:
 - Informal, intuitive manner.
 - Based on examples, fuzzy notios, handwaiving.

Rigorous

- Pre-rigorous:
 - Informal, intuitive manner.
 - Based on examples, fuzzy notios, handwaiving.
 - Emphasis is on 'how to?' over 'why?'
- Rigorous

- Pre-rigorous:
 - Informal, intuitive manner.
 - Based on examples, fuzzy notios, handwaiving.
 - Emphasis is on 'how to?' over 'why?'
 - Statement is true because teacher said so.
- Rigorous

- Pre-rigorous:
 - Informal, intuitive manner.
 - Based on examples, fuzzy notios, handwaiving.
 - Emphasis is on 'how to?' over 'why?'
 - Statement is true because teacher said so.
 - E.g. Calculus 1.
- Rigorous

Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

Mathematics in a precise and formal matter.

Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

- Mathematics in a precise and formal matter.
- Based on unambiguous statements on abstract objects.

Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

- Mathematics in a precise and formal matter.
- Based on unambiguous statements on abstract objects.
- Emphasis on theory. 'Why?' is the main question.

Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

- Mathematics in a precise and formal matter.
- Based on unambiguous statements on abstract objects.
- Emphasis on theory. 'Why?' is the main question.
- Statement is true because it unambiguously follows from your previous knowledge.

Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

- Mathematics in a precise and formal matter.
- Based on unambiguous statements on abstract objects.
- Emphasis on theory. 'Why?' is the main question.
- Statement is true because it unambiguously follows from your previous knowledge.
- E.g. Calculus with $\epsilon \delta$.

Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

- Mathematics in a precise and formal matter.
- Based on unambiguous statements on abstract objects.
- Emphasis on theory. 'Why?' is the main question.
- Statement is true because it unambiguously follows from your previous knowledge.
- E.g. Calculus with $\epsilon \delta$.

Post-rigorous:

Comfortable with rigorous foundations of one's field.

Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

- Mathematics in a precise and formal matter.
- Based on unambiguous statements on abstract objects.
- Emphasis on theory. 'Why?' is the main question.
- Statement is true because it unambiguously follows from your previous knowledge.
- E.g. Calculus with $\epsilon \delta$.

- Comfortable with rigorous foundations of one's field.
- Intuition is back but this time well-founded in rigorous theory.

• Pre-rigorous:

- Informal, intuitive manner.
- Based on examples, fuzzy notios, handwaiving.
- Emphasis is on 'how to?' over 'why?'
- Statement is true because teacher said so.
- E.g. Calculus 1.

Rigorous

- Mathematics in a precise and formal matter.
- Based on unambiguous statements on abstract objects.
- Emphasis on theory. 'Why?' is the main question.
- Statement is true because it unambiguously follows from your previous knowledge.
- E.g. Calculus with $\epsilon \delta$.

- Comfortable with rigorous foundations of one's field.
- Intuition is back but this time well-founded in rigorous theory.
- Easy transition between intution and rigorous arguments.

Why do rigorous math?

This class is the first step in

Pre-rigorous

→ Rigorous

This is usually rather traumatic but here is why you should do it:

- Pre-rigorous approach becomes inadequate as complexity of the subject increases.
- We need to be able to tell if a statement is true, even if it is not obvious by immediate intuition.
- This can be done through a chain of obviously true implications from an obviously true statement (Proof).

logical implication

True statement



True statement

Outline

- Introduction
 - Welcome to discrete mathematics
 - Assessment
 - Course policies
- 2 Definitions

 Mathematical objects are purely conceptual and come to existence by precise definitions.

- Mathematical objects are purely conceptual and come to existence by precise definitions.
- This is done in an unambiguous way, in terms of previously well defined mathematical objects using English.

- Mathematical objects are purely conceptual and come to existence by precise definitions.
- This is done in an unambiguous way, in terms of previously well defined mathematical objects using English.

For example:

Definition

An integer is called **even** provided it is divisible by two.

- Mathematical objects are purely conceptual and come to existence by precise definitions.
- This is done in an unambiguous way, in terms of previously well defined mathematical objects using English.

For example:

Definition

An integer is called **even** provided it is divisible by two.

What are integer, divisible, two?

Fundamental objects (for this class)

Some objects and their properties have to be considered given.

- Numbers:
 - Natural numbers: $\mathbb{N} = \{0, 1, 2, 3, ...\}$
 - Integer numbers: $\mathbb{Z} = \{..., -3, -2, -1, 0, 1, 2, 3, ...\}$
 - Rational numbers: Q
 - Real numbers: R
- Operations: +, ·.
- Order relations: $<, \le, >, \ge, =$.

If you want to dig deeper: Mathematical logic

An integer is called **even** provided it is divisible by two.

An integer is called **even** provided it is divisible by two.

- No need to define integer or two.
- However, what does divisible mean?

e.g. Is 3 divisible by 2?

'3 divided by 2 is
$$\frac{3}{2}$$
.'

But this is not what we want!

Definition

Let a and b integers. We say that a is **divisible** by b provided there is an integer c such that bc = a.

Let a and b integers. We say that a is **divisible** by b provided there is an integer c such that bc = a.

For example:

Let a and b integers. We say that a is **divisible** by b provided there is an integer c such that bc = a.

For example:

Is 12 divisible by 4?

Let a and b integers. We say that a is **divisible** by b provided there is an integer c such that bc = a.

For example:

• 12 is divisible by 4 because there is an integer 3 such that $4 \cdot 3 = 12$.

Let a and b integers. We say that a is **divisible** by b provided there is an integer c such that bc = a.

For example:

- 12 is divisible by 4 because there is an integer 3 such that $4 \cdot 3 = 12$.
- Is 12 divisible by 5?

Let a and b integers. We say that a is **divisible** by b provided there is an integer c such that bc = a.

- 12 is divisible by 4 because there is an integer 3 such that $4 \cdot 3 = 12$.
- 12 is not divisible by 5 because there is no integer x for which 5x = 12.

Let a and b integers. We say that a is **divisible** by b provided there is an integer c such that bc = a.

For example:

- 12 is divisible by 4 because there is an integer 3 such that $4 \cdot 3 = 12$.
- 12 is not divisible by 5 because there is no integer x for which 5x = 12.

Terminology and notation

If a is divisible by b, we write b|a and also say

- b divides a,
- b is a factor of a,
- b is a divisor of a.

An integer is called **even** provided it is divisible by two.

What about odd numbers?

Alternative 1

An integer *a* is called **odd** provided it is not even.

Alternative 2 (We go with this one)

An integer a is called **odd** provided there is an integer x such that a = 2x + 1.

That these two are equivalent is a statement that requires verification!

An integer is called **even** provided it is divisible by two.

Definition

An integer a is called **odd** provided there is an integer x such that a = 2x + 1.

For example:

Is 12 even?

An integer is called **even** provided it is divisible by two.

Definition

An integer a is called **odd** provided there is an integer x such that a = 2x + 1.

For example:

• 12 is even because $2 \cdot 6 = 12$.

An integer is called **even** provided it is divisible by two.

Definition

An integer a is called **odd** provided there is an integer x such that a = 2x + 1.

- 12 is even because $2 \cdot 6 = 12$.
- Is 13 odd?

An integer is called **even** provided it is divisible by two.

Definition

An integer a is called **odd** provided there is an integer x such that a = 2x + 1.

- 12 is even because $2 \cdot 6 = 12$.
- 13 is odd because $2 \cdot 6 + 1 = 13$.

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

For example:

Is 11 a prime?

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

For example:

 11 is a prime because 11 > 1 and the only positive divisors are 1 and 11.

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

- 11 is a prime because 11 > 1 and the only positive divisors are 1 and 11.
- Is 12 a prime?

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

- 11 is a prime because 11 > 1 and the only positive divisors are 1 and 11.
- 12 is not a prime because 3|12 and $3 \neq 1$ or 12.

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

- 11 is a prime because 11 > 1 and the only positive divisors are 1 and 11.
- 12 is not a prime because 3|12 and $3 \neq 1$ or 12.
- Is 1 a prime number?

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

- 11 is a prime because 11 > 1 and the only positive divisors are 1 and 11.
- 12 is not a prime because 3|12 and $3 \neq 1$ or 12.
- 1 is not a prime because 1 ≯ 1.

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

For example:

• Is 12 a composite number?

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

For example:

• 12 is a composite number because e.g. 1 < 3 < 12 and $3 \mid 12$.

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

- 12 is a composite number because e.g. 1 < 3 < 12 and 3|12.
- Is 360 a composite number?

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

- 12 is a composite number because e.g. 1 < 3 < 12 and $3 \mid 12$.
- \bullet 360 is a composite number as e.g. 1 < 180 < 360 and 180 $\!\!|$ 360.

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

- 12 is a composite number because e.g. 1 < 3 < 12 and $3 \mid 12$.
- 360 is a composite number as e.g. 1 < 180 < 360 and 180|360.
- Is 1 a composite number?

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

- 12 is a composite number because e.g. 1 < 3 < 12 and $3 \mid 12$.
- 360 is a composite number as e.g. 1 < 180 < 360 and 180|360.
- 1 is not a composite number as there is no number b such that 1 < b < 1.

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

Comparison:

• A prime p is not composite as there is no integer b with 1 < b < p with b|p.

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and $b \mid a$.

Comparison:

- A prime p is not composite as there is no integer b with 1 < b < p with b|p.
- A composite a is not a prime as there is an integer $b \neq 1$, a such that b|a.

Definition

An integer p is called **prime** provided p > 1 and the only positive divisors of p are 1 and p.

Definition

A positive integer a is called **composite** provided there is an integer b such that 1 < b < a and b|a.

Comparison:

- A prime p is not composite as there is no integer b with 1 < b < p with b|p.
- A composite a is not a prime as there is an integer $b \neq 1$, a such that b|a.
- However, 1 is neither a prime, nor a composite.