

View online at: <http://www.clips.ua.ac.be/pages/mbasp-tags>

Penn Treebank II tag set

[Pattern](#) and [MBSP](#) assign meaningful tags to words and groups of words in a sentence. Each tag is a short code (such as "**DT**" for "determiner").

The tag set is based on the Penn Treebank Tagging Guidelines [\[pdf\]](#).

Part-of-speech tags

Part-of-speech tags are assigned to a single word according to its role in the sentence. Traditional grammar classifies words based on eight parts of speech: the verb (**VB**), the noun (**NN**), the pronoun (**PR+DT**), the adjective (**JJ**), the adverb (**RB**), the preposition (**IN**), the conjunction (**CC**), and the interjection (**UH**).

TAG	DESCRIPTION	EXAMPLE
CC	conjunction, coordinating	<i>and, or, but</i>
CD	cardinal number	<i>five, three, 13%</i>
DT	determiner	<i>the, a, these</i>
EX	existential there	<i><u>there</u> were six boys</i>
FW	foreign word	<i>mais</i>
IN	conjunction, subordinating or preposition	<i>of, on, before, unless</i>
JJ	adjective	<i>nice, easy</i>
JJR	adjective, comparative	<i>nicer, easier</i>
JJS	adjective, superlative	<i>nicest, easiest</i>
LS	list item marker	
MD	verb, modal auxiliary	<i>may, should</i>
NN	noun, singular or mass	<i>tiger, chair, laughter</i>
NNS	noun, plural	<i>tigers, chairs, insects</i>
NNP	noun, proper singular	<i>Germany, God, Alice</i>
NNPS	noun, proper plural	<i>we met two <u>Christmases</u> ago</i>
PDT	predeterminer	<i><u>both</u> his children</i>
POS	possessive ending	<i>'s</i>
PRP	pronoun, personal	<i>me, you, it</i>
PRP\$	pronoun, possessive	<i>my, your, our</i>
RB	adverb	<i>extremely, loudly, hard</i>
RBR	adverb, comparative	<i>better</i>
RBS	adverb, superlative	<i>best</i>
RP	adverb, particle	<i>about, off, up</i>
SYM	symbol	<i>%</i>
TO	infinitival to	<i>what <u>to</u> do?</i>
UH	interjection	<i>oh, oops, gosh</i>
VB	verb, base form	<i>think</i>
VBZ	verb, 3rd person singular present	<i>she <u>thinks</u></i>
VBP	verb, non-3rd person singular present	<i>I <u>think</u></i>
VBD	verb, past tense	<i>they <u>thought</u></i>
VBN	verb, past participle	<i>a <u>sunken</u> ship</i>
VBG	verb, gerund or present participle	<i><u>thinking</u> is fun</i>
WDT	<i>wh</i> -determiner	<i>which, whatever, whichever</i>
WP	<i>wh</i> -pronoun, personal	<i>what, who, whom</i>
WP\$	<i>wh</i> -pronoun, possessive	<i>whose, whosever</i>
WRB	<i>wh</i> -adverb	<i>where, when</i>
.	punctuation mark, sentence closer	<i>.,?*</i>

,	punctuation mark, comma	,
:	punctuation mark, colon	:
(contextual separator, left paren	(
)	contextual separator, right paren)

Chunk tags

Chunk tags are assigned to groups of words that belong together (i.e. phrases). The most common phrases are the noun phrase (**NP**, for example *the black cat*) and the verb phrase (**VP**, for example *is purring*).

TAG	DESCRIPTION	WORDS	EXAMPLE	%
NP	noun phrase	DT+RB+JJ+NN + PR	<i>the strange bird</i>	51
PP	prepositional phrase	TO+IN	<i>in between</i>	19
VP	verb phrase	RB+MD+VB	<i>was looking</i>	9
ADVP	adverb phrase	RB	<i>also</i>	6
ADJP	adjective phrase	CC+RB+JJ	<i>warm and cosy</i>	3
SBAR	subordinating conjunction	IN	<i>whether or not</i>	3
PRT	particle	RP	<i>up the stairs</i>	1
INTJ	interjection	UH	<i>hello</i>	0

The IOB prefix marks whether a word is inside or outside of a chunk.

TAG	DESCRIPTION
I-	inside the chunk
B-	inside the chunk, preceding word is part of a different chunk
O	not part of a chunk

A prepositional noun phrase (**PNP**) is a group of chunks starting with a preposition (**PP**) followed by noun phrases (**NP**), for example: *under the table*.

TAG	DESCRIPTION	CHUNKS	EXAMPLE
PNP	prepositional noun phrase	PP+NP	<i>as of today</i>

Relation tags

Relations tags describe the relation between different chunks, and clarify the role of a chunk in that relation. The most common roles in a sentence are **SBJ** (subject noun phrase) and **OBJ** (object noun phrase). They link **NP** to **VP** chunks. The subject of a sentence is the person, thing, place or idea that is *doing* or *being* something. The object of a sentence is the person/thing affected by the action.

TAG	DESCRIPTION	CHUNKS	EXAMPLE	%
-SBJ	sentence subject	NP	<i>the cat sat on the mat</i>	35
-OBJ	sentence object	NP+SBAR	<i>the cat grabs the fish</i>	27
-PRD	predicate	PP+NP+ADJP	<i>the cat feels warm and fuzzy</i>	7
-TMP	temporal	PP+NP+ADVP	<i>arrive at noon</i>	7
-CLR	closely related	PP+NP+ADVP	<i>work as a researcher</i>	6
-LOC	location	PP	<i>live in Belgium</i>	4
-DIR	direction	PP	<i>walk towards the door</i>	3
-EXT	extent	PP+NP	<i>drop 10 %</i>	1
-PRP	purpose	PP+SBAR	<i>die as a result of</i>	1

Anchor tags

Anchor tags describe how prepositional noun phrases (**PNP**) are attached to other chunks in the sentence. For example, in the sentence, *I eat pizza with a fork*, the anchor of *with a fork* is *eat* because it answers the question: "In what way do I eat?"

TAG	DESCRIPTION	EXAMPLE
A1	anchor chunks that corresponds to P1	<i>eat with a fork</i>
P1	PNP that corresponds to A1	<i>eat with a fork</i>

Occurrence estimate

The given percentages for chunk and relations tags are based on tenfold cross validation on sections 10 to 19 of the WSJ Corpus of the Penn Treebank II by Sabine Buchholz, from which we derived a rough indication. The estimate means that if a 100 chunk tags are found, about 50 would be **NP** tags and 35 would have a **SBJ** relation tag. About 30 of the chunks would be tagged as **NP-SBJ**, and 15 as **NP-OBJ**.

