


Note:  
as-cut configuration  
(accounts for laser kerf only)  
assumed kerf width of 25 microns


UNLESS OTHERWISE SPECIFIED:		NAME		DATE		US FDA & Confluent Medical					
DIMENSIONS ARE IN MM TOLERANCES: FRACTIONAL ± ANGULAR: MACH ±    BEND ± TWO PLACE DECIMAL    ± THREE PLACE DECIMAL    ±	DRAWN	KIA		01/2017							
	CHECKED										
	ENG APPR.										
	MFG APPR.										
INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.					TITLE:  Generic IVC filter, as-cut configuration, flat laser toolpath					
MATERIAL	COMMENTS:										
						SIZE	DWG. NO.		REV		
						A	1		1.1		
DO NOT SCALE DRAWING						SCALE: 5:1		WEIGHT:		SHEET 2 OF 6	

B


B



Tube size  
TSE0800X0515GS



Note:  
as-cut configuration  
(accounts for laser kerf only)



Strut dimensions  
Scale: 100:1

UNLESS OTHERWISE SPECIFIED:		NAME		DATE		US FDA & Confluent Medical			
DIMENSIONS ARE IN MM TOLERANCES: FRACTIONAL ± ANGULAR: MACH ±    BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	KIA		01/2017					
	CHECKED								
	ENG APPR.								
	MFG APPR.								
INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.					TITLE:  Generic IVC filter, as-cut configuration, wrapped tube			
MATERIAL	COMMENTS:								
DO NOT SCALE DRAWING									

SIZE		DWG. NO.		REV	
A		2		1.1	
SCALE: 4:1		WEIGHT:		SHEET 3 OF 6	

A

A

2

1

