




The Hitchhiker's Guide to **Cursor** (You Don't Need To Bring a Towel for This)

< Discovery Day | June 2026 >



SpaceX buys Cursor-maker Anysphere for \$60B in enterprise AI push: report



BY SOFIA CHESNOKOVA · JUNE 16, 2026 · 4 MINUTE READ



SpaceX buys AI coding startup Cursor for \$60bn as AI race with OpenAI and Anthropic intensifies





Mor Hananovitz

- AI Engineering Group Lead



- GenAI Lecturer




- WiDS IL Community Leader



Snowboarder, CrossFiter, Boulder Climber

Agenda

A decorative graphic on the left side of the slide, consisting of a vertical stack of horizontal bars of various colors (green, pink, purple, red, teal, yellow, white, orange, light green, dark grey, magenta, cyan, orange, dark grey) of varying lengths, creating a stylized, abstract shape.

01 Cursor Overview

02 Where are My Models at?

03 Modes of Operation

04 Spoilers for What's Next



01 { ..

Let's talk about Cursor

Product features, Where is the AI?



Files

✓ IDE



- New Agent ⌘ ⌘ L
- Hide Terminal ⌘ J
- Search Files ⌘ P
- Open Browser ⌘ ⌘ B
- Maximize Chat ⌘ ⌘ E
- Add Repository ⌘ ⌘ A

✓ Agentic Coding

✓ Terminal

Problems Output Debug Console **Terminal** Ports
mor.h@morh-MacBook-Pro queen-learning %

> OUTLINE
> TIMELINE


main* queen-learning 0 0 Git Graph

Cursor Tab

Cursor vs. VS code


Native AI workspace:

- Code completion
- Code generation
- Chat abilities
- Full integration -IDE & terminal





Agent what does it do?




- Learn your repo
- Large scale tasks



>>> Code generation

How Does it Work?



**This is why edits land in the right file with the right imports - Cursor doesn't just see the open tab.*



Controlling the Agent



How to control the Agent?

Rules

The system
prompt for your
project

Allow list

Don't ask me -
just run it

Skills / Commands

Complex
repetitive and
standertized
tasks

Memories

“all alone in
the moonlight..”



Rules 101

```
your-project/  
  .cursor/  
    rules/  
      index.mdc          # Project-wide “always on” context  
      conventions/  
        code-style.mdc   # Style & patterns (Auto Attached / Manual)  
        commit-messages.mdc  
      workflows/  
        pr-checklist.mdc # Reusable checklists/templates  
        docs-generation.mdc  
      areas/  
        backend.mdc      # Scoped by globs to backend/*  
        frontend.mdc     # Scoped by globs to frontend/**  
        infra.mdc        # Scoped by globs to infra/**
```





How to write your rules

Open each rule.mdc file with:

- description: what is this .mdc file for
- globs: area
- alwaysApply: true / false

Apply to Specific Files ▾

backend ×

```
---  
description: Cursor rules for python for developers  
globs: backend  
alwaysApply: false  
---
```

Always Apply



This rule attached to every chat and command+k request

description: Cursor rules for python for developers

globs: backend

alwaysApply: true



Things to consider



Style guides

Tests

Code structure

Design requests

Security





Things I have but – AI loves

mkdir 

“““

Docstring

“““

Code ~~changes~~

comments



  emojis



vas



@vasumanmoza

Follow



Claude 4 just refactored my entire codebase in one call.

25 tool invocations. 3,000+ new lines. 12 brand new files.

It modularized everything. Broke up monoliths. Cleaned up spaghetti.

None of it worked.
But boy was it beautiful.

Manage your Allowlist

Auto-Run

Auto-Run Mode

Choose how Agent runs tools like command execution and file writes

Use Allowlist

Command Allowlist

Commands that can run automatically

echo ×

grep ×

ls ×

pytest ×

make test ×

make format ×

make lint ×

python3 -m venv ×

python3 -m pip ×

./venv/bin/python ×

./venv/bin/pip ×

python ×

source ×

pipenv install ×

pipenv run ×

make setup ×

make run ×



02 { ..

Where are my models
at?




} ..



Model Selection Demo



Major Considerations



- Performance benchmark
- Context window (input / output tokens)
- Reasoning abilities 🧠
- Max Models

MAX Mode NEW

Get maximum context window and tool calls. For advanced users that are cost insensitive.

Billed at API pricing ↗





03 { ..

Different Modes of Operation

Ask, Agent, Plan Mode







{ ..

don't ask what
your **AGENT** can
do for you but
what you can
do for your
ASK

} ..





Demo



04 { ..

What's Next?

No Spoilers!





Tomorrow at 17:00!


Advanced
Harness

Hooks – what
are they
used for?

Agents
screen

Plan Smart!

Cost
Optimization



Thanks!

< Do you have any questions? >



CREDITS: This presentation template was created by **Slidesgo**, and includes icons by **Flaticon**, and infographics & images by **Freepik**



Chatbot Arena





03 { ..

Choosing the right
LLM for the job



} ..

{ Memory bank

Git repo

You tube tutorial

“initialize memory bank”

